

ESZTER BÁNFFY / ALEXANDER GRAMSCH (EDS)

THE NEOLITHIC OF THE SÁRKÖZ
AND ADJACENT REGIONS IN HUNGARY:
BIOARCHAEOLOGICAL STUDIES

CONFINIA ET HORIZONTES VOL. 2

CONFINIA ET HORIZONTES

VOL. 2

RÖMISCH-GERMANISCHE KOMMISSION
DES DEUTSCHEN ARCHÄOLOGISCHEN INSTITUTS

ARCHÄOLOGISCHES INSTITUT
FORSCHUNGSZENTRUM FÜR HUMANWISSENSCHAFTEN
BUDAPEST

ESZTER BÁNFFY / ALEXANDER GRAMSCH (EDS)

**The Neolithic of the Sárköz
and Adjacent Regions in Hungary:
Bioarchaeological Studies**

Verlag Beier & Beran. Archäologische Fachliteratur, Langenweißbach

With 295 Figures, 49 Tables, and 2 Digital Supplements

Bibliografische Information der Deutschen Bibliothek

Die Deutsche Bibliothek verzeichnet diese Publikation
in der Deutschen Nationalbibliografie; detaillierte bibliografische Daten
sind im Internet über <http://dnb.de> abrufbar.

© 2024 by Römisch-Germanische Kommission des Deutschen Archäologischen Instituts Frankfurt a. M.
ISBN 978-3-95741-156-3

<https://doi.org/10.34780/6cf3-3fo6>

Satz: Susanne Biegert, Bonn
Druck: Beltz Grafische Betriebe GmbH, Bad Langensalza
Verantwortliche Redakteurin: Katja Rösler, Römisch-Germanische Kommission
Graphische Betreuung: Lara Hies, Oliver Wagner, Römisch-Germanische Kommission
Formalredaktion: Ulrike Rambuscheck, Hannover; Julia Hahn, Heiko Fischer, Claudia Trummer, Tamara Ziemer,
Römisch-Germanische Kommission
Übersetzungen und sprachliche Betreuung: Molly Tate, Hamburg; Elizabeth Wright, Sheffield
Alle Rechte, insbesondere das der Übersetzung in fremde Sprachen, vorbehalten.
Ohne ausdrückliche Genehmigung des Verlages ist es auch nicht gestattet, dieses Buch oder Teile daraus
auf photomechanischem Wege (Photokopie, Mikrokopie) zu vervielfältigen oder unter Verwendung
elektronischer Systeme zu verarbeiten und zu verbreiten.

Printed in Germany

Printed on fade resistant and archival quality paper (PH 7 neutral) • tcf

Table of Contents

Editor's introduction: Contributing to the bioarchaeology of Neolithic Sárköz ESZTER BÁNFFY	1
Biological reconstruction of the Early Neolithic burials excavated at the site of Alsónyék-Bátaszék (South-West Hungary) KITTI KÖHLER	9
The biological reconstruction of the population of the Late Neolithic Lengyel culture of Alsónyék-Bátaszék KITTI KÖHLER	31
Strontium and oxygen isotope baselines from multicomponent environmental analyses MICHAEL KEMPF, MARGAUX L. C. DEPAERMENTIER, ESZTER BÁNFFY AND KURT W. ALT	205
Multiproxy isotope analyses reveal scale-based mobility and social patterns in Neolithic Hungary MARGAUX L. C. DEPAERMENTIER, MICHAEL KEMPF, ALEXANDER MÖRSEBURG, CORINA KNIPPER, ANNA SZÉCSÉNYI-NAGY, JUDIT REGENYE, ANETT OSZTÁS, JÁNOS JAKUCS, ALEXANDRA ANDERS, JUDIT P. BARNA, PIROSKA CSENGERI, KRISZTIÁN OROSS, KATALIN SEBŐK, LÁSZLÓ DOMBORÓCZKI, MARC FECHER, KITTI KÖHLER, BALÁZS GUSZTÁV MENDE, ERIKA MOLNÁR, TIBOR MARTON, JUDIT ANTONI (†), GÁBOR BERTÓK, JÁNOS DANI, FERENC HORVÁTH, VIKTÓRIA KISS, JUDIT KOÓS, VERA MAJERIK, EMESE GYÖNGYVÉR NAGY, JÁNOS ÓDOR, GYÖRGY PÁLFI, TIBOR PALUCH, PÁL RACZKY, MARIO ŠLAUS, KRISZTINA SOMOGYI, KATALIN TÓTH, VANDA VOICSEK, ISTVÁN ZALAI-GAÁL (†), ESZTER BÁNFFY AND KURT W. ALT	243
Ancient population genetics of the 6000–4000 cal BC period of the Carpathian Basin ANNA SZÉCSÉNYI-NAGY, VICTORIA KEERL, JÁNOS JAKUCS, KITTI KÖHLER, KRISZTIÁN OROSS, ANETT OSZTÁS, TIBOR MARTON, BALÁZS GUSZTÁV MENDE, KURT W. ALT AND ESZTER BÁNFFY	277
Animal keeping and hunting habits of the Early Neolithic settlement of Alsónyék in the mirror of the animal bones ANNA ZSÓFIA BILLER	435
Preliminary archaeomalacological analysis of a Starčevo culture refuse pit exca- vated at Alsónyék-Bátaszék archaeological site BALÁZS NAGY, SÁNDOR GULYÁS, ESZTER BÁNFFY AND PÁL SÜMEGI	467

Kitti Köhler

The biological reconstruction of the population of the Late Neolithic Lengyel culture of Alsónyék-Bátaszék

APPENDIX I

Sites	Child	♂	♀	?	Total	Literature
Hungary						
1. Alsónyék	147	248	336	131	862	Present study
2. Aszód-Papi földek	78	48	72	2	204	ZOFFMANN 2012a
3. Balatonederics-Döme barlang	–	1	–	–	1	BERNERT et al. 2002
4. Belvárdgyula-Szarkahegy	6	3	7	–	16	ZOFFMANN unpublished
5. Borjád-Kenderföld	–	–	1	–	1	ZOFFMANN unpublished
6. Csabdi-Télizölde	11	7	15	1	34	KÖHLER 2004
7. Esztergályhorváti	–	38	–	–	38	ZOFFMANN 2007
8. Kaposújlak-Várdomb	–	–	1	–	1	ZOFFMANN 2011b
9. Karancsság	–	–	2	–	2	KÖHLER 2003
10. Lengyel	1	5	–	–	6	VIRCHOW 1890; MALÁN 1929
11. Lébény-Kaszásdomb	–	1	–	–	1	ZOFFMANN 1998/99
12. Mórágyp-Tűzkődomb B.1	34	14	31	3	82	ZOFFMANN 2004a
Mórágyp-Tűzkődomb B.2	12	5	9	–	26	ZOFFMANN 2014
13. Nagykanizsa-Palin	1	1	2	2	6	G. TÓTH 2009; 2011
14. Pári-Altacker	3	4	4	–	11	KISZELY 1973
15. Pécsvárad-Aranyhegy	?	?	?	?	8	ZOFFMANN 1985; 1998/99
16. Sárvár, elkerülő út, 5. lh.	–	1	–	–	1	G. TÓTH 2002
17. Sé-Malomi dűlő és-Doberdó	1	1	–	–	2	G. TÓTH 1996/97; 2002
18. Szederkény-Kukorica-dűlő	1	2	1	–	4	ZOFFMANN unpublished
19. Szekszárd-Ágostonpuszta	1	13	6	2	22	NEMESKÉRI 1955
20. Szentgál-Füzikút	–	–	1	1	2	ZOFFMANN 1998–1999
21. Szólád-Kisaszó	2	–	1	–	3	KÖHLER unpublished
22. Szombathely, Metró Áruház	1	–	–	–	1	G. TÓTH 2002
23. Tevel-Zsidóhegy	–	1	1	–	2	ZOFFMANN 1998/99
24. Versend-Gilencsa	–	–	2	–	2	ZOFFMANN unpublished
25. Veszprém, Jutasi út	2	5	5	1	13	KÖHLER 2006
26. Villánykövesd	9	9	4	1	23	ZOFFMANN 1971
27. Zengővárkony	4	25	33	2	64	ZOFFMANN 1974
28. Zomba-Paradicsompuszta	?	?	?	?	4	NEMESKÉRI 1955

Tab. 1. Burial sites of the Lengyel culture with physical anthropological analysis (see also *Fig. 3*).

Sites	Child	♂	♀	?	Total	Literature
Austria						
29. Bisamberg	–	–	1	–	1	JUNGWIRTH 1956
30. Eggenburg	–	1	–	–	1	EHGARTNER 1956
31. Friebritz-Süd	5	5	1	1	12	NEUGEBAUER-MARESCH / TESCHLER-NICOLA 2006
32. Langenlois	–	–	2	–	2	ZIMMERMANN 1935
33. Mauer	2	2	3	–	7	STROUHAL / JUNGWIRTH 1970
34. Mödling	–	–	2	–	2	RUTTKAY / TESCHLER-NICOLA 1985
35. Poigen	1	1	3	–	5	EHGARTNER / JUNGWIRTH 1956
36. Poysdorf	–	2	–	–	2	JUNGWIRTH 1967
37. Stillfried	–	1	–	–	1	SCHÜRER v. WALDHEIM 1919
38. Wetzleinsdorf	–	–	1	–	1	JUNGWIRTH 1973
Slovakia						
39. Lužianky	1	1	1	2	5	VLČEK 1961
40. Malé Krštenany	–	–	1	–	1	VLČEK / BARTA 1950
41. Svodín	42	23	27	6	98	JAKAB 1986

Tab. 1. (continued).

Site unit, year of excavation	Excavation leader	Excavated m ²	Features	Graves
Alsónyék-Kanizsa-dűlő (M6 TO 010/B) 2006–2007	MTA BTK RI-Archeosztráda Kft. (István Zalai-Gaál – Anett Osztás)	36 783	3705	<u>600</u>
Alsónyék-Kanizsa-dűlő (M6 TO 010B) 2006–2007	Ásatárs Kft. (Zsolt Gallina)	47 038	1890	<u>266</u>
Bátaszék-Malomrét-dűlő (M6 TO 011) 2006–2007	Ásatárs Kft. (Péter Hornok – Zsolt Gallina)	67 095	1330	724
Alsónyék-Kanizsa-dűlő (M6 TO 010B) 2008	MTA BTK RI-Archeosztráda Kft. (Anett Osztás)	5293	521	<u>72</u>
Lajvér-patak mederkorrekció (M6 TO 046) 2008	KÖSZ (Vera Majerik)	6799	?	55
Bátaszék-Malomrét-dűlő Magtár (M6 TO 011) 2008	KÖSZ (Vera Majerik)	16 253	168	11
Bátaszék-Mézőnői Telep (M6 TO 5603/1) 2008	MTA BTK RI-Archeosztráda Kft. (Anett Osztás)	42 981	600	356
Bátaszék-56-os út (M6 TO 5603/1) 2008–2009	MTA BTK RI-Archeosztráda Kft. (Anett Osztás)	20 507	1100	277
		242 749	9314	2359

Tab. 2. Basic data of the excavated units at the site of Alsónyék-Bátaszék (see also Fig. 4).

Grave Nr.	Sex	Sexual expression	Nr. of studied traits	Age (year)	Basis of age estimation	Preservation		
						Skull	Mandible	Skeleton
1	Male	+0.78	9	40–49	1, 3, 6	fi	–	fi
2	Male	+0.50	12	40–59	1, 2, 6	fi	fi	fi
4	?	–	–	15–17	9	vfi	fi	vfi
5	Female	–0.92	13	35–44	3, 5, 6	fi	fi	fi
6	Female ?	–0.67	3	40–49	3, 5	fi	fi	vfi
7	Female	–1.11	9	19–22	3, 9	fi	fi	fi
8	Male ?	+0.75	4	40–59	5	vfi	–	vfi
14	Male ?	+0.17	6	30–39	1, 2, 3, 6	vfi	fi	vfi
16	Male ?	+0.38	8	40–49	1, 2, 3, 4	fi	fi	fi
25	Child	–	–	4–5	10	–	–	vfi
31	Female ?	0.00	2	23–39	5	–	–	fi
44	Child	–	–	6–7	10	fi	fi	fi
45	Child	–	–	c. 6	10, 11	fi	fi	fi
50	Female	–1.10	10	55–64	1, 2	fi	fi	fi
52	?	+0.25	4	30–39	3, 5	vfi	vfi	vfi
58	?	–	–	15–19	11	fi	fi	fi
62	Child	–	–	0±3 months	11	–	–	vvfi
63	Male	+0.68	22	20–22	1, 2, 3, 4, 6, 7	int	int	int
64	Female	–1.19	16	30–39	1, 2, 3, 4, 6, 8	int	int	fi
66	Female	–0.50	10	23–26	3, 7, 9	fi	fi	fi
67	Female	–0.92	12	35–44	1, 2, 3	fi	fi	fi
70	Male	+0.60	20	40–49	1, 2, 3, 4, 8	fi	int	fi
71	Female	–0.67	12	30–35	3, 5, 7	fi	fi	fi
72	Female ??	–0.43	7	30–39	3, 5, 6	fi	fi	fi
73	Female ?	–0.8	5	21–24	6, 8, 9	–	–	vfi
78	Female	–0.81	16	40–49	1, 2, 3, 4, 8	fi	fi	fi
91	Male	+0.57	7	30–39	1, 2, 3, 5, 6	fi	fi	fi
92	Female ?	–0.13	8	35–44	3, 5	fi	vfi	fi
93	Female	–0.43	21	35–44	3, 4, 6	fi	fi	fi
94	Child	–	–	2–3	10, 11	fi	fi	vfi
95	Child	–	–	1–2	10, 11	fi	–	vfi
96	Female	–1.33	6	21–23	3, 9	fi	fi	fi
97	Child	–	–	5–6	10, 11	fi	fi	fi
98	Male	+0.89	9	40–59	3, 4	fi	fi	fi
99	Child	–	–	9–10	10, 11	vfi	fi	fi
100	?	–0.50	2	30–49	4, 6	–	–	vfi
111	Male ?	+0.71	7	18–21	3, 9	vfi	vfi	fi
112	Child	–	–	10–12	10, 11	vfi	fi	fi
114	Female	–1.28	18	40–44	1, 2, 3, 6, 8	fi	fi	fi
115	Female	–0.78	18	23–25	2, 3, 6, 7, 9	int	int	int
121	Child	–	–	c. 1	10, 11	vfi	–	vfi
132	Male	+0.67	12	55–59	1, 2, 3	fi	fi	fi

Tab. 3. Basic individual data of the burials of Alsónyék (f: fragmentary, i: incomplete, int: intact, v: very).

Grave Nr.	Sex	Sexual expression	Nr. of studied traits	Age (year)	Basis of age estimation	Preservation		
						Skull	Mandible	Skeleton
138	Child	–	–	5–6	10, 11	fi	fi	fi
144	Male	+0.56	9	50–54	1, 2, 3	fi	fi	fi
151	Male ?	+0.20	10	30–49	1, 2	fi	fi	fi
153	Female	–0.60	5	45–54	3, 4, 5	fi	fi	fi
155	Female	–0.85	20	25–29	3, 4, 6, 8	int	int	int
161	Male ?	+1.00	3	30–39	estimation	vfi	vfi	vfi
164	Child	–	–	13–14	11	int	fi	int
167	Child	–	–	8–9	10, 11	–	vfi	vfi
183	Child	–	–	3–4	10, 11	vfi	fi	vfi
188	Female	–1.33	6	50–59	3, 6	vfi	vfi	vfi
189	Child	–	–	3–7	estimation	fi	–	vfi
203	Male	+0.81	16	25–34	1, 3, 4, 6	fi	fi	fi
205	Female	–0.46	13	50–59	1, 2, 3	fi	fi	vfi
210	Child	–	–	1–2	10, 11	vfi	fi	fi
212	Male ?	+0.08	12	35–44	1, 2, 3, 4, 6	fi	fi	fi
213	Female	–0.57	14	22–24	3, 9	fi	fi	fi
214	Male	+1.06	16	35–44	1, 2, 3, 4	fi	int	int
215	Female	–1.16	19	30–34	1, 2, 3, 4, 6	int	int	int
255	Female	–1.00	13	17–19	3, 4, 9	int	int	int
256	Child	–	–	6–7	10, 11	fi	fi	fi
257	Child	–	–	13–14	10, 11	fi	int	fi
260	Male	+1.40	10	40–49	1, 3, 4	fi	fi	fi
262	Male	+1.40	15	40–49	3	fi	fi	fi
271	Child	–	–	8–10	10	fi	fi	vfi
279	Male	+1.40	10	23–29	3	fi	fi	fi
303	Child	–	–	8–9	10, 11	fi	–	fi
310	Female	–0.69	13	35–54	2, 6	fi	fi	fi
315	Female ?	–0.75	4	18–21	9	fi	fi	fi
335	Female	–0.58	12	40–49	2, 3, 5	fi	fi	fi
337	Male	+1.29	14	50–59	1, 2, 3, 5, 6	fi	fi	fi
355	Female	–1.38	8	25–34	3, 6	–	vfi	fi
359	Male ?	+0.40	10	55–59	1, 2, 3, 4	fi	fi	vfi
362	Male	+1.06	17	35–44	3, 6	fi	int	fi
364	Child	–	–	3–5	estimation	vvfi	–	vvfi
369	Female	–0.44	16	35–44	1, 2, 3, 4, 6	fi	fi	fi
379	Female ?	–1.00	2	30–49	estimation	–	–	fi
380	Female ?	–0.30	10	30–39	1, 2, 3	fi	–	fi
387	Female	–1.33	9	35–49	3, 5, 6, 8	vfi	fi	fi
392	Female	–0.70	1	30–49	estimation	fi	fi	fi
393	Female	–1.10	10	50–59	3	fi	–	fi
396	Child	–	–	1–2	10, 11	fi	fi	fi
397	Child	–	–	3–4	10	fi	–	–

Tab. 3. (continued).

Grave Nr.	Sex	Sexual expression	Nr. of studied traits	Age (year)	Basis of age estimation	Preservation		
						Skull	Mandible	Skeleton
398	Male	+1.23	13	30–39	3, 5, 6	fi	int	fi
400	Female	–0.87	15	18–20	9	fi	vfi	fi
407	Female	–1.11	9	40–59	2	fi	fi	fi
411	Male ?	+0.15	13	25–34	1, 2, 3, 4, 6	fi	fi	fi
422	Child	–	–	11–12	10	fi	fi	fi
423	Male ?	+1.00	3	23–59	estimation	fi	–	–
424	?	–	–	14–17	3, 9	fi	fi	vfi
426	Female	–1.00	9	45–54	1, 2, 3, 4	fi	fi	fi
431	Male ?	+0.44	9	25–26	9	fi	fi	fi
432	Female	–1.30	10	40–54	1, 2, 5	fi	–	fi
434	Female ??	–0.40	10	30–39	3	vfi	vfi	ith
435	Male ?	0.00	15	50–59	1, 2, 3, 6	fi	fi	fi
436	Male ?	+0.38	13	50–59	1, 3, 8	fi	fi	fi
437	?	–	–	23–79	estimation	–	–	vvfi
439	Female	–0.92	13	40–49	1, 2, 3	fi	fi	fi
440	Male ??	+0.08	13	18–21	3, 9	fi	fi	fi
446	Male	+1.00	22	35–44	1, 2, 3, 4, 6, 8	fi	int	int
449	Female	–0.73	11	30–39	4	–	–	vfi
451	Female	–0.58	19	35–44	1, 2, 3, 4, 6	int	int	int
452	Female ?	–0.11	9	17–20	3, 9	fi	fi	fi
461	Child	–	–	0–1	11	vfi	–	vfi
463	Female ?	–1.40	5	18–19	3, 9	vfi	–	vfi
464	Female ?	–1.00	3	50–59	3	vfi	vfi	vfi
465	Child	–	–	9–11	10, 11	fi	–	vfi
466	Female	–0.96	21	40–49	1, 2, 3, 4, 6	fi	fi	fi
467	Child	–	–	1–2	11	–	–	fi
468	Female	–1.00	2	30–49	5	vfi	–	vfi
471	Female ?	–1.00	6	18–22	3, 9	fi	fi	vfi
474	Female			23–29	2, 3, 6	fi	fi	int
474	Foetus	–	–	±0	11	fi	fi	int
475	Female ?	–0.13	16	25–34	1, 2, 3, 4, 5, 6	fi	fi	fi
477	?	–0.11	9	23–29	3, 6	vfi	fi	vfi
478	Male	+1.00	7	40–44	1, 2, 3	vfi	fi	fi
487	Female ?	–1.50	4	23–39	3, 5	vfi	–	vfi
488	Female ?	–1.00	1	40–79	estimation	vfi	vfi	vfi
490	Male	+1.00	7	25–29	3, 5, 6	vfi	vfi	fi
493	Female	–1.15	13	30–39	1, 2, 3, 6	fi	vfi	fi
496	Male	+1.00	14	23–29	3, 4, 6, 8	vfi	fi	int
497	Female	–1.17	12	40–59	3, 4, 5, 6	fi	vfi	fi
500	Male	+0.69	13	45–54	1, 2, 3	fi	fi	fi
503	Male ?	+0.75	4	20–23	3, 9	vfi	vfi	vfi
504	Child	–	–	6–7	11	–	–	vfi

Tab. 3. (continued).

Grave Nr.	Sex	Sexual expression	Nr. of studied traits	Age (year)	Basis of age estimation	Preservation		
						Skull	Mandible	Skeleton
513	Child	–	–	8–9	10, 11	fi	fi	fi
515	Child	–	–	5–6	11	vfi	vfi	vfi
516	Female	–0.60	15	35–44	1, 2, 3, 4, 5, 6	fi	fi	fi
518	Female ?	–0.36	11	23–29	3, 6, 8	fi	fi	fi
520	Female	–0.93	15	30–39	1, 2, 3, 6	fi	int	fi
522	Female	–1.07	14	21–24	3, 9	fi	fi	fi
523	Child	–	–	14–15	10, 11	vfi	fi	fi
551	Child	–	–	1–2	10, 11	fi	fi	fi
552	Male	+0.67	21	45–54	3, 4	fi	fi	int
556	?	+0.33	15	35–44	1, 2, 3, 4, 6, 8	fi	int	fi
557	Child	–	–	1–2	11	vfi	vfi	vfi
566	Female ?	–0.67	3	17–19	3, 9	fi	vfi	fi
572	Child	–	–	8–9	11	vfi	–	fi
573	Male ?	+0.25	8	25–34	3, 4	–	–	fi
582	Child	–	–	c. 2	10, 11	fi	fi	fi
585	Female	–0.82	11	23–29	1, 3, 5, 7	fi	fi	fi
586	Child	–	–	0–1	11	vvfi	–	vvfi
587	Female ?	–0.17	6	30–49	3, 5	vfi	fi	fi
589	Female	–0.52	21	30–39	1, 2, 3, 4, 6, 8	fi	fi	int
617	Female	–1.17	6	45–54	3, 5	vfi	vfi	fi
618	Male	+0.94	18	25–34	1, 2, 3, 5, 6, 8	fi	fi	fi
629	Female	–0.90	10	50–59	1, 2, 3, 5, 6, 8	fi	fi	fi
679	Male	+0.69	16	21–24	1, 2, 4, 6, 9	int	int	int
682	?	0.00	11	35–54	3, 5, 6	fi	fi	fi
691	Male	+0.61	18	40–49	1, 2, 3, 4, 5, 6, 8	fi	fi	fi
692	Female	–0.08	12	25–34	1, 2, 3, 6	fi	fi	fi
695	Child	–	–	1–2	10, 11	fi	fi	fi
696	Child	–	–	9–10	10, 11	fi	fi	fi
709	Female	–0.77	13	50–59	1, 2, 3, 4	fi	fi	fi
713	?	+0.13	8	40–59	1, 2, 5, 6	fi	fi	fi
714	Male	+0.35	20	25–29	1, 2, 3, 4, 6, 8	int	int	int
715	Female	–1.08	12	50–59	1, 2, 3	fi	fi	fi
726	Female	–0.67	9	40–59	1, 2, 3	fi	fi	fi
734	Male	+0.22	18	19–21	3, 9	fi	int	int
736	Female ?	–0.23	13	19–23	3, 7, 9	fi	int	int
743	Female	–0.55	11	40–49	1, 2, 3	vfi	vfi	vfi
746	Female	–1.00	9	45–54	1, 2, 3, 4, 6	fi	vfi	fi
747	Female	–1.50	8	50–59	1, 2, 3	fi	vfi	fi
750	Male	+0.63	16	25–29	1, 2, 3, 6	fi	fi	fi
760	Male	+0.94	18	45–54	1, 2, 3, 4	fi	fi	fi
763	Child	–	–	4–5	10, 11	vfi	vfi	vfi
764	Male ?	+0.43	7	40–59	3	fi	fi	fi

Tab. 3. (continued).

Grave Nr.	Sex	Sexual expression	Nr. of studied traits	Age (year)	Basis of age estimation	Preservation		
						Skull	Mandible	Skeleton
765	?	+0.38	16	35–44	3, 4, 5, 6, 8	fi	fi	fi
767	Child	–	–	14–15	10, 11	fi	fi	fi
768	Female	–0.62	21	23–25	3, 4, 7, 9	int	int	fi
769	Male	+0.67	9	45–54	1, 2, 3	vfi	fi	fi
782	?	+0.57	7	20–23	3, 9	vfi	fi	fi
783	Male	+0.67	9	40–59	3	vfi	vfi	vfi
784	Child	–	–	6–8	10, 11	vfi	vfi	vfi
785	Female	–0.58	12	35–44	1, 2, 3, 5, 6, 8	fi	fi	fi
791	Male	+0.62	13	40–49	1, 2, 3, 6	fi	fi	fi
792	Male	0.85	13	50–59	1, 2, 3, 6	fi	vfi	fi
793	Child	–	–	8–9	10, 11	fi	–	vfi
794	?	–	–	16–18	3, 9	fi	–	fi
795	Child	–	–	2–3	10, 11	vfi	fi	vfi
796	Female	–0.77	13	23–26	1, 2, 3, 6, 7	fi	fi	fi
797	Child	–	–	10–12	10, 11	fi	fi	fi
798	Male	+0.73	11	50–59	1, 2, 3, 6	fi	fi	fi
799	Female	–1.00	16	35–44	3, 4, 8	fi	int	fi
800	Female	–0.62	13	40–44	1, 2, 3, 4	fi	fi	fi
801	Child	–	–	3–5	10, 11	fi	fi	fi
802	?	–	–	15–18	9	vfi	fi	vfi
803	Male ?	+0.30	10	25–34	1, 2, 3, 8	fi	int	fi
804	Child	–	–	7–8	10, 11	fi	fi	fi
805	Female	–1.10	10	30–39	3	fi	fi	fi
808	Male	+0.50	12	35–44	1, 4, 6	fi	fi	fi
809	Male	+0.60	10	50–54	1, 3, 5	fi	vfi	vfi
810	Female ?	–0.33	6	35–44	3, 5	vfi	vfi	vfi
811	?	–0.06	17	23–26	1, 2, 3, 7, 9	fi	int	int
812	Female	–0.82	17	20–24	3, 9	fi	fi	int
813	Male	+0.43	14	25–34	1, 2, 3, 8	fi	int	fi
814	Female	–0.75	4	23–30	3, 5	vfi	fi	fi
815	Child	–	–	8–9	10, 11	fi	fi	fi
817	Female	–0.67	18	25–34	1, 2, 3, 4	fi	int	int
818	Female	–0.71	7	40–59	1, 2, 3	fi	fi	fi
819	Male	+1.00	14	23–29	1, 2, 3, 4, 5, 7, 8	fi	int	fi
821	?	–0.29	7	18–21	3, 9	fi	fi	fi
822	?	–0.20	10	18–21	3, 9	vfi	fi	fi
823	Female	–1.17	7	18–20	3, 9	fi	fi	fi
825	Male	–1.08	13	35–44	1, 2, 3, 5	fi	fi	fi
826	Male	+0.81	16	25–34	1, 2, 3, 6	fi	int	fi
827	Male	+1.00	15	35–44	1, 2, 3, 6	fi	fi	fi
828	Female ?	–0.25	8	30–39	3, 6	fi	fi	fi
829	Male ??	+0.00	9	30–39	3, 5, 6, 8	fi	fi	fi

Tab. 3. (continued).

Grave Nr.	Sex	Sexual expression	Nr. of studied traits	Age (year)	Basis of age estimation	Preservation		
						Skull	Mandible	Skeleton
830	?	–	–	15–16	9	vfi	fi	fi
831	Male	+1.11	9	35–44	1, 2, 3, 6	fi	fi	fi
832	?	–	–	15–23	9	–	–	fi
833	?	+0.25	4	18–20	9	vfi	–	vfi
834	Female ?	–1.29	7	23–27	3, 4, 6, 7	vfi	fi	fi
835	Male	+1.36	14	50–59	1, 2, 3, 5	fi	fi	fi
836	Female	–1.00	10	40–44	3, 5, 6	fi	fi	fi
837	?	–	–	16–17	3, 9	fi	fi	fi
838	Child	–	–	3–4	10	fi	vfi	vfi
839	Child	–	–	14–15	10, 11	vfi	vfi	fi
840	Female	–0.60	15	20–24	1, 2, 3, 4, 6, 9	fi	vfi	fi
841	Child	–	–	10–14	estimation	–	–	vfi
842	Female	–1.29	7	25–34	3, 4, 6	vfi	fi	fi
843	?	–	–	?	–	vfi	–	–
844	Male ?	+1.33	3	35–44	3	fi	fi	fi
845	Female ?	–0.67	6	23–27	3, 4, 6, 7	vfi	fi	fi
846	Female	–1.33	12	40–49	1, 2, 3, 5, 6, 8	fi	fi	fi
847	Female	–0.64	14	20–24	3, 9	fi	fi	fi
848	Female	0.46	13	35–44	1, 2, 3, 5, 6	fi	fi	fi
849	Child	–	–	c. 2	10, 11	fi	fi	fi
850	Child	–	–	8–9	10, 11	fi	fi	fi
851	Female	–1.13	23	40–44	2, 3, 4, 6, 8	fi	fi	fi
853	Female	–0.95	20	40–49	1, 2, 3, 4, 6	fi	fi	fi
854	Female	–0.92	13	50–59	1, 3, 4	fi	fi	fi
880	Male	+1.00	15	40–59	1, 2	fi	fi	fi
881	Female	–1.00	11	45–54	1, 2, 3	fi	vfi	fi
882	Female	–1.29	7	50–59	1, 2, 3	fi	vfi	vfi
883	Female	–1.00	14	21–24	1, 2, 4, 6, 9	fi	fi	fi
901	Female ?	–0.80	10	40–49	2, 3	fi	fi	fi
907	Female	–1.10	10	30–39	2, 6, 8	int	–	fi
908	Female	–1.09	11	30–39	2, 3, 5, 6	fi	fi	fi
910	Male	+0.79	14	40–59	3, 4, 5, 6	fi	fi	fi
962	Male ?	+1.14	7	40–59	3	fi	fi	fi
963	?	–	–	15–16	3, 9	fi	fi	fi
999	Child	–	–	c. 13	11	fi	int	fi
1008	Child	–	–	3–4	10, 11	fi	fi	fi
1013	Male	+1.50	6	45–54	2, 3, 5	fi	fi	fi
1031	Female	–0.50	8	30–39	3	fi	fi	vfi
1048	Child	–	–	7–8	10, 11	vfi	fi	fi
1112	Female	–1.00	20	25–29	1, 2, 3, 4, 5, 7, 8	fi	fi	fi
1115	Child	–	–	c. 2	10, 11	vfi	vfi	fi
1116	Female	–1.07	14	30–39	1, 2, 3, 6	fi	fi	fi

Tab. 3. (continued).

Grave Nr.	Sex	Sexual expression	Nr. of studied traits	Age (year)	Basis of age estimation	Preservation		
						Skull	Mandible	Skeleton
1118	Female ?	0.00	8	40–49	3, 4	–	int	fi
1119	Female ?	–0.83	6	22–24	1, 2, 3, 4, 6, 7, 9	fi	fi	fi
1398	Male ?	+0.50	4	30–59	estimation	–	–	vfi
1405	Male	+1.00	15	30–39	3, 6	fi	int	fi
1407	?	+0.00	2	23–59	estimation	–	–	vfi
1408	Male	+0.89	9	30–39	3, 5	vfi	fi	fi
1436	Female	–1.00	5	35–44	4	–	–	vfi
1473	Female	–0.92	14	40–59	1, 2, 3	fi	int	fi
1478	Male	+1.20	5	50–59	3	vfi	vfi	vfi
1497	Female ??	–1.50	2	30–59	5	–	–	vfi
1571	?	–0.50	2	23–39	3, 4, 6	vfi	vfi	fi
1586	?	–0.67	3	25–29	9	vfi	–	vfi
1588	Male	+0.70	10	40–44	1, 3	fi	fi	fi
1590	Child	–	–	8–9	10, 11	fi	fi	fi
1615	Male	+1.00	9	50–59	1, 2, 3	fi	fi	fi
1640	Child	–	–	9–11	10, 11	fi	fi	fi
1641	Child	–	–	1–2	10, 11	fi	vfi	fi
1644	?	–	–	40–49	1, 3, 5	fi	–	vfi
1656	Male	+0.67	9	40–44	3, 6	fi	fi	fi
1687	?	–0.75	4	23–27	3, 9	vvfi	vfi	fi
1752	Female	–1.25	8	35–39	3, 4, 6	–	vfi	fi
1769	Male	+0.75	12	24–27	3, 7, 9	fi	fi	fi
1783	?	+1.00	1	30–59	estimation	vfi	–	–
1790	Male	+1.00	14	35–44	3, 4	fi	fi	int
1797	Male	+1.18	11	22–25	3, 7, 9	fi	fi	fi
1798	Male	+0.67	6	40–49	4, 6	–	–	fi
1799	Female ?	–0.40	5	30–39	3, 4	vvfi	fi	fi
1800	?	–0.10	10	40–49	3	fi	fi	fi
1801	Male ?	+1.00	3	18–20	3, 9	vfi	vvfi	fi
1802	Male ??	+0.43	7	30–39	3	vfi	fi	fi
1803	Male ?	+1.17	6	50–59	1, 3	vfi	fi	fi
1810	Child	–	–	5–7	10, 11	fi	fi	fi
1814	Female	–1.0	10	25–29	3, 7	fi	fi	fi
1818	Female ?	–0.55	11	35–44	3	fi	fi	fi
1834	?	0.00	2	30–79	estimation	fi	–	vfi
1869	?	–	–	15–17	9	fi	fi	fi
1896	?	0.00	7	45–59	1, 3, 4, 5	vfi	vfi	fi
1898	Female	–1.20	10	40–49	1, 2	fi	fi	fi
1900	Female	–1.30	10	18–20	3, 9	fi	fi	fi
1910	Male	+1.48	21	40–44	1, 2, 3, 4, 8	fi	fi	fi
1912	Male	+0.87	15	24–27	3, 7	fi	fi	fi
1925	Child	–	–	10–11	10, 11	fi	fi	fi

Tab. 3. (continued).

Grave Nr.	Sex	Sexual expression	Nr. of studied traits	Age (year)	Basis of age estimation	Preservation		
						Skull	Mandible	Skeleton
1945	Child	–	–	14–15	9, 10	fi	fi	fi
1947	Female	–1.00	4	30–39	6	–	–	fi
1950	Child	–	–	4–6	10, 11	fi	fi	fi
1959	Child	–	–	5–7	11	–	–	vfi
1970	Male	+1.29	14	45–54	3, 4, 6	fi	fi	fi
1972	Female	–1.40	5	25–29	3, 4	vvfi	vfi	fi
1975	?	+0.33	3	35–44	estimation	–	–	fi
1981	Male	+0.89	9	45–54	1, 2, 3, 5, 6	fi	fi	fi
1982	Child	–	–	11–12	10, 11	vfi	fi	fi
1985	?	–0.33	3	19–21	3, 9	vfi	fi	fi
1987	Child	–	–	c. 15	11	fi	fi	fi
1989	Male ??	+0.23	13	30–39	1, 2, 3, 4, 6	fi	fi	fi
1992	Female	–0.54	13	23–27	7, 9	fi	fi	fi
1993	?	+0.33	3	30–39	3	vfi	fi	vfi
2002	Child	–	–	9–10	10, 11	fi	int	fi
2013	Female ??	–1.00	4	30–49	5, 6	–	–	vfi
2015	Female	–0.67	15	35–44	1, 2, 3	fi	int	fi
2016	Female	–0.26	19	30–34	1, 3, 4, 7	int	int	vfi
2017	?	–	–	17–19	3, 9	fi	fi	fi
2019	?	–	–	20–59	estimation	–	–	vvfi
2032	Female ?	–0.50	6	40–59	1, 2, 3	fi	fi	fi
2040	?	–	–	15–16	9, 11	vvfi	vvfi	fi
2053	Female ?	–0.88	8	40–49	1, 3	fi	fi	fi
2054	Female	–0.80	10	40–49	1, 3, 4	fi	fi	fi
2065	Female	–0.47	17	24–27	3, 9	fi	int	int
2066	Female	–0.56	18	30–34	2, 3, 8	int	int	int
2068	Male	+0.40	5	40–59	estimation	vfi	vfi	fi
2072	Male	+0.79	14	22–24	3, 9	fi	fi	fi
2073	Female	–0.50	8	25–27	3, 4, 7, 9	fi	fi	fi
2087	Female	–1.09	22	35–39	1, 2, 3, 4, 6, 7	int	int	int
2088	Female	–0.77	13	45–54	1, 2, 3, 4	fi	fi	fi
2093	?	–	–	15–16	3, 9	fi	fi	fi
2106	Child	–	–	0±3 months	11	fi	–	vfi
2172	?	–0.14	7	40–49	estimation	fi	fi	fi
2192	Male ??	+0.50	4	25–44	6	–	–	fi
2196	?	–	–	23–79	estimation	–	–	vvfi
2219	Female	–0.80	10	35–44	3, 6	vfi	fi	fi
2235	Female	–0.82	11	25–28	3, 9	fi	fi	vfi
2236	Female	–0.75	4	50–59	3, 5	vfi	vfi	vfi
2271	?	–0.63	8	40–49	3	fi	fi	fi
2284	Child	–	–	2–3	10, 11	fi	–	vfi
2287	Female ?	–1.00	8	50–59	3	vfi	fi	vfi

Tab. 3. (continued).

Grave Nr.	Sex	Sexual expression	Nr. of studied traits	Age (year)	Basis of age estimation	Preservation		
						Skull	Mandible	Skeleton
2288	Female ?	-0.75	4	30-49	estimation	fi	fi	fi
2316	Child	-	-	14-15	11	fi	fi	vf
2330	Female	-0.64	14	40-49	1, 3, 5	fi	fi	fi
2332	?	+0.25	8	40-59	3	vf	fi	vf
2351	Female	-1.33	15	35-44	3, 5, 6	fi	fi	fi
2353	Child	-	-	10-11	10, 11	vf	vf	vf
2380	?	-	-	?	-	vf	-	vvf
2383	Female	-0.50	14	45-54	3, 6	fi	fi	fi
2416	Female	-0.88	8	50-59	1, 2, 3, 5	fi	fi	fi
2425	Female ??	-1.00	2	50-59	3, 5	fi	vf	vvf
2440	?	-	-	23-79	estimation	-	-	vvf
2441	Female	-1.00	9	35-54	1, 2	fi	fi	fi
2444	Male	+1.71	7	35-44	2, 3, 5	fi	vf	fi
2445	Child	-	-	12-14	11	-	-	vvf
2448	?	+1.00	2	40-59	3	fi	vf	vf
2454	Female	-0.64	11	25-29	1, 2, 3, 5, 7	int	int	fi
2455	Female	-1.13	8	30-39	4, 6	-	-	fi
2457	?	-1.00	1	23-79	estimation	-	-	fi
2458	?	-	-	23-79	estimation	vvf	vvf	vvf
2462	Female ?	-0.55	11	45-54	3	fi	fi	fi
2465	Female ??	-0.20	5	40-49	3	vf	vf	vf
2472	Female	-1.14	14	50-59	3, 5, 6	int	fi	int
2478	?	-0.40	5	45-59	3	vvf	fi	vvf
2497	Female ??	-0.11	9	20-22	3, 9	vf	fi	fi
2509	Male	+1.33	12	45-54	3, 5	fi	fi	fi
2520	Child	-	-	c. 8	10, 11	fi	fi	fi
2522	Child	-	-	10-11	10, 11	fi	fi	fi
2524	Female	-0.92	12	30-39	1, 2, 3, 6, 8	fi	fi	fi
2545	Child	-	-	c. 3	10, 11	fi	fi	fi
2549	Female ??	-0.62	13	35-39	1, 2, 3, 6	fi	fi	fi
2550	?	-	-	40-49	3	vvf	fi	vf
2552	Male	+1.00	5	30-39	3	vf	vvf	fi
2584	Child	-	-	2-3	10	fi	fi	fi
2619	Female ?	-0.50	4	25-29	3, 7	fi	vf	fi
2620	?	+0.17	12	30-39	3, 6	fi	fi	fi
2625	Female ?	-0.47	15	40-49	3	fi	fi	fi
2626/A	Child	-	-	6-10	10, 11	fi	-	fi
2626/B	Child	-	-	c. 11	10, 11	-	fi	fi
2635	Male	+0.69	16	22-25	3, 9	fi	int	fi
2636	Child	-	-	6-7	10, 11	fi	fi	fi
2649	Female	-1.077	14	18-20	3, 9	fi	vf	fi
2661	Male ??	+0.33	9	35-44	3	fi	fi	fi

Tab. 3. (continued).

Grave Nr.	Sex	Sexual expression	Nr. of studied traits	Age (year)	Basis of age estimation	Preservation		
						Skull	Mandible	Skeleton
2668	Child	–	–	3–4	10, 11	fi	fi	fi
2669	Male ?	+1.50	2	40–59	4	–	–	vfi
2706	Female ?	–0.44	9	40–59	1, 3, 5	fi	vfi	vfi
2727	Female	–1.20	5	40–49	3, 5	vfi	fi	fi
2731	Child	–	–	1–7	estimation	–	–	vvfi
2740	?	+0.25	8	35–44	3, 4	vfi	fi	fi
2773	Male	+0.45	11	35–44	2, 3, 6	fi	fi	fi
2775	Female	–0.92	12	23–26	3, 7, 9	fi	fi	fi
2776	Male	+1.00	19	25–29	3, 4, 6	fi	fi	fi
2800	?	+0.25	4	30–39	3	vfi	fi	vfi
2801	Female ??	–0.50	2	25–34	3	fi	fi	vfi
2802	?	–2.00	1	22–24	9	–	–	vfi
2804	Male ??	+0.67	3	25–34	4, 5	–	–	vfi
2805	Female ?	–0.80	5	40–59	1, 3	fi	vfi	vfi
2806	?	+1.00	2	23–59	estimation	vvfi	–	vvfi
2865	Female	–0.79	14	25–27	1, 2, 3, 4, 9	fi	fi	fi
2877	Female	–0.79	14	25–29	3, 4, 7	fi	fi	fi
2887	?	–0.80	5	30–39	1, 2, 3	fi	fi	–
2897	Female	–1.00	13	30–34	4, 6	fi	fi	int
2948	Male ?	+0.29	7	35–44	4, 8	vfi	–	int
2949	Child	–	–	6–7	10, 11	fi	fi	int
2959	Male	+1.29	14	35–44	3	fi	fi	fi
2990	Female ??	–0.38	8	40–59	3, 6	fi	fi	fi
2995	?	0.00	5	30–39	3	fi	fi	fi
2998	Male	+1.67	6	25–29	1, 2, 3, 7	fi	fi	fi
3020	Female ?	–0.27	15	30–39	1, 2, 3, 4, 6	fi	int	fi
3043	Male	+1.15	13	30–39	1, 2, 3, 6	fi	int	fi
3050	?	0.00	12	50–59	1, 2, 6	fi	fi	fi
3051	?	–	–	15–17	3, 9	vfi	vfi	vfi
3052	?	0.00	9	40–59	3, 6	vfi	vfi	fi
3060	Male	+0.42	12	40–49	1, 2, 3, 5	fi	fi	fi
3089	Female	–1.00	9	40–59	1, 2, 3	fi	fi	fi
3100	?	–	–	15–16	3, 9	fi	fi	fi
3103	Female	–1.00	14	25–29	3, 6	fi	fi	fi
3133	Female ?	–0.38	13	35–44	1, 2, 3, 4	fi	int	fi
3154	Female ?	–0.71	7	25–29	3, 6	vfi	fi	fi
3155	Child	–	–	c. 1	10, 11	vfi	vfi	fi
3182	?	–	–	20–59	estimation	–	vvfi	vvfi
3230	Female ??	–0.29	7	40–59	3, 5	vfi	vfi	vfi
3231	Female ?	–0.36	14	50–59	1, 3, 8	fi	fi	fi
3241	Child	–	–	14–15	11	fi	fi	int
3244	?	–0.25	4	30–79	estimation	vfi	fi	vfi

Tab. 3. (continued).

Grave Nr.	Sex	Sexual expression	Nr. of studied traits	Age (year)	Basis of age estimation	Preservation		
						Skull	Mandible	Skeleton
3282	?	–	–	?	–	–	–	–
3294	Female ??	–0.63	8	45–54	1, 2, 3	fi	fi	fi
3295	Child	–	–	1–2	10	fi	vfi	–
3315	Female ??	–0.43	7	30–39	3, 5	vfi	vfi	fi
3319	Male ?	+0.13	8	23–26	3, 6, 9	fi	fi	fi
3320	Male	+1.00	6	40–49	3, 6, 8	vfi	vfi	vfi
3321	Child	–	–	9–10	10	vfi	fi	vfi
3327	Female ?	–0.33	6	25–28	3, 5, 6, 7, 9	fi	fi	vfi
3328	Female	–0.91	11	30–34	3	fi	fi	vfi
3329	Male	+0.73	11	25–34	3, 5, 6	fi	fi	fi
3337	Child	–	–	7–8	10, 11	fi	fi	fi
3339	Female	–0.45	11	40–44	1, 2, 3, 5	fi	fi	vfi
3341	Male ??	+0.25	8	17–18	3, 9	fi	int	fi
3342	Female	–0.74	19	25–29	1, 2, 3, 6, 7	fi	fi	fi
3343	Female ?	–0.25	8	45–59	1, 2, 3	fi	fi	vfi
3352	Female ??	–1.50	2	30–59	5	–	–	vfi
3363	?	–0.17	6	20–21	3, 9	vfi	fi	vfi
3365	?	+1.00	1	30–79	estimation	–	–	vfi
3366	Male	+0.40	15	20–24	1, 2, 3, 7, 9	int	int	int
3367	Child	–	–	8–10	10	fi	–	–
3368	?	–0.14	7	40–59	estimation	fi	fi	fi
3369	Child	–	–	12–13	10, 11	fi	fi	int
3370	Female	–0.39	18	20–24	1, 2, 3, 4, 9	fi	fi	fi
3371	Child	–	–	0–1	11	–	–	fi
3372	Male	+0.63	8	30–34	1, 2, 3, 5	vfi	fi	fi
3374	Female	–0.75	12	50–59	1, 2, 3	vfi	fi	vfi
3375	Female	–0.77	13	30–39	1, 2, 3, 4, 6	int	int	fi
3376	Child	–	–	12–13	10, 11	vfi	vfi	fi
3377	Female	–1.33	9	40–59	3, 5	fi	fi	vfi
3378	Male ??	+0.50	2	18–20	3, 9	vfi	vfi	fi
3379	Male	+0.78	9	40–49	3, 6	vfi	fi	fi
3380	Female	–1.67	3	25–34	3	–	fi	fi
3381	Female	–0.67	12	30–39	3, 5, 6, 8	vfi	fi	fi
3382	Male	+1.00	5	35–44	4, 5	–	fi	fi
3385	Female	–0.88	16	30–34	1, 2, 3, 4, 5, 6, 8	fi	fi	fi
3386	Female	–1.18	22	25–29	1, 2, 3, 4, 6	fi	fi	int
3387	Female ?	–0.43	7	30–39	1, 2, 3, 8	fi	fi	fi
3388	Child	–	–	9–10	11	vfi	–	fi
3389	Male	+0.75	4	30–34	4, 5, 6	–	–	fi
3442	Female	–1.00	6	25–29	4, 5, 6	–	–	fi
3445	Child	–	–	0–1	11	vfi	–	–
3454	Female	–1.19	16	40–44	3, 5, 6	fi	fi	fi

Tab. 3. (continued).

Grave Nr.	Sex	Sexual expression	Nr. of studied traits	Age (year)	Basis of age estimation	Preservation		
						Skull	Mandible	Skeleton
3459	Male ?	+1.50	2	20–24	9	–	–	vfi
3460	Child	–	–	7–8	10, 11	fi	fi	vfi
3461	Female	–1.14	21	25–29	1, 2, 3, 4, 6, 7	int	int	fi
3462	Female	–1.33	9	23–29	3, 4, 5	fi	fi	fi
3463	Male	+1.09	23	40–49	1, 2, 3, 4, 6, 8	int	int	int
3464	Female	–1.17	6	35–44	3, 5, 6	fi	fi	fi
3465	Female ?	–0.29	7	45–54	3, 5, 6, 8	vfi	fi	vfi
3468	?	+1.00	1	23–79	estimation	–	–	vfi
3469	Male ??	+0.43	7	40–49	3, 6	fi	fi	fi
3470	?	–	–	15–17	9	–	–	vfi
3472	Male	+0.42	12	23–25	1, 2, 3, 4, 6, 8	fi	fi	fi
3522	?	+0.20	5	40–49	3, 5, 6	vfi	fi	vfi
3688	Female ?	–0.86	7	40–49	3, 6	vfi	fi	fi
3692	Female ?	–0.10	10	50–59	3, 5	fi	fi	fi
3693	Child	–	–	12–14	9, 10	vfi	vfi	vfi
3694	Female	–1.20	5	45–59	1, 2, 3, 5	vfi	vfi	vfi
3695	Female	–0.78	9	35–44	1, 2, 3, 5	fi	fi	vfi
3696	Female	–0.92	12	20–22	3, 9	fi	vfi	fi
3697	Male	+0.55	11	50–59	1, 2, 3, 5, 6	fi	vfi	fi
3701	?	–	–	23–39	estimation	–	–	vfi
3702	Male	+1.09	11	25–34	3	fi	fi	fi
3703	Male ?	+0.00	9	35–44	1, 2, 3	fi	fi	fi
3704	Female	–1.00	9	40–59	5, 6	fi	vfi	fi
3705	Male	+0.91	11	50–59	1, 2, 3, 5	fi	fi	fi
3706	Female ??	–0.43	7	35–45	1, 2, 3	fi	fi	fi
3707	Female	–0.70	10	40–59	1, 2, 3, 5	fi	fi	fi
3708	Child	–	–	9–10	10, 11	fi	fi	fi
3709	Male	+0.50	12	50–59	1, 2, 3, 5, 6	fi	int	fi
3710	?	0.00	9	30–59	3, 5	fi	fi	vfi
3711	Male	+0.67	6	45–54	1, 2, 3, 4, 5	fi	fi	vfi
3712	Female ?	–0.09	11	30–39	3, 4, 5, 8	fi	fi	fi
3713/A	Female	–0.82	11	50–59	3, 5, 6	fi	fi	fi
3713/B	Male ?	+1.00	3	25–29	4, 6, 9	–	–	vfi
3714	Child	–	–	2–3	10, 11	fi	vfi	vfi
3715	Male ?	–0.38	8	20–23	3, 9	fi	fi	fi
3716	Female ?	–0.86	7	35–44	3, 5	fi	fi	fi
3717	Child	–	–	c. 2	10, 11	vfi	vfi	vfi
3718	Child	–	–	7–9	10, 11	fi	fi	fi
3721	Female ?	–1.00	2	40–59	3	vfi	vfi	vfi
3722	Female	–0.50	6	50–59	2, 3, 5	vfi	vfi	vfi
3723	Male	+0.58	19	25–27	3, 4, 6, 7	fi	int	fi
3724	?	–	–	14–16	9	fi	fi	fi

Tab. 3. (continued).

Grave Nr.	Sex	Sexual expression	Nr. of studied traits	Age (year)	Basis of age estimation	Preservation		
						Skull	Mandible	Skeleton
3726	Male	+0.75	4	30–39	5, 6	vfi	–	vfi
3727	?	–	–	30–39	3	vfi	fi	vfi
3729	Male	+0.91	11	45–59	1, 2, 3, 5	fi	fi	fi
3730	Male ?	–	–	19–21	9	–	–	vfi
3733	Child	–	–	13–15	10, 11	fi	fi	fi
3734	Female	–1.36	11	45–54	2, 3, 6, 8	fi	–	fi
3735	Male ?	+0.44	18	40–44	1, 2, 3, 4, 6, 8	fi	fi	fi
3736	Male	+1.00	12	35–44	3, 4, 5, 6	fi	fi	fi
3737	Female	–1.07	14	23–39	1, 2, 3, 6	fi	fi	fi
3739	Male	+1.18	11	30–34	3, 5, 6	fi	fi	fi
3740	Male ?	+0.36	11	25–34	3, 6, 7, 8	fi	vfi	fi
3741	Male	+0.50	6	17–20	3, 9	fi	fi	fi
3742	Female ?	–0.44	9	40–59	1, 2, 3	fi	fi	vfi
3743	Male	+1.00	17	40–49	1, 2, 3, 4, 6, 8	vfi	int	fi
3744	?	0.00	5	23–39	9	vfi	–	vfi
3753	Male	+1.17	12	40–44	3, 5, 6, 8	fi	int	fi
3755	Male	+0.80	5	30–34	3, 5	vfi	vfi	vfi
3757	Child	–	–	7–9	10, 11	fi	int	fi
3758	Child	–	–	11–13	10, 11	fi	fi	fi
3760	Female	–0.88	8	40–59	3	fi	fi	vfi
3761	Female	–1.25	8	18–21	3, 9	fi	fi	fi
3762	Female	–0.82	17	28–34	3, 4, 6	fi	int	fi
3763	Female ?	–0.30	10	30–39	3, 5, 6	vfi	vfi	fi
3764	Female	–1.20	5	40–59	5, 6	–	vfi	vfi
3765	Male	+0.70	10	50–59	1, 2, 3, 5, 6	fi	fi	fi
3769	?	–	–	20–59	estimation	–	–	vvfi
3770	Female	–0.40	15	35–44	1, 3, 6	fi	fi	fi
3771	Male	+0.14	21	25–34	1, 2, 3, 4, 6	int	int	int
3772	?	–	–	18–19	3, 9	fi	fi	fi
3775	Female	–1.27	15	25–34	1, 2, 3, 4, 6	fi	fi	fi
3777	Female	–1.00	15	30–39	3, 4, 6	fi	fi	fi
3780	Male	+0.83	12	45–54	3	fi	fi	fi
3784	Female	–0.60	10	50–69	1, 2, 3, 6	fi	fi	fi
3785	Male	+0.40	15	40–49	1, 2, 3, 4, 5	fi	fi	fi
3786	Female	–0.57	14	30–34	3, 6, 8	fi	vfi	fi
3787	Male	+1.45	11	50–59	1, 2, 3	fi	fi	fi
3789	?	+0.25	4	40–59	4, 5, 8	–	–	fi
3790	Male	+1.22	9	25–34	1, 2, 3, 7, 8	fi	fi	fi
3791	Male ?	+0.50	6	25–44	1, 2	fi	–	vfi
3792	Female ?	–0.40	5	20–23	3, 7, 9	fi	vvfi	vvfi
3793	Child	–	–	7–8	10, 11	fi	fi	fi
3794	?	–1.00	1	30–59	5	–	–	vfi

Tab. 3. (continued).

Grave Nr.	Sex	Sexual expression	Nr. of studied traits	Age (year)	Basis of age estimation	Preservation		
						Skull	Mandible	Skeleton
3795	Child	–	–	c. 3	10, 11	–	vfi	fi
3829	Male	+1.25	8	45–54	1, 2, 3	fi	fi	fi
3830	Child	–	–	3–4	10, 11	fi	fi	fi
3831	Male	+0.82	11	30–39	1, 2, 4, 6	fi	–	fi
3832	Female	–1.09	11	40–49	1, 2, 3, 6	fi	vfi	fi
3833	Child	–	–	4–5	10, 11	vfi	vfi	vfi
3835	?	–	–	30–49	estimation	–	–	vfi
3836	Child	–	–	c. 9	11	fi	vfi	fi
3839	Female	–1.00	3	23–25	3, 6, 9	vfi	fi	fi
3840	Female	–0.78	9	30–49	3	vfi	fi	vfi
3844	Female	–1.00	12	35–44	3, 4, 6	fi	fi	fi
3845	Female	–0.64	14	40–49	1, 2, 3, 5, 6	fi	fi	fi
3846	Female	–0.89	19	40–49	1, 3, 6	fi	fi	fi
3847	Male ?	+0.43	14	40–44	1, 3	fi	fi	fi
3848	?	±	8	40–59	3	vfi	fi	fi
3912	Male ?	+1.00	3	40–49	3, 5, 6	vfi	–	fi
3913	Male	+0.67	12	50–59	1, 2, 3	fi	fi	fi
3914	?	–1.5	2	20–79	estimation	vvfi	vvfi	vvfi
3915	Child	–	–	1–2	10	vfi	fi	–
3918	Male	+0.60	20	30–34	1, 2, 3, 4, 6	int	int	fi
3929	?	+0.17	12	45–54	1, 2, 3, 5	fi	fi	fi
3930	?	–0.14	12	40–49	1, 2, 3	fi	vfi	fi
3931	Female	–0.93	14	35–44	1, 2, 3	fi	fi	fi
3933	Child	–	–	c. 2	10, 11	fi	int	fi
3943	Male	+1.07	15	40–49	1, 2, 3, 4, 5	fi	fi	fi
3944	Female	–0.87	11	40–49	2, 3	fi	fi	fi
3945	Child	–	–	12–13	10, 11	fi	fi	fi
3949	Male ??	+0.15	13	50–59	1, 2, 3	fi	fi	fi
3955	Female	–1.09	11	21–24	1, 2, 3, 4, 9	fi	fi	fi
3956	Male	+1.06	17	50–59	1, 2, 3, 4	fi	fi	fi
3999	Child	–	–	c. 4	10	fi	vfi	fi
4000	Male	+0.64	11	50–59	1, 2, 3, 5	vfi	fi	fi
4002	Male	+0.87	15	25–29	2, 3, 4, 5, 6	fi	int	fi
4004	Male ?	+0.19	16	40–49	1, 2, 3, 4	fi	fi	fi
4005	Female	–0.46	13	25–29	2, 3, 4, 6, 7	fi	int	fi
4006	Female	–1.00	12	30–39	1, 2, 3, 4	fi	fi	fi
4007	Female	–1.00	15	23–26	3, 7, 9	fi	fi	fi
4011	Male	+0.37	19	25–28	1, 2, 3, 4, 6, 7	fi	int	fi
4012	Female	–1.30	20	25–29	3, 4, 6, 8	fi	int	int
4013	Male	+0.33	12	40–55	1, 2, 3, 8	fi	fi	fi
4014	?	–0.50	6	40–59	1, 2, 3	fi	fi	vfi
4027	Male ?	+0.63	8	30–35	1, 2, 3, 4, 6, 8	fi	int	fi

Tab. 3. (continued).

Grave Nr.	Sex	Sexual expression	Nr. of studied traits	Age (year)	Basis of age estimation	Preservation		
						Skull	Mandible	Skeleton
4028	Male	+0.47	17	20–24	3, 4, 9	fi	int	fi
4031	Child	–	–	8–9	10, 11	fi	fi	fi
4032	Male	+1.00	13	40–44	3, 4, 8	fi	fi	fi
4033	?	–0.25	4	30–39	3	vfi	vfi	vfi
4071	?	+0.50	6	40–49	3, 5	vfi	fi	fi
4079	Male	+0.52	21	30–34	2, 3, 4	int	int	fi
4080	Male	+0.82	11	45–59	1, 2, 3	fi	fi	fi
4081	Female ?	–0.50	6	27–29	3, 7	vfi	fi	vfi
4084	Female	–1.33	15	40–49	1, 2, 3, 4, 5, 8	fi	fi	fi
4085	Male	+0.38	13	35–44	1, 2, 3, 5, 8	int	int	fi
4086	Female	–0.78	18	40–49	3, 4	fi	int	fi
4087	Female ?	–0.63	8	50–59	1, 2, 3	fi	fi	vfi
4123	Female	–0.88	17	40–44	1, 3, 4, 5, 8	fi	int	fi
4124	Female	–0.89	9	45–59	1, 2, 3	fi	fi	vfi
4131	Female	–1.25	20	30–34	1, 2, 3, 4	fi	fi	fi
4132	Female ?	–0.90	10	40–59	1, 2, 3, 5, 6	fi	fi	vfi
4135	Male	+0.67	15	45–59	3, 4	vfi	fi	fi
4153	Female ??	–0.08	13	35–44	1, 2, 3, 4, 6	fi	int	fi
4160	Female	–0.73	11	45–59	1, 2, 3	fi	fi	fi
4164	Female ?	–0.44	16	35–39	3, 4	fi	fi	fi
4278	Female ?	–0.83	6	30–34	3, 5	vfi	fi	vfi
4279	Female	–1.46	13	25–34	1, 2, 3, 6, 7	fi	fi	fi
4280	Child	–	–	c. 4	10, 11	fi	fi	vfi
4285	Female	–0.80	10	40–49	3, 6	fi	fi	fi
4288	Child	–	–	5–6	10	fi	fi	vfi
4289	?	–0.50	4	25–29	3, 9	fi	fi	fi
4290	Male ??	+1.00	5	40–59	3, 5	vfi	fi	fi
4291	Female ?	–1.25	4	35–54	1, 2, 3, 5	vfi	fi	vfi
4292	Male ??	+1.00	3	23–79	estimation	–	–	vfi
4293	Child	–	–	4–5	3	vfi	vfi	vfi
4293	?	–	–	15–18	9	–	–	vfi
4294	?	–	–	15–17	9	vfi	vfi	vfi
4295	?	+0.14	7	40–49	3, 5	vfi	fi	vfi
4297	?	–	–	23–34	3	vfi	vfi	vfi
4306	Female ?	–0.80	5	30–34	3, 6	vfi	vfi	fi
4307	Male	+0.38	16	25–29	1, 2, 3, 4, 7, 9	fi	fi	fi
4308	Female ?	–0.73	11	40–49	3, 4	fi	fi	fi
4309	Female	–0.33	12	40–59	1, 2	int	–	fi
4318	Female	–1.00	6	50–59	3, 5, 6	vfi	fi	vfi
4325	Female	–1.00	5	17–20	9	fi	fi	vfi
4333	Child	–	–	1–2	10, 11	fi	fi	fi
4341	?	–1.00	2	50–59	3	vfi	fi	vfi

Tab. 3. (continued).

Grave Nr.	Sex	Sexual expression	Nr. of studied traits	Age (year)	Basis of age estimation	Preservation		
						Skull	Mandible	Skeleton
4342	Male	+0.62	13	35–39	1, 2, 3, 4, 6	fi	fi	fi
4361	Male	+0.77	13	50–59	1, 2, 3, 4	int	int	int
4381	Female	–0.85	13	30–34	1, 3, 5, 6	fi	fi	vfi
4391	Female	–0.69	13	30–34	1, 2, 3, 6	fi	fi	fi
4392	?	+0.25	12	26–28	1, 2, 3, 7	fi	fi	fi
4396	?	–	–	14–18	9	–	–	vfi
4397	Child	–	–	7–8	10, 11	fi	fi	fi
4398	Male ?	+0.40	15	25–29	1, 2, 3, 9	fi	fi	fi
4410	Male	+0.47	15	50–54	1, 2, 3	fi	fi	fi
4411	Male	+0.92	13	25–27	3, 4, 9	fi	fi	fi
4414	Female	–0.87	15	40–44	1, 2, 3, 8	fi	int	fi
4468	Female	–1.33	6	45–54	1, 2, 3	vfi	vfi	vfi
4502	Female	–1.00	4	30–39	3, 5, 6	vfi	fi	fi
4508	Child	–	–	6–8	10, 11	vfi	vfi	fi
4545	Child	–	–	c. 2	11	–	–	fi
4565	Female	–0.91	11	45–54	1, 2, 3, 4, 6	fi	fi	fi
4601	Child	–	–	9–11	10, 11	vvfi	vvfi	fi
4602	Female	–0.31	13	25–34	1, 3, 7	fi	fi	fi
4604	Male	+0.67	6	35–44	3, 6	vfi	–	fi
4605	Female	–0.16	19	30–39	1, 2, 3, 4, 6	fi	int	fi
4652	Child	–	–	6–7	10, 11	vvfi	vfi	fi
4663	Female ?	–0.80	5	45–59	3, 5	vfi	vfi	vfi
4679	Male	+1.25	16	40–49	1, 2, 3, 4, 6	fi	int	fi
4680	Child	–	–	12–13	10, 11	fi	fi	vfi
4681	Female ?	–0.57	14	35–44	1, 3, 6	fi	fi	fi
4702	Male	+1.36	14	30–39	3, 6	fi	fi	fi
4810	?	–	–	35–44	3, 6	vvfi	fi	vfi
4811	Male	+0.58	12	23–26	3, 7, 9	fi	int	fi
4812	Female ?	–0.67	3	40–59	estimation	fi	fi	vvfi
4813	Male ??	+0.20	10	40–59	1, 2, 3, 5	fi	fi	vfi
4814	Male	+0.88	16	25–27	3, 4, 7	fi	fi	fi
4815	Child	–	–	4–5	10, 11	fi	fi	fi
4820	Child	–	–	9–11	10, 11	vfi	vvfi	fi
4822	Female ?	–0.53	15	45–54	1, 2, 3, 4, 5	fi	fi	fi
4825	Female ?	–0.50	8	45–54	1, 2	vfi	fi	fi
4826	Male	+1.00	7	30–39	4, 6	vvfi	vvfi	fi
4858	Child	–	–	6–7	10, 11	vfi	fi	fi
4881	?	–0.25	4	23–59	estimation	fi	–	vfi
4885	Child	–	–	0±3 months	11	vfi	–	fi
4892	?	+1.00	1	25–44	5	–	–	vvfi
4894	Female ?	–0.75	4	23–59	estimation	–	–	vvfi
4911	Child	–	–	12–13	10, 11	vfi	vfi	fi

Tab. 3. (continued).

Grave Nr.	Sex	Sexual expression	Nr. of studied traits	Age (year)	Basis of age estimation	Preservation		
						Skull	Mandible	Skeleton
4913	Female ?	-0.25	4	30-39	1, 2, 4, 6	vfi	vvfi	vfi
4918	Female	-0.62	13	40-59	1, 3, 4	fi	fi	fi
4927	Child	-	-	14-15	9, 11	fi	int	fi
4932	Male ??	+0.33	12	25-27	1, 3, 7, 9	fi	fi	fi
4933	Child	-	-	0-1	11	-	-	fi
4957	Male	+1.00	9	30-34	6, 7	vvfi	-	int
4967	Child	-	-	12-13	10, 11	fi	fi	fi
4977	Female	-0.67	6	45-59	3	vfi	fi	vfi
4978	Male	+1.00	2	25-34	3, 8	vfi	fi	vvfi
4979	Male ?	+0.83	6	21-24	3, 9	vvfi	fi	fi
4981	?	-0.21	14	18-19	1, 2, 3, 9	fi	int	fi
4985	Female	-1.37	19	40-49	3, 4, 6	fi	int	fi
4990	Male	+1.11	9	50-59	1, 2, 3, 5, 8	fi	fi	fi
5001	Female	-0.90	10	50-59	1, 2, 3, 4, 5	fi	fi	fi
5002	Female	-0.83	12	45-54	1, 2, 3, 4	fi	fi	fi
5004	?	0.00	4	23-39	1, 2	fi	-	-
5015	Female	-0.77	13	45-54	1, 2, 3	fi	fi	fi
5035	Female	-0.73	15	30-39	1, 3, 6, 8	fi	fi	fi
5036	Male ?	+0.17	12	20-22	3, 9	fi	fi	fi
5060	Child	-	-	c. 4	10, 11	fi	fi	fi
5068	Female	-1.29	14	35-44	3, 4	vfi	fi	fi
5069	Child	-	-	8-9	10, 11	fi	fi	fi
5113	Child	-	-	4-5	10, 11	vvfi	fi	fi
5115	Male	+1.29	14	50-59	1, 2	fi	fi	fi
5125	Male	+0.56	16	35-44	1, 2, 3, 4, 8	fi	fi	int
5138	?	0.00	8	30-34	3	vfi	fi	fi
5140	Child	-	-	c. 5	11	fi	-	vfi
5183	Male ??	+0.21	14	45-54	3, 4, 6	fi	fi	fi
5196	Female ??	0.00	12	40-49	1, 3, 6	fi	fi	fi
5197	Male	+1.45	11	50-59	1, 3, 5	fi	fi	fi
5263	Child	-	-	c. 3	10	fi	fi	-
5265	?	+0.25	8	18-20	3, 9	fi	fi	fi
5266	?	-	-	16-18	3, 9	fi	fi	fi
5271	Male	+0.57	21	35-39	1, 2, 3, 4	fi	fi	fi
5273	?	0.00	4	40-59	1, 2	vfi	vfi	fi
5281	Male	+1.06	16	25-29	1, 3, 4	int	int	fi
5287	Male ??	+0.60	5	40-49	3, 5	vfi	fi	fi
5292	Male	+1.23	13	40-44	1, 2, 3, 5, 6	fi	fi	fi
5380	Child	-	-	7-8	11	-	-	fi
5385	Female	-0.76	21	35-39	3, 4, 6	int	fi	int
5387	Male	+0.93	15	35-39	1, 2, 3	fi	fi	fi
5388	Male ?	+0.20	10	25-34	3, 6, 8	-	vfi	int

Tab. 3. (continued).

Grave Nr.	Sex	Sexual expression	Nr. of studied traits	Age (year)	Basis of age estimation	Preservation		
						Skull	Mandible	Skeleton
5631	Male	+1.25	12	25–29	3, 4, 7	fi	fi	int
5640	?	+1.00	1	30–39	3, 5	–	–	vfi
5687	Female ?	–0.70	10	20–24	3, 9	fi	fi	fi
5723	Child	–	–	7–8	10	fi	fi	–
6043	Female ?	–1.25	4	23–39	1, 2, 6, 9	vfi	–	fi
6044	Child	–	–	5–7	10, 11	fi	fi	fi
6047	Child	–	–	14–15	10, 11	fi	fi	vfi
6048	Child	–	–	6–7	10, 11	fi	fi	fi
6049	Male	+0.49	10	35–44	1, 2, 3, 6	fi	fi	vfi
6051	Male ??	+1.00	4	20–22	3, 9	vfi	vfi	vfi
6052	?	–	–	25–44	estimation	–	–	vvfi
6065	?	–0.46	13	21–23	3, 9	fi	fi	fi
6066	Female	–0.62	12	45–54	2, 3, 6	fi	vfi	vfi
6077	Child	–	–	14–15	9, 10, 11	fi	fi	fi
6078	Male	+1.33	12	30–39	1, 2, 3, 6	fi	fi	fi
6081	Female	–1.18	11	40–44	1, 2, 3, 5, 6	fi	fi	fi
6082	Female	–0.90	10	18–20	9	vfi	fi	vfi
6087	Male	+0.80	15	30–34	1, 2, 3, 4	fi	fi	fi
6092	Female	–1.07	14	35–44	1, 2, 3, 5, 6	fi	int	fi
6100	Female ?	–1.00	3	40–59	3, 5	vfi	vfi	vfi
6101	Female	–0.50	10	30–34	3	fi	fi	fi
6121	Male	+0.91	11	50–59	1, 2, 3	fi	fi	fi
6123	Female	–0.70	20	25–27	1, 2, 3, 4, 7	int	int	fi
6128	Male	+1.30	10	45–54	1, 2, 3	fi	fi	fi
6129	Male	+0.08	13	22–24	3, 9	fi	fi	fi
6130	Female	–1.00	9	40–44	1, 3, 8	fi	fi	fi
6131	Female	–0.78	9	50–59	1, 2, 3, 4	fi	fi	fi
6137	Male	+1.23	13	30–34	1, 2, 3, 5, 6	fi	fi	fi
6148	Child	–	–	13–14	9, 11	–	–	fi
6149	?	–0.25	4	30–39	5, 6	–	–	fi
6151	Male	+0.61	18	30–34	1, 2, 3, 4	fi	fi	fi
6152	Child	–	–	c. 2	10, 11	fi	fi	vvfi
6154	Male	+0.82	17	30–44	1, 2, 3, 4, 6, 8	fi	fi	fi
6155	Female	–0.86	14	30–39	1, 2, 3, 4	fi	int	fi
6156	Female	–1.25	16	25–27	3, 4, 6, 7	vfi	fi	fi
6244	Female	–1.08	13	30–34	3, 6, 8	fi	int	fi
6336	Female	–1.42	12	50–59	1, 2, 3, 5	fi	fi	fi
6337	Male ?	+0.67	6	17–20	3, 9	–	fi	fi
6338	Female	–0.81	16	22–24	1, 2, 3, 4, 6, 7, 9	fi	int	fi
6339	Male	+0.87	15	35–44	1, 2, 3, 5	fi	int	fi
6345	?	–	–	15–19	9	fi	int	fi
6346	Male	+1.00	7	45–64	1, 2, 3	fi	vfi	fi

Tab. 3. (continued).

Grave Nr.	Sex	Sexual expression	Nr. of studied traits	Age (year)	Basis of age estimation	Preservation		
						Skull	Mandible	Skeleton
6347	Female	-0.60	10	50-59	1, 2, 3	fi	fi	vfi
6348	Male	+0.83	12	50-59	1, 2, 3	fi	fi	fi
6349	Female ?	-0.75	4	45-54	1, 3	fi	vfi	vfi
6352	Male ?	+0.08	12	30-39	1, 2, 3	fi	fi	fi
6353	Male ?	+0.07	14	26-28	1, 2, 3, 7, 9	fi	fi	fi
6376	Female	-1.00	8	40-49	1, 3	vfi	fi	vfi
6377	Female	-0.73	11	50-59	1, 2, 3	fi	fi	vfi
6378	Female	-1.29	14	25-34	1, 2, 3, 6	fi	int	fi
6379	Female	-1.00	4	25-34	4, 6, 8	vfi	-	vfi
6380	Male ?	+0.50	16	45-54	1, 4, 6	fi	int	fi
6381	Male	+1.22	9	40-44	1, 2, 3, 4	fi	vfi	fi
6383	Female	-0.67	6	50-54	1, 2, 3, 5	vfi	fi	vfi
6387	Male ?	+1.33	3	40-59	5	-	-	fi
6438	Male	+0.69	13	25-29	3, 4, 7	vfi	fi	fi
6502	Male	+1.09	11	50-59	1, 2, 3	fi	fi	fi
6536	Female ?	-1.05	19	22-25	3, 4, 7, 9	fi	fi	fi
6537	Female	-1.07	14	40-49	2, 3, 6	fi	fi	fi
6538	Female	-0.46	13	20-23	3, 9	fi	int	fi
6541	Male	+0.50	20	25-29	1, 2, 3, 4, 6, 7	fi	int	fi
6542	Female	-1.23	13	16-19	9	fi	int	fi
6666	Female	-1.25	8	50-59	1, 2, 3	fi	fi	vfi
6680	Female	-0.94	16	27-30	3, 7	vfi	fi	fi
6688	Female ??	-0.09	11	30-39	3, 4, 5	fi	fi	fi
6689	Female	-0.77	13	40-44	1, 3	fi	int	fi
6697	Male	+0.45	20	18-20	9	fi	fi	fi
6705	Child	-	-	13-14	10, 11	fi	fi	fi
7185	Male ?	+0.50	10	25-29	3	fi	fi	fi
7225	?	-0.12	17	40-49	1, 2, 3, 6	fi	fi	fi
7244	Female	-0.90	10	30-39	3, 6	fi	fi	fi
7261	Female	-1.00	4	30-39	4, 6	-	-	fi
7280	Female	-0.44	9	35-44	1, 2, 3, 6	fi	vvfi	fi
7281	Male	+1.27	17	30-39	1, 2, 3, 5, 6	fi	int	fi
7294	Male ?	+0.80	15	30-34	1, 2, 3, 6	fi	fi	fi
7426	Male	+0.64	11	40-44	1, 2, 3	fi	fi	vfi
7437	?	-0.33	6	40-59	3	fi	vfi	vfi
7448	Child	-	-	10-11	10	fi	fi	-
7449	Female ??	-0.50	6	25-44	1, 2	fi	-	vfi
7480	Child	-	-	7-8	10	fi	fi	fi
7523	Female ??	-1.00	2	30-39	estimation	-	-	vfi
7554	Child	-	-	4-6	11	vvfi	-	vvfi
7555	Male ?	+1.20	5	40-59	3	vfi	fi	fi
7559	?	-	-	40-59	3	vvfi	vfi	vvfi

Tab. 3. (continued).

Grave Nr.	Sex	Sexual expression	Nr. of studied traits	Age (year)	Basis of age estimation	Preservation		
						Skull	Mandible	Skeleton
7560	?	–	–	15–17	9	–	–	vfi
7562	Male	+0.88	8	35–44	1, 2, 3, 4, 6	fi	fi	fi
7563	Male	+0.86	14	35–44	3, 6	fi	fi	fi
7579	Female	–1.70	10	23–25	3, 9	fi	fi	fi
7580	Female ?	–0.60	10	50–59	1, 2, 3, 5	fi	fi	vfi
7581	Male	+1.00	8	45–54	1, 2, 3, 5, 6	fi	fi	fi
7583	Male	+0.90	10	45–54	3	fi	fi	fi
7585	Female	–0.82	11	25–29	3, 4, 6, 7	fi	fi	fi
7586	Female	–0.92	12	50–59	1, 2	fi	fi	vfi
7587	Female	–1.43	7	25–29	3	fi	fi	fi
7588	Female	–1.25	4	25–34	3	vfi	–	vfi
7645	Female ??	0.00	7	20–24	3, 9	fi	fi	fi
7647	Child	–	–	8–9	10, 11	vfi	vfi	fi
7655	Male ?	+0.38	8	45–54	1, 2, 3, 5	fi	fi	fi
7656	?	–0.25	4	23–39	3	fi	fi	–
7657	Female	–1.27	11	35–44	2, 3, 5, 6, 8	fi	int	fi
7658	?	–0.14	7	45–54	1, 6	fi	fi	fi
7667	Female	–0.90	20	45–54	1, 2, 3, 4	fi	fi	fi
7668	Female	–0.81	16	19–21	9	fi	fi	fi
7669	Child	–	–	6–7	10, 11	fi	fi	vvfi
7671	?	0.00	7	40–59	estimation	fi	vfi	vfi
7672	Female ?	–0.60	5	17–20	9	–	–	vvfi
7674	Male	+0.89	9	45–54	3, 6	fi	fi	vfi
7675	Male ?	+0.86	7	40–59	estimation	vvfi	fi	vfi
7676	Male ?	+0.25	12	40–49	3, 4, 6	fi	int	fi
7678	Male ?	+0.20	10	35–44	1, 2, 3, 4, 6	fi	fi	fi
7679	Male	+0.14	7	30–39	3, 4	fi	fi	fi
7683	Female ?	–0.67	3	30–39	5, 6	vfi	–	vfi
7684	Child	–	–	1–2	estimation	vvfi	–	vvfi
7685	Female	–1.00	8	30–39	1, 2, 3, 4, 6	vfi	vfi	vfi
7688	Male	+1.13	8	30–39	3, 6, 8	fi	fi	fi
7689	Male ?	+0.80	10	40–49	1, 3	fi	–	fi
7690	Female ?	–0.67	12	40–44	1, 2, 3, 6	fi	fi	vfi
7691	Female ?	–0.83	6	25–29	3, 9	fi	vfi	fi
7713	Male	+1.00	15	25–34	1, 2, 3, 4, 6, 8	fi	fi	fi
7715	Female	–1.00	5	40–59	3	vfi	fi	vvfi
7716	Male	+0.82	11	40–49	1, 2, 3	fi	fi	fi
7718	?	–	–	14–16	9	vvfi	–	vfi
7748	?	–	–	15–18	9	vfi	vfi	vfi
7749	Male ?	+1.00	2	25–44	estimation	–	–	vvfi
7751	Male	+1.00	6	50–59	3, 5	vfi	vfi	fi
7752	Male	+0.75	12	40–49	1, 2, 3, 4, 8	fi	fi	fi

Tab. 3. (continued).

Grave Nr.	Sex	Sexual expression	Nr. of studied traits	Age (year)	Basis of age estimation	Preservation		
						Skull	Mandible	Skeleton
7753	Female	-0.69	16	30-34	3, 4	fi	fi	fi
7754	Female	-0.44	9	45-54	1, 2, 3	fi	fi	vvfi
7755	Female	-0.62	13	40-44	1, 2, 3, 6	fi	fi	fi
7756	Male	+1.36	11	50-59	1, 2, 3	fi	-	fi
7757	?	-	-	?	-	vvfi	-	vvfi
7758	Child	-	-	12-13	10, 11	vvfi	fi	fi
7759	?	-	-	?	-	-	-	vvfi
7760	Child	-	-	12-14	9	fi	fi	fi
7761	Child	-	-	c. 5	10	fi	-	-
7762	Child	-	-	10-11	10	vvfi	-	vvfi
7763	?	-	-	14-18	9	-	-	vvfi
7764	Child	-	-	11-13	10, 11	fi	-	fi
7765	Female ?	-0.60	10	20-23	3, 9	vfi	vfi	fi
7766	Male ?	+0.89	9	40-44	1, 2, 6	fi	fi	fi
7767	Male	+0.67	9	50-59	1, 2, 3	fi	fi	fi
7772	Female ?	-0.50	6	45-49	1, 2, 3	fi	fi	vfi
7773	Female	-1.11	9	50-59	1, 2, 3	fi	fi	fi
7774	Male	+1.10	10	45-54	3, 4, 5	vfi	vfi	vfi
7775	Male	+1.30	10	45-49	1, 2, 3	fi	fi	fi
7776	Female	-0.89	9	25-29	3, 7, 9	fi	fi	fi
7777	Female ??	0.00	4	40-59	3, 5, 6	vfi	vfi	vfi
7778	Male	+1.09	11	45-54	1, 2, 3, 5	fi	vfi	vfi

Tab. 3. (continued).

Age group / Sex	?	Male	Female	Total
Neonatus	9	0	0	9
Infans I	65	0	0	65
Infans I-II	7	0	0	7
Infans II	65	0	0	65
Infans II-Juvenis	2	0	0	2
Juvenis	38	7	12	57
Juvenis-Adultus	3	3	6	12
Adultus	27	95	140	262
Adultus-Maturus	19	32	46	97
Maturus	28	109	130	267
Maturus-Senilis	0	1	2	3
Senilis	0	0	0	0
Adultus-Senilis	9	1	0	10
?	6	0	0	6
Total	278	248	336	862

Tab. 4. Sex and age-at-death distributions. Alsónyék.

Age group / Sex	?	Male	Female	Total
Infans I	78	0	0	78 (9.1 %)
Infans II	69	0	0	69 (8.0 %)
Juvenis	41	9	15	65 (7.5 %)
Adultus	38	112	166	316 (36.7 %)
Maturus	37	126	154	317 (36.8 %)
Senilis	0	1	1	2 (0.2 %)
Adultus-Senilis	9	0	0	9 (1.0 %)
?	6	0	0	6 (0.7 %)
	278 (32.2 %)	248 (28.8 %)	336 (39.0 %)	862

Tab. 5. Sex and age-at-death percentage distributions. Alsónyék.

Age group	(Dx)	(dx)	(lx)	(qx)	Lx	Tx	(e _x ^o)
0	6.5	0.76	100.00	0.07	99.62	3260.95	32.61
1–4	46.5	5.43	99.24	0.47	386.10	3161.33	31.86
5–9	57.5	6.72	93.81	0.61	452.27	2775.22	29.58
10–14	41.0	4.79	87.10	0.47	423.50	2322.96	26.67
15–19	52.7	6.15	82.30	0.64	396.13	1899.46	23.08
20–24	63.9	7.47	76.15	0.84	362.08	1503.33	19.74
25–29	88.7	10.36	68.68	1.29	317.51	1141.25	16.62
30–34	88.6	10.35	58.32	1.52	265.73	823.74	14.12
35–39	84.1	9.82	47.97	1.75	215.30	558.00	11.63
40–44	109.9	12.83	38.15	2.88	158.66	342.70	8.98
45–49	80.1	9.35	25.32	3.16	103.19	184.04	7.27
50–54	77.9	9.10	15.96	4.88	57.05	80.85	5.07
55–59	53.3	6.23	6.86	7.77	18.73	23.79	3.47
60–64	2.0	0.24	0.63	3.23	2.56	5.06	8.02
65–69	1.3	0.15	0.39	3.28	1.59	2.50	6.36
70–74	1.0	0.12	0.24	4.28	0.61	0.91	3.75
75–79	1.0	0.12	0.12	8.56	0.30	0.30	2.50
80–84	0.0	0.00	0.00	0.00	0.00	0.00	0.00
85–89	0.0	0.00	0.00	0.00	0.00	0.00	0.00
90–94	0.0	0.00	0.00	0.00	0.00	0.00	0.00
95–99	0.0	0.00	0.00	0.00	0.00	0.00	0.00
Total	856.0	100.00					

Tab. 6. Life table. Alsónyék. Without correction for infant mortality. Number of deaths (Dx); ratio of children under 14 years (dx); percentage of survivors (lx); mortality probability (qx); life expectancy at birth (exo).

Age group	(Dx)	(dx)	(lx)	(qx)	Lx	Tx	(e _x °)
0	425.0	33.35	100.00	4.25	83.33	2206.72	22.07
1–4	46.5	3.65	66.65	0.70	259.32	2123.39	31.86
5–9	57.5	4.51	63.01	0.91	303.76	1864.07	29.58
10–14	41.0	3.22	58.50	0.70	284.44	1560.31	26.67
15–19	52.7	4.13	55.28	0.95	266.06	1275.88	23.08
20–24	63.9	5.02	51.15	1.25	243.19	1009.82	19.74
25–29	88.7	6.96	46.13	1.92	213.25	766.63	16.62
30–34	88.3	6.93	39.17	2.25	178.54	553.38	14.13
35–39	84.4	6.62	32.24	2.62	144.67	374.84	11.62
40–44	109.9	8.62	25.62	4.29	106.56	230.17	8.98
45–49	80.1	6.28	17.00	4.71	69.31	123.61	7.27
50–54	77.9	6.11	10.72	7.27	38.32	54.30	5.07
55–59	53.3	4.18	4.61	11.57	12.58	15.98	3.47
60–64	2.0	0.16	0.42	4.81	1.72	3.40	8.02
65–69	1.3	0.10	0.26	4.88	1.07	1.68	6.36
70–74	1.0	0.08	0.16	6.37	0.41	0.61	3.75
75–79	1.0	0.08	0.08	12.75	0.20	0.20	2.50
80–84	0.0	0.00	0.00	0.00	0.00	0.00	0.00
85–89	0.0	0.00	0.00	0.00	0.00	0.00	0.00
90–94	0.0	0.00	0.00	0.00	0.00	0.00	0.00
95–99	0.0	0.00	0.00	0.00	0.00	0.00	0.00
Total	1274.5	100.00					

Tab. 7. Life table. Alsónyék. With correction for infant mortality. Number of deaths (Dx); ratio of children under 14 years (dx); percentage of survivors (lx); mortality probability (qx); life expectancy at birth (exo).

Age group	(Dx)	(dx)	(lx)	(qx)	Lx	Tx	(e _x °)
15–19	6.2	2.49	100	0.06	493.78	2450.87	24.51
20–24	2.4	8.24	97.51	0.21	466.96	1957.08	20.07
25–29	35.4	14.29	89.27	0.40	410.61	1490.13	16.69
30–34	31.6	12.72	74.98	0.42	343.06	1079.52	14.40
35–39	27.9	11.25	62.25	0.45	283.14	736.45	11.83
40–44	42.8	17.25	51.00	0.84	211.89	453.31	8.89
45–49	29.0	11.67	33.75	0.86	139.58	241.42	7.15
50–54	32.7	13.19	22.08	1.48	77.43	101.84	4.61
55–59	21.5	8.65	8.89	2.41	22.84	24.41	2.75
60–64	0.3	0.14	0.24	1.39	0.87	1.58	6.51
65–69	0.1	0.04	0.11	0.83	0.44	0.71	6.67
70–74	0.1	0.04	0.07	1.24	0.18	0.27	3.75
75–79	0.1	0.04	0.04	2.48	0.09	0.09	2.50
80–84	0.0	0.00	0.00	0.00	0.00	0.00	0.00
85–89	0.0	0.00	0.00	0.00	0.00	0.00	0.00
90–94	0.0	0.00	0.00	0.00	0.00	0.00	0.00
95–99	0.0	0.00	0.00	0.00	0.00	0.00	0.00
Total	248.0	100.00					

Tab. 8. Life table. Alsónyék. Men. Number of deaths (Dx); ratio of children under 14 years (dx value); percentage of survivors (lx); mortality probability (qx); life expectancy at birth (exo).

Age group	(Dx)	(dx)	(lx)	(qx)	Lx	Tx	(e _x °)
15–19	11.8	3.50	100	0.12	491.25	2348.43	23.48
20–24	34.0	10.12	96.50	0.35	457.18	1857.19	19.25
25–29	44.7	13.31	86.37	0.52	398.60	1400.01	16.21
30–34	46.1	13.71	73.07	0.63	331.06	1001.41	13.71
35–39	43.8	13.05	59.36	0.74	264.15	670.35	11.29
40–44	53.2	15.84	46.31	1.15	191.93	406.20	8.77
45–49	38.6	11.49	30.47	1.27	123.62	214.27	7.03
50–54	37.2	11.06	18.98	1.96	67.23	90.65	4.78
55–59	25.1	7.47	7.91	3.17	20.90	23.41	2.96
60–64	0.9	0.26	0.45	1.96	1.58	2.51	5.63
65–69	0.4	0.11	0.19	2.02	0.65	0.93	5.00
70–74	0.1	0.04	0.07	1.68	0.19	0.28	3.75
75–79	0.1	0.04	0.04	3.36	0.09	0.09	2.50
80–84	0.0	0.00	0.00	0.00	0.00	0.00	0.00
85–89	0.0	0.00	0.00	0.00	0.00	0.00	0.00
90–94	0.0	0.00	0.00	0.00	0.00	0.00	0.00
95–99	0.0	0.00	0.00	0.00	0.00	0.00	0.00
Total	336.0	100.00					

Tab. 9. Life table. Alsónyék. Women. Number of deaths (Dx); ratio of children under 14 years (dx value); percentage of survivors (lx); mortality probability (qx); life expectancy at birth (exo).

Age group	(Dx)	(dx)	(lx)	(qx)	Lx	Tx	(e _x °)
0	0.0	0.00	100.00	0.00	100.00	3632.22	36.32
1–4	0.3	0.33	100.00	0.00	399.34	3532.22	35.32
5–9	5.7	5.61	99.67	0.06	484.32	3132.88	31.43
10–14	4.5	4.49	94.06	0.05	459.08	2648.56	28.16
15–19	8.2	8.14	89.57	0.09	427.52	2189.48	24.44
20–24	5.2	5.17	81.44	0.06	394.25	1761.96	21.64
25–29	11.3	11.23	76.27	0.15	353.24	1367.71	17.93
30–34	8.5	8.43	65.03	0.13	304.08	1014.47	15.60
35–39	7.3	7.19	56.60	0.13	265.03	710.39	12.55
40–44	15.1	14.98	49.41	0.31	209.59	445.37	9.01
45–49	15.2	15.07	34.43	0.44	134.46	235.78	6.85
50–54	11.7	11.60	19.36	0.61	67.79	101.32	5.23
55–59	6.6	6.57	7.76	0.86	22.37	33.52	4.32
60–64	0.3	0.30	1.19	0.25	5.21	11.15	9.37
65–69	0.3	0.30	0.89	0.34	3.72	5.95	6.67
70–74	0.3	0.30	0.59	0.50	1.49	2.23	3.75
75–79	0.3	0.30	0.30	1.01	0.74	0.74	2.50
80–84	0.0	0.00	0.00	0.00	0.00	0.00	0.00
85–89	0.0	0.00	0.00	0.00	0.00	0.00	0.00
90–94	0.0	0.00	0.00	0.00	0.00	0.00	0.00
95–99	0.0	0.00	0.00	0.00	0.00	0.00	0.00
Total	101.0	100.00					

Tab. 10. Life table. Alsónyék. Grave Group 1. Without correction for infant mortality. Number of deaths (Dx); ratio of children under 14 years (dx value); percentage of survivors (lx); mortality probability (qx); life expectancy at birth (exo).

Age group	(Dx)	(dx)	(lx)	(qx)	Lx	Tx	(e _x °)
0	51.0	33.55	100.00	0.51	83.22	2430.29	24.30
1-4	0.3	0.22	66.45	0.01	265.35	2347.07	35.32
5-9	5.7	3.73	66.23	0.09	321.82	2081.72	31.43
10-14	4.5	2.98	62.50	0.07	305.04	1759.90	28.16
15-19	8.2	5.41	59.52	0.14	284.07	1454.85	24.44
20-24	5.2	3.44	54.11	0.10	261.97	1170.78	21.64
25-29	11.3	7.47	50.68	0.22	234.72	908.81	17.93
30-34	8.5	5.60	43.21	0.20	202.05	674.09	15.60
35-39	7.3	4.78	37.61	0.19	176.10	472.04	12.55
40-44	15.1	9.96	32.83	0.46	139.27	295.93	9.01
45-49	15.2	10.01	22.87	0.67	89.35	156.67	6.85
50-54	11.7	7.71	12.86	0.91	45.05	67.32	5.23
55-59	6.6	4.36	5.15	1.29	14.86	22.28	4.32
60-64	0.3	0.20	0.79	0.38	3.46	7.41	9.37
65-69	0.3	0.20	0.59	0.51	2.47	3.95	6.67
70-74	0.3	0.20	0.40	0.76	0.99	1.48	3.75
75-79	0.3	0.20	0.20	1.52	0.49	0.49	2.50
80-84	0.0	0.00	0.00	0.00	0.00	0.00	0.00
85-89	0.0	0.00	0.00	0.00	0.00	0.00	0.00
90-94	0.0	0.00	0.00	0.00	0.00	0.00	0.00
95-99	0.0	0.00	0.00	0.00	0.00	0.00	0.00
Total	152.0	100.00					

Tab. 11. Life table. Alsónyék. Grave Group 1. With correction for infant mortality. Number of deaths (Dx); ratio of children under 14 years (dx value); percentage of survivors (lx); mortality probability (qx); life expectancy at birth (exo).

Age group	(Dx)	(dx)	(lx)	(qx)	Lx	Tx	(e _x °)
15-19	0.0	0.00	100	0.00	500.00	3003.32	30.03
20-24	0.0	0.09	100.00	0.00	499.76	2503.32	25.03
25-29	3.3	9.02	99.91	0.03	476.97	2003.56	20.05
30-34	1.8	4.97	90.88	0.02	442.00	1526.58	16.80
35-39	2.8	7.67	85.92	0.03	410.41	1084.58	12.62
40-44	8.8	23.89	78.25	0.11	331.53	674.16	8.62
45-49	9.4	25.46	54.36	0.17	208.16	342.64	6.30
50-54	6.9	18.71	28.90	0.24	97.74	134.48	4.65
55-59	3.4	9.25	10.19	0.34	27.86	36.75	3.60
60-64	0.1	0.24	0.95	0.09	4.15	8.89	9.38
65-69	0.1	0.24	0.71	0.12	2.96	4.74	6.67
70-74	0.1	0.24	0.47	0.18	1.19	1.78	3.75
75-79	0.1	0.24	0.24	0.37	0.59	0.59	2.50
80-84	0.0	0.00	0.00	0.00	0.00	0.00	0.00
85-89	0.0	0.00	0.00	0.00	0.00	0.00	0.00
90-94	0.0	0.00	0.00	0.00	0.00	0.00	0.00
95-99	0.0	0.00	0.00	0.00	0.00	0.00	0.00
Total	37.0	100.00					

Tab. 12. Life table. Alsónyék. Grave Group 1. Men. Number of deaths (Dx); ratio of children under 14 years (dx value); percentage of survivors (lx); mortality probability (qx); life expectancy at birth (exo).

Age group	(Dx)	(dx)	(lx)	(qx)	Lx	Tx	(e _x ^o)
15–19	1.8	4.61	100	0.02	488.49	2194.55	21.95
20–24	5.0	13.25	95.39	0.05	443.85	1706.06	17.88
25–29	6.6	17.44	82.15	0.08	367.13	1262.21	15.37
30–34	5.8	15.25	64.71	0.09	285.41	895.08	13.83
35–39	3.5	9.33	49.46	0.07	223.97	609.67	12.33
40–44	4.7	12.39	40.13	0.12	169.68	385.69	9.61
45–49	3.7	9.76	27.74	0.13	114.31	216.01	7.79
50–54	3.7	9.76	17.98	0.21	65.52	101.70	5.66
55–59	2.6	6.91	8.22	0.32	23.85	36.18	4.40
60–64	0.1	0.33	1.32	0.10	5.76	12.34	9.37
65–69	0.1	0.33	0.99	0.13	4.11	6.58	6.67
70–74	0.1	0.33	0.66	0.19	1.64	2.47	3.75
75–79	0.1	0.33	0.33	0.38	0.82	0.82	2.50
80–84	0.0	0.00	0.00	0.00	0.00	0.00	0.00
85–89	0.0	0.00	0.00	0.00	0.00	0.00	0.00
90–94	0.0	0.00	0.00	0.00	0.00	0.00	0.00
95–99	0.0	0.00	0.00	0.00	0.00	0.00	0.00
Total	38.0	100.00					

Tab. 13. Life table. Alsónyék. Grave Group 1. Women. Number of deaths (Dx); ratio of children under 14 years (dx value); percentage of survivors (lx); mortality probability (qx); life expectancy at birth (exo).

Age group	(Dx)	(dx)	(lx)	(qx)	Lx	Tx	(e _x ^o)
0	0.0	0.00	100.00	0.00	100.00	3285.26	32.85
1–4	6.0	9.23	100.00	0.06	381.54	3185.26	31.85
5–9	4.5	6.92	90.77	0.05	436.54	2803.73	30.89
10–14	2.8	4.36	83.85	0.03	408.33	2367.19	28.23
15–19	2.3	3.46	79.49	0.03	388.78	1958.85	24.64
20–24	4.7	7.17	76.03	0.06	362.21	1570.07	20.65
25–29	4.9	7.57	68.86	0.07	325.37	1207.86	17.54
30–34	6.6	10.13	61.29	0.11	281.12	882.50	14.40
35–39	5.0	7.75	51.16	0.10	236.40	601.38	11.76
40–44	9.6	14.74	43.40	0.22	180.17	364.98	8.41
45–49	8.0	12.38	28.67	0.28	112.37	184.80	6.45
50–54	6.5	9.94	16.28	0.40	56.57	72.44	4.45
55–59	4.1	6.35	6.35	0.65	15.87	15.87	2.50
60–64	0.0	0.00	0.00	0.00	0.00	0.00	0.00
65–69	0.0	0.00	0.00	0.00	0.00	0.00	0.00
70–74	0.0	0.00	0.00	0.00	0.00	0.00	0.00
75–79	0.0	0.00	0.00	0.00	0.00	0.00	0.00
80–84	0.0	0.00	0.00	0.00	0.00	0.00	0.00
85–89	0.0	0.00	0.00	0.00	0.00	0.00	0.00
90–94	0.0	0.00	0.00	0.00	0.00	0.00	0.00
95–99	0.0	0.00	0.00	0.00	0.00	0.00	0.00
Total	65.0	100.00					

Tab. 14. Life table. Alsónyék. Grave Group 14. Without correction for infant mortality. Number of deaths (Dx); ratio of children under 14 years (dx value); percentage of survivors (lx); mortality probability (qx); life expectancy at birth (exo).

Age group	(Dx)	(dx)	(lx)	(qx)	Lx	Tx	(e _x °)
0	33.0	33.67	100.00	0.33	83.16	2195.84	21.96
1–4	6.0	6.12	66.33	0.09	253.06	2112.68	31.85
5–9	4.5	4.59	60.20	0.07	289.54	1859.61	30.89
10–14	2.8	2.89	55.61	0.05	270.83	1570.07	28.23
15–19	2.3	2.30	52.72	0.04	257.87	1299.24	24.64
20–24	4.7	4.75	50.43	0.09	240.24	1041.37	20.65
25–29	4.9	5.02	45.67	0.11	215.81	801.13	17.54
30–34	6.6	6.72	40.65	0.16	186.46	585.33	14.40
35–39	5.0	5.14	33.93	0.15	156.80	398.87	11.76
40–44	9.6	9.78	28.79	0.33	119.50	242.08	8.41
45–49	8.0	8.21	19.01	0.42	74.53	122.57	6.45
50–54	6.5	6.59	10.80	0.60	37.52	48.04	4.45
55–59	4.1	4.21	4.21	0.98	10.52	10.52	2.50
60–64	0.0	0.00	0.00	0.00	0.00	0.00	0.00
65–69	0.0	0.00	0.00	0.00	0.00	0.00	0.00
70–74	0.0	0.00	0.00	0.00	0.00	0.00	0.00
75–79	0.0	0.00	0.00	0.00	0.00	0.00	0.00
80–84	0.0	0.00	0.00	0.00	0.00	0.00	0.00
85–89	0.0	0.00	0.00	0.00	0.00	0.00	0.00
90–94	0.0	0.00	0.00	0.00	0.00	0.00	0.00
95–99	0.0	0.00	0.00	0.00	0.00	0.00	0.00
Total	98.0	100.00					

Tab. 15. Life table. Alsónyék. Grave Group 14. With correction for infant mortality. Number of deaths (Dx); ratio of children under 14 years (dx value); percentage of survivors (lx); mortality probability (qx); life expectancy at birth (exo).

Age group	(Dx)	(dx)	(lx)	(qx)	Lx	Tx	(e _x °)
15–19	1.1	4.33	100	0.01	489.17	2368.33	23.68
20–24	1.9	7.67	95.67	0.02	459.17	1879.17	19.64
25–29	3.5	14.00	88.00	0.04	405.00	1420.00	16.14
30–34	4.5	18.00	74.00	0.06	325.00	1015.00	13.72
35–39	1.5	6.00	56.00	0.03	265.00	690.00	12.32
40–44	4.3	17.33	50.00	0.09	206.67	425.00	8.50
45–49	3.2	12.67	32.67	0.10	131.67	218.33	6.68
50–54	3.2	12.67	20.00	0.16	68.33	86.67	4.33
55–59	1.8	7.33	7.33	0.25	18.33	18.33	2.50
60–64	0.0	0.00	0.00	0.00	0.00	0.00	0.00
65–69	0.0	0.00	0.00	0.00	0.00	0.00	0.00
70–74	0.0	0.00	0.00	0.00	0.00	0.00	0.00
75–79	0.0	0.00	0.00	0.00	0.00	0.00	0.00
80–84	0.0	0.00	0.00	0.00	0.00	0.00	0.00
85–89	0.0	0.00	0.00	0.00	0.00	0.00	0.00
90–94	0.0	0.00	0.00	0.00	0.00	0.00	0.00
95–99	0.0	0.00	0.00	0.00	0.00	0.00	0.00
Total	25.0	100.00					

Tab. 16. Life table. Alsónyék. Grave Group 14. Men. Number of deaths (Dx); ratio of children under 14 years (dx value); percentage of survivors (lx); mortality probability (qx); life expectancy at birth (exo).

Age group	(Dx)	(dx)	(lx)	(qx)	Lx	Tx	(e _x °)
15–19	0.5	2.50	100	0.01	493.75	2522.53	25.23
20–24	2.6	13.09	97.50	0.03	454.78	2028.78	20.81
25–29	1.3	6.47	84.41	0.02	405.88	1574.00	18.65
30–34	1.3	6.47	77.94	0.02	373.53	1168.11	14.99
35–39	2.7	13.74	71.47	0.04	322.99	794.59	11.12
40–44	4.2	21.02	57.73	0.07	236.08	471.59	8.17
45–49	3.3	16.70	36.70	0.09	141.76	235.51	6.42
50–54	2.3	11.25	20.00	0.11	71.87	93.75	4.69
55–59	1.8	8.75	8.75	0.20	21.87	21.88	2.50
60–64	0.0	0.00	0.00	0.00	0.00	0.00	0.00
65–69	0.0	0.00	0.00	0.00	0.00	0.00	0.00
70–74	0.0	0.00	0.00	0.00	0.00	0.00	0.00
75–79	0.0	0.00	0.00	0.00	0.00	0.00	0.00
80–84	0.0	0.00	0.00	0.00	0.00	0.00	0.00
85–89	0.0	0.00	0.00	0.00	0.00	0.00	0.00
90–94	0.0	0.00	0.00	0.00	0.00	0.00	0.00
95–99	0.0	0.00	0.00	0.00	0.00	0.00	0.00
Total	20.0	100.00					

Tab. 17. Life table. Alsónyék. Grave Group 14. Women. Number of deaths (Dx); ratio of children under 14 years (dx value); percentage of survivors (lx); mortality probability (qx); life expectancy at birth (exo).

Age group	(Dx)	(dx)	(lx)	(qx)	(e _x °)
0	5.5	2.79	100.00	0.06	28.43
1–4	23.2	11.77	97.21	0.24	28.23
5–9	26.4	13.40	85.44	0.31	27.85
10–14	19.3	9.81	72.04	0.27	27.56
15–19	6.3	3.17	62.23	0.10	26.51
20–24	5.8	2.93	59.06	0.10	22.80
25–29	12.1	6.12	56.13	0.21	18.86
30–34	13.7	6.95	50.01	0.27	15.86
35–39	19.4	9.85	43.06	0.45	13.02
40–44	15.8	8.03	33.21	0.48	11.14
45–49	13.5	6.86	25.18	0.54	8.89
50–54	18.4	9.32	18.32	1.00	6.29
55–59	12.2	6.19	9.01	1.35	5.20
60–64	2.7	1.39	2.82	0.97	6.14
65–69	1.6	0.81	1.43	1.12	4.66
70–74	1.2	0.62	0.62	1.97	2.50
75–79	0.0	0.0	0.0	0.00	0.00
80–x	8.0	0.0	0.0	0.00	0.00
Total	197.0	100.0			

Tab. 18. Life table. Aszód. Without correction for infant mortality (ZOFFMANN 2011a).
Number of deaths (Dx); ratio of children under 14 years (dx value); percentage of survivors (lx); mortality probability (qx); life expectancy at birth (exo).

Age group	(Dx)	(dx)	(lx)	(qx)	(e _x ^o)
15–19	0.2	0.42	100.0	0.00	26.69
20–24	2.3	5.26	99.58	0.02	21.80
25–29	4.2	9.48	94.32	0.04	17.87
30–34	5.7	13.01	84.84	0.07	14.59
35–39	8.2	18.77	71.83	0.11	11.78
40–44	6.0	13.64	53.06	0.11	10.06
45–49	6.6	15.15	39.41	0.17	7.68
50–54	6.4	14.51	24.26	0.26	5.92
55–59	2.5	5.77	9.74	0.26	6.00
60–64	0.9	2.08	3.98	0.23	6.08
65–69	0.4	0.95	1.90	0.22	5.00
70–74	0.4	0.95	0.95	0.44	2.50
75–79	0.0	0.0	0.0	0.00	0.00
80–x	0.0	0.0	0.0	0.00	0.00
Total	43.8	100.00			

Tab. 19. Life table. Aszód. Men (ZOFFMANN 2011a). Number of deaths (Dx); ratio of children under 14 years (dx value); percentage of survivors (lx); mortality probability (qx); life expectancy at birth (exo).

Age group	(Dx)	(dx)	(lx)	(qx)	(e _x ^o)
15–19	1.8	2.58	100.00	0.02	28.06
20–24	3.0	4.47	97.42	0.03	23.74
25–29	6.6	9.65	92.95	0.07	19.76
30–34	6.6	9.77	83.30	0.08	16.76
35–39	10.3	15.21	73.52	0.14	13.66
40–44	9.6	14.11	58.31	0.16	11.57
45–49	6.5	9.52	44.19	0.15	9.47
50–54	11.0	16.22	34.68	0.32	6.38
55–59	9.3	13.64	18.46	0.50	4.79
60–64	1.6	2.31	4.82	0.33	6.28
65–69	0.9	1.38	2.51	0.37	4.76
70–74	0.8	1.13	1.13	0.68	2.50
75–79	0.0	0.00	0.00	0.00	0.00
80–x	0.0	0.00	0.00	0.00	0.00
Total	68.0	100.00			

Tab. 20. Life table. Aszód. Women (ZOFFMANN 2011a). Number of deaths (Dx); ratio of children under 14 years (dx value); percentage of survivors (lx); mortality probability (qx); life expectancy at birth (exo).

Age group	(Dx)	(dx)	(lx)	(qx)	(e _x °)
0	5.5	6.71	100.00	0.06	28.16
1–4	8.8	10.69	93.29	0.09	29.15
5–9	10.1	12.28	82.60	0.12	28.67
10–14	10.7	13.01	70.33	0.15	28.23
15–19	6.8	8.33	57.32	0.12	29.07
20–24	2.2	2.70	48.98	0.05	28.60
25–29	1.5	1.84	46.29	0.03	25.12
30–34	3.4	4.13	44.45	0.08	21.05
35–39	5.1	6.22	40.31	0.13	17.96
40–44	7.2	8.84	34.09	0.21	15.78
45–49	2.6	3.14	25.25	0.10	15.42
50–54	3.7	4.51	22.11	0.17	12.26
55–59	5.4	6.63	17.60	0.31	9.76
60–64	1.4	1.70	10.97	0.13	9.15
65–69	3.5	4.32	9.27	0.38	5.37
70–74	3.4	4.20	4.94	0.70	2.88
75–79	0.6	0.74	0.74	0.82	2.50
80–x	0.0	0.00	0.00	0.00	0.00
Total	82	100.0			

Tab. 21. Life table. Mórág. Without correction for infant mortality (ZOFFMANN 2011a). Number of deaths (Dx); ratio of children under 14 years (dx value); percentage of survivors (lx); mortality probability (qx); life expectancy at birth (exo).

Age group	(Dx)	(dx)	(lx)	(qx)	(e _x °)
15–19	1.7	10.64	100.00	0.02	30.57
20–24	0.4	2.74	89.36	0.00	28.91
25–29	0.6	3.65	86.63	0.01	24.75
30–34	0.5	2.97	82.98	0.01	20.73
35–39	1.8	11.18	80.01	0.02	16.40
40–44	3.1	19.93	68.83	0.05	13.66
45–49	1.1	6.87	48.90	0.02	13.21
50–54	1.7	10.98	42.03	0.04	9.96
55–59	2.5	16.27	31.05	0.08	7.60
60–64	0.6	3.63	14.77	0.04	8.22
65–69	0.9	5.65	11.15	0.08	5.08
70–74	0.8	5.01	5.50	0.14	2.72
75–79	0.1	0.49	0.49	0.16	2.50
80–x	0.0	0.00	0.00	0.00	0.00
Total	15.8	100.0			

Tab. 22. Life table. Mórág. Men (ZOFFMANN 2011a). Number of deaths (Dx); ratio of children under 14 years (dx value); percentage of survivors (lx); mortality probability (qx); life expectancy at birth (exo).

Age group	(Dx)	(dx)	(lx)	(qx)	(e _x °)
15–19	3.8	12.66	100.00	0.04	29.47
20–24	1.8	6.00	87.22	0.02	28.43
25–29	0.9	3.00	81.27	0.01	25.32
30–34	2.9	9.66	78.15	0.04	21.23
35–39	3.4	11.33	68.41	0.05	18.90
40–44	4.1	13.66	57.24	0.07	17.10
45–49	1.5	5.00	43.49	0.03	16.72
50–54	2.0	6.66	38.49	0.05	13.57
55–59	2.9	9.66	31.90	0.09	10.86
60–64	0.8	2.66	22.27	0.04	9.47
65–69	2.7	9.00	19.51	0.14	5.45
70–74	2.7	9.00	10.64	0.25	2.92
75–79	0.5	1.66	1.77	0.30	2.50
80–x	0.0	0.00	0.00	0.00	0.00
Total	30	100.0			

Tab. 23. Life table. Mórágý. Women (ZOFFMANN 2011a). Number of deaths (Dx); ratio of children under 14 years (dx value); percentage of survivors (lx); mortality probability (qx); life expectancy at birth (exo).

Age group	(Dx)	(dx)	(lx)	(qx)	(e _x °)
0	0.0	0.00	100.00	0.00	27.34
1–4	2.5	7.35	100.00	0.03	26.34
5–9	4.7	13.85	92.65	0.05	24.27
10–14	4.1	12.13	78.80	0.05	23.10
15–19	2.0	5.83	66.67	0.03	21.85
20–24	1.8	5.44	60.84	0.03	18.70
25–29	3.2	9.49	55.44	0.06	15.29
30–34	4.4	12.85	45.92	0.10	12.94
35–39	2.1	6.05	33.07	0.06	11.99
40–44	1.9	5.56	27.02	0.07	9.12
45–49	3.9	11.52	21.46	0.18	5.83
50–54	2.3	6.84	9.94	0.23	4.68
55–59	0.8	2.29	3.10	0.25	4.50
60–64	0.2	0.45	0.81	0.19	5.13
65–69	0.1	0.31	0.37	0.28	3.33
70–74	0.0	0.06	0.06	0.34	2.50
75–79	0.0	0.00	0.00	0.00	0.00
80–x	0.0	0.00	0.00	0.00	0.00
Total	34	100.00			

Tab. 24. Life table. Csabdi-Télizöldes. Without correction for infant mortality (KÖHLER 2004). Number of deaths (Dx); ratio of children under 14 years (dx value); percentage of survivors (lx); mortality probability (qx); life expectancy at birth (exo).

Age group	(Dx)	(dx)	(lx)	(qx)	(e _x °)
15–19	0.0	0.00	100.00	0.00	21.99
20–24	0.0	0.00	100.00	0.00	16.99
25–29	1.4	22.73	100.00	0.01	11.99
30–34	2.1	34.63	77.27	0.03	9.78
35–39	0.6	9.31	42.64	0.01	10.69
40–44	0.7	11.11	33.33	0.02	7.98
45–49	0.8	13.49	22.22	0.04	5.71
50–54	0.2	3.97	8.73	0.03	5.68
55–59	0.2	3.97	4.76	0.05	3.33
60–64	0.0	0.79	0.79	0.06	2.50
65–69	0.0	0.00	0.00	0.00	0.00
70–74	0.0	0.00	0.00	0.00	0.00
75–79	0.0	0.00	0.00	0.00	0.00
80–x	0.0	0.00	0.00	0.00	0.00
Total	6.0	100.0			

Tab. 25. Life table. Csabdi-Télizöldes. Men (KÖHLER 2004). Number of deaths (Dx); ratio of children under 14 years (dx value); percentage of survivors (lx); mortality probability (qx); life expectancy at birth (exo).

Age group	(Dx)	(dx)	(lx)	(qx)	(e _x °)
15–19	0.6	4.29	100.00	0.01	23.27
20–24	1.5	10.87	95.71	0.02	19.20
25–29	1.8	12.56	84.85	0.02	16.34
30–34	2.2	15.62	72.29	0.03	13.74
35–39	1.4	9.96	56.68	0.02	11.84
40–44	1.1	7.99	46.72	0.02	8.83
45–49	3.0	21.46	38.73	0.08	5.13
50–54	2.0	14.17	17.27	0.11	3.40
55–59	0.4	3.11	3.11	0.14	2.50
60–64	0.0	0.00	0.00	0.00	0.00
65–69	0.0	0.00	0.00	0.00	0.00
70–74	0.8	0.00	0.00	0.00	0.00
75–79	0.0	0.00	0.00	0.00	0.00
80–x	0.0	0.00	0.00	0.00	0.00
Total	14	100.00			

Tab. 26. Life table. Csabdi-Télizöldes. Women (KÖHLER 2004). Number of deaths (Dx); ratio of children under 14 years (dx value); percentage of survivors (lx); mortality probability (qx); life expectancy at birth (exo).

Archaeological site	Period	Frequency	Reference
Bruchstedt	Central European LBK	0.0 %	BACH 1978
Sondershausen	Central European LBK	0.0 %	BACH 1978
Csabdi-Télizöldes	Lengyel culture	0.0 %	KÖHLER 2004
Tiszapolgár-Basatanya	Tiszapolgár culture	0.0 %	Nemeskéri, cit. KUTZIÁN 1963
Tiszapolgár-Basatanya	Bodrogkeresztúr culture	0.0 %	Nemeskéri, cit. KUTZIÁN 1963
Hejőkürt-Lidl Logisztikai Kp.	Alföld LBK	0.0 %	KÖVÁRI / SZATHMÁRY 2005
Balatonszárszó-Kis-erdei dűlő	Central European LBK	0.0 %	ZOFFMANN 2012b
Vedrovice-Siroká u lesa	Central European LBK	0.5 %	NEUSTUPNÝ 2002
Alsónyék	Lengyel culture	1.0 %	Present work
Nitra-H. Krškany	Central European LBK	1.4 %	PAVÚK 1972
Aszód-Papi földek	Lengyel culture	3.3 %	ZOFFMANN 2012a
Polgár-Ferenci hát	Alföld LBK	3.8 %	ZOFFMANN 2011a
Mórágy B.2	Lengyel culture	4.0 %	ZOFFMANN 2014
BalatoFemaleszöd-Temetői dűlő	Baden culture	4.4 %	ZOFFMANN 2004b
Budakalász-Luppa csárda	Baden culture	4.9 %	KÖHLER 2009
Hajdúnánás-Eszlári út	Alföld LBK	5.3 %	ZOFFMANN 2011a
Mórágy B.1	Lengyel culture	6.1 %	ZOFFMANN 2004a
Mezőkövesd-Mocsolyás	Szatmár group	10.7 %	ZOFFMANN 2011a
Alsónémedi	Baden culture	13.1 %	ACSÁDI / NEMESKÉRI 1970
Nea Nikomedeia	Neolithic	25.7 %	ANGEL 1973
Çatal Höyük	Neolithic	26.3 %	ANGEL 1973
Karatas	Neolithic	26.4 %	ANGEL 1973
Khirokitia	Neolithic	28.3 %	ANGEL 1953
Abony	End of the Middle Copper Age	33.3 %	KÖHLER et al. 2009a

Tab. 27. Percentage of foetal and neonatal (0–1 years) deaths in the studied Alsónyék and other prehistoric series.

Series, period	?	Inf. I	Inf. II	Juv.	Ad.	Mat.	Sen.	References
Alsónyék, Lengyel c.	1.7	9.1	8.0	7.5	36.7	36.8	0.2	Present work
Bruchstedt, LBK	–	14.8	18.0	11.5	22.9	11.5	3.3	BACH 1978
Sondershausen, LBK	–	10.6	14.9	6.4	40.5	25.5	2.1	BACH 1978
Aszód-Papi földek, Lengyel c.	–	21.0	18.2	5.0	24.3	27.6	3.9	ZOFFMANN 2012a
Zengővárkony, Lengyel c.	–	4.7	1.6	5.5	24.5	48.9	14.8	ZOFFMANN 1974
Villánykövesd, Lengyel c.	–	24.0	16.0	4.0	28.0	24.0	4.0	ZOFFMANN 1971
Mórágy B.1, Lengyel c.	–	21.9	19.5	11.0	11.0	25.6	11.0	ZOFFMANN 2004a
Mórágy B.2, Lengyel c.	–	19.2	23.1	15.4	25.0	17.3	–	ZOFFMANN 2014
Csabdi-Télizöldes, Lengyel c.	–	8.8	23.5	8.8	32.4	26.5	–	KÖHLER 2004
Szegvár-Tűzköves, Tisza c.	4.8	15.8	4.8	9.5	28.6	27.0	9.5	FARKAS et al. 1993; FARKAS 1994
Tápé-Széntégláégető, Tisza c.	25.2	7.9	15.4	5.7	29.9	13.5	2.4	FARKAS / LIPTÁK 1971; 1975
Durankulak, Hamangia c.	13.8	2.3	2.1	1.0	66.1	14.7	–	YORDANOV / DIMITROVA 2002
Durankulak, Varna c.	4.3	11.0	5.0	5.5	64.9	8.8	0.5	YORDANOV / DIMITROVA 2002
Khirokitia, Neolithic	–	34.1	3.3	0.8	50.0	11.8	0.0	ANGEL 1953
Chamblandes c., Neolithic	–	15.4	3.8	26.9	15.4	30.9	7.6	ACSÁDI / NEMESKÉRI 1970
La Barmaz	–	18.4	23.7	5.3	26.3	26.2	–	MOESCHLER 1970
Vovnigi, Dnepr-Donets c.	–	67.1		2.5	13.0	17.4	0.0	KONDUKTOROVA 1973
Cernavodă, Hamangia c.	14.9	2.3	2.9	2.9	11.7	63.7	2.5	NECRASOV et al. 1990
Cernica, Boian c.	2.6	2.3	4.3	5.6	22.2	57.9	4.9	NECRASOV et al. 1990


Tab. 28. Age distribution of the deceased in the studied Alsónyék and other prehistoric series.

Archaeological site	Period	♂	♀	Sex ratio	References
Csabdi-Télizöldes	Lengyel culture	7	16	43.8	KÖHLER 2004
Mórágy B.1	Lengyel culture	14	31	45.2	ZOFFMANN 2004a
Hejőkürt-Lidl Log. Kp.	Alföld LBK	9	19	47.4	KÓVÁRI / SZATHMÁRY 2005
Mórágy B.2	Lengyel culture	5	9	55.5	ZOFFMANN 2014
Mezőkövesd-Mocsolyás	Szatmár group	6	10	60.0	ZOFFMANN 2005
Çatal Höyük	Neolithic	83	133	62.4	ANGEL 1973
Vedrovice-Siroká u lesa	Central European LBK	25	38	65.8	NEUSTUPNÝ 2002
Aszód-Papi földek	Lengyel culture	48	72	66.7	ZOFFMANN 2012a
Durankulak	Hamangia / Varna culture	113	158	71.5	YORDANOV / DIMITROVA 2002
Alsónyék	Lengyel culture	248	336	73.8	Present work
Bruchstedt	Central European LBK	17	23	73.9	BACH 1978
Polgár-Csőszhalom d.	Tisza culture	37	49	75.5	ZOFFMANN 2005
Zengővárkony	Lengyel culture	25	33	75.8	ZOFFMANN 1974
Rixheim	Central European LBK	8	10	80.0	NIESZERY 1995
Hajdúnánás-Eszlári halom	Alföld LBK	14	17	82.3	ZOFFMANN 2005
Svodín	Lengyel culture	23	27	85.2	JAKAB 1986
Hódmezővásárhely-Gorzsa	Tisza culture	17	20	85.0	FARKAS 1975; ZOFFMANN 2005
Nea Nikomedeia	Neolithic	20	23	86.9	ANGEL 1973
Cernavodă	Hamangia culture	208	224	92.9	NECRASOV et al. 1990
Balatonszárszó-Kis-erdei dűlő	Central European LBK	15	16	93.8	ZOFFMANN 2012b
Sondershausen	Central European LBK	17	18	94.4	BACH 1978
Durankulak	Hamangia culture	191	200	95.5	YORDANOV / DIMITROVA 2002
Tiszapolgár-Basatanya	Bodrogkeresztúr culture	37	38	97.4	Nemeskéri, cit. KUTZIÁN 1963
Schönstedt	Walternienburg-Bernburg culture	17	16	106.3	ULLRICH 1965
Kisköre-Gát	Tisza culture	11	10	110.0	ZOFFMANN 2005
Derenburg	Walternienburg-Bernburg culture	17	15	113.3	BACH 1978
Aiterhofen-Ödmühle	Central European LBK	58	51	113.7	NIESZERY 1995
Talheim	Central European LBK	8	7	114.3	NIESZERY 1995
Niederbösa	Walternienburg-Bernburg culture	30	26	115.3	ULLRICH 1965
Cernica	Boian culture	142	122	116.3	NECRASOV et al. 1990
Nordhausen	Walternienburg-Bernburg culture	17	14	121.4	ULLRICH 1965
Nitra-H. Krškany	Central European LBK	28	23	121.7	JELINEK 1973
Polgár-Ferenci hát	Alföld LBK	46	33	139.4	ZOFFMANN 2005
Szegvár-Tűzköves	Tisza culture	29	15	193.3	FARKAS et al. 1993; FARKAS 1994
Villánykövesd	Lengyel culture	9	4	225.0	ZOFFMANN 1971
Tiszapolgár-Basatanya	Tiszapolgár culture	25	11	227.2	Nemeskéri, cit. KUTZIÁN 1963
Brześć Kujawski	Jordanov culture	16	6	266.7	WIERCINSKI 1973
Sengkofen	Central European LBK	11	4	275.0	NIESZERY 1995
Steinheim	Central European LBK	20	7	285.7	NIESZERY 1995
Rutzing	Central European LBK	8	2	400.0	NIESZERY 1995


Tab. 29. Number of men and women, and sex ratio in the cemeteries of the Lengyel culture and in other prehistoric series.

Traits used to determine sex	Male			Female			Together	
	M	N	Repr (%)	M	N	Repr (%)	Repr (%)	Distance
1. <i>Tuber frontale et parietale</i>	+0.63	84	39.25	−0.75	138	46.15	42.70	1.38
2. <i>Glabella, arcus superciliaris</i>	+0.75	158	73.83	−1.04	229	76.59	75.21	1.79
3. <i>Processus mastoideus</i>	+0.91	169	78.97	−0.68	228	76.25	77.61	1.59
4. <i>Protuberantia occipitalis externa</i>	+0.65	153	71.50	−0.97	204	68.23	69.86	1.62
5. <i>Planum occipitale</i>	+0.66	163	76.17	−0.65	226	75.59	75.88	1.31
6. <i>Margo supraorbitalis</i>	+0.78	83	38.79	−0.72	114	38.13	38.46	1.50
7. <i>Arcus zygomaticus</i>	+0.57	28	13.08	−0.80	44	14.72	13.90	1.37
8. <i>Facies zygomaticus</i>	+0.86	154	71.96	−0.55	187	62.54	67.25	1.41
9. <i>Corpus mandibulae</i>	+0.33	88	41.12	−0.12	99	33.11	37.12	0.45
10. <i>Trigonum mentale</i>	+0.51	165	77.10	−0.83	206	68.90	73.00	1.34
11. <i>Angulus mandibulae</i>	+0.67	158	73.83	−0.48	208	69.57	71.70	1.15
12. <i>Caput mandibulae</i>	+0.84	106	49.53	−0.33	127	42.47	46.00	1.17
Average:	+0.68			−0.66				
13. <i>Pelvis major</i>	+0.77	53	24.77	−0.88	52	17.39	21.08	1.66
14. <i>Pelvis minor</i>	+0.60	43	20.09	−1.12	49	16.39	18.24	1.73
15. <i>Angulus pubis</i>	+0.93	14	6.54	−0.93	15	5.02	5.78	1.86
16. <i>Foramen obturatum</i>	+0.45	11	5.14	−0.82	17	5.69	5.41	1.28
17. <i>Incisura ischiadica major</i>	+0.96	150	70.09	−1.15	213	71.24	70.67	2.11
18. <i>Pubis-ischio index</i>	+0.70	10	4.67	−1.06	18	6.02	5.35	1.76
19. <i>Cotilo-incisura index</i>	+1.67	73	34.11	−0.36	73	24.41	29.26	2.03
20. <i>Sacrum</i>	+0.80	35	16.36	−1.02	50	16.72	16.54	1.82
21. <i>Caput femoris</i>	+0.68	176	82.24	−1.37	227	75.92	79.08	2.06
22. <i>Linea aspera</i>	+0.58	189	88.32	−0.54	246	82.27	85.30	1.12
23. <i>Sulcus praeauricularis</i>	+0.86	143	66.82	−1.25	214	71.57	69.20	2.11
Average:	+0.82			−0.95				
Average of all traits	+0.75		48.88	−0.80		46.30		

Tab. 30. Sexual expression values of traits used in the determination of sex. Alsónyék.



Tab. 31. The distribution of the observability of sexual traits under study among adults.



Tab. 32. The degree of expression of the sexual traits under study among men and women.

Archaeological site	Period	e_x^o	References
Khirokitia	Neolithic	22.10	ANGEL 1953
Bruchstedt	Central European LBK	22.50	BACH 1978
Tiszapolgár-Basatanya	Tiszapolgár culture	26.76	Nemeskéri, cit. KUTZIÁN 1963
Mezőkövesd-Mocsolyás	Szatmár group	26.84	ZOFFMANN 2011a
Csabdi-Télizöldes	Lengyel culture	27.34	KÖHLER 2004
Kisköre-Gát	Tisza culture	27.50	Nemeskéri, cit. KOREK 1989
Mórág B.1	Lengyel culture	28.16	ZOFFMANN 2004a
Hódmezővásárhely-Gorzsá	Tisza culture	28.26	ZOFFMANN 2011a
Nitra-H. Krškany	Central European LBK	28.33	PAVÚK 1972; JELINEK 1973
Aszód-Papi földek	Lengyel culture	28.43	ZOFFMANN 2011a; 2012a
Sondershausen	Central European LBK	28.50	BACH 1978
Hajdúnánás-Eszlári út	Alföld LBK	29.43	ZOFFMANN 2011a
Polgár-Ferenci hát	Alföld LBK	30.34	ZOFFMANN 2011a
Balatonszárszó-Kis-erdei dűlő	Central European LBK	31.51	ZOFFMANN 2011a; 2012b
Rákóczipfalva-Bivalytó-Bagi föld I	Bodrogkeresztúr culture	31.94	ZOFFMANN 2011a
Alsónyék	Lengyel culture	32.61	Present work
Vedrovice-Siroká u lesa	Central European LBK	33.10	NEUSTUPNÝ 2002
Tiszapolgár-Basatanya	Bodrogkeresztúr culture	33.83	Nemeskéri, cit. KUTZIÁN 1963
Hejőkürt-Lidl Log. Kp.	Alföld LBK	34.80	KÖVÁRI / SZATHMÁRY 2005
Polgár-Csőszhalom	Tisza culture	35.78	ZOFFMANN 2011a
Szihalom-Sóhajtó	Bodrogkeresztúr culture	35.82	ZOFFMANN 2011a

Tab. 33. Estimated values of average life expectancy at birth (exo) at Alsónyék any other prehistoric series.

	Male					Female				
	Total N1+N2	Present N ₁	%	Absent N ₂	%	Total N1+N2	Present N ₁	%	Absent N ₂	%
<i>Os japonicum</i> , left	127	0	0	127	100	147	1	0.68	146	99.32
<i>Os japonicum</i> , right	119	0	0	119	100	132	1	0.75	131	99.25
<i>Ossa suturae coronalis</i> , left	80	2	2.50	78	97.50	110	1	0.90	109	99.10
<i>Ossa suturae coronalis</i> , right	77	0	0	77	100	108	2	1.85	106	98.15
<i>Os bregmaticum</i>	113	2	1.76	111	98.24	157	0	0	157	100
<i>Ossa suturae sagittalis</i>	70	6	8.57	64	91.43	108	5	4.62	103	95.38
<i>Ossa suturae squamosa</i> , left	24	0	0	24	100	33	1	3.03	32	96.07
<i>Ossa suturae squamosa</i> , right	24	1	4.17	23	95.83	30	1	3.33	29	96.67
<i>Os epiptericum</i> , left	9	1	11.11	8	88.89	28	2	7.14	26	92.86
<i>Os epiptericum</i> , right	7	0	0	7	100	20	0	0	20	100
<i>Sutura metopica</i>	179	10	5.58	169	94.42	222	18	8.10	204	91.90
<i>Os astericum</i> , left	72	5	6.94	67	93.60	90	4	4.44	86	95.56
<i>Os astericum</i> , right	64	3	4.68	61	95.32	79	8	10.12	71	89.88
<i>Ossa incisurae parietalis</i> , left	39	0	0	39	100	45	2	4.44	43	95.56
<i>Ossa incisurae parietalis</i> , right	40	1	2.50	39	97.50	45	3	6.66	42	93.34
<i>Os lambdae</i>	107	18	16.82	89	83.18	156	13	8.33	143	91.67
<i>Ossa suturae lambdoidea</i> , left	65	28	43.08	37	56.92	81	33	40.74	48	59.26
<i>Ossa suturae lambdoidea</i> , right	56	21	37.5	35	62.5	85	38	44.70	47	55.30
<i>Os incae</i>	152	0	0	152	100	216	0	0	216	100
<i>Torus palatinus</i>	117	15	12.82	102	87.18	111	15	13.51	96	86.49
<i>Torus maxillaris</i>	124	0	0	124	100	123	0	0	123	100
<i>Torus mandibularis</i>	153	2	1.30	151	98.70	170	0	0	170	100
<i>Sut. squamomastoideus</i> , left	157	12	7.64	145	92.36	214	16	7.47	198	92.53
<i>Sut. squamomastoideus</i> , right	151	13	8.60	138	91.40	185	12	6.48	173	93.52
<i>Facies condylaris bipartita</i> , left	103	4	3.88	99	96.12	121	4	3.30	117	96.70
<i>Facies condylaris bipartita</i> , right	100	4	4.0	96	96.00	117	3	2.56	114	97.44
Perforation of <i>olecranon fossa</i> , left	151	29	19.21	122	80.79	174	62	35.63	112	64.37
Perforation of <i>olecranon fossa</i> , right	148	24	16.21	124	83.79	171	46	26.90	125	73.10

Tab. 34. Incidence of hereditary epigenetic traits in the Alsónyék population.

Series (reference)	<i>Sutura metopica</i>	<i>Os bregmaticum</i>	<i>Os epiptericum</i>	<i>Os astericum</i>	<i>Os wormiana</i>	<i>Os lambdæ</i>	<i>Os incæ</i>	<i>Torus palatinus</i>
Alsónyék (present work)	6.8 %	0.8 %	8.1 %	8.0 %	44.0 %	11.8 %	0.0 %	8.8 %
Mórágy B.1, Lengyel c. (ZOFFMANN 2004a)	12.2 %	?	42.1 %	?	46.2 %	27.5 %	?	41.4 %
Zengvárkony, Lengyel c. (ZOFFMANN 1974)	7.6 %	?	?	?	?	48.9 %	?	?
Csabdi-Télizöldes, Lengyel c. (KÖHLER 2004)	0.0 %	0.0 %	?	?	54.5 %	?	?	33.3 %
Gomolava-Hrtkovci, Vinča c. (ZOFFMANN 1988)	0.0 %	?	30.0 %	?	54.6 %	36.4 %	?	28.6 %
Tiszavalk-Tetes, Bodrogheresztúr c. (ZOFFMANN 1986b)	0.0 %	?	?	?	54.6 %	0.0 %	?	50.0 %
Balatonőszöd-Temetői dűlő, Baden c. (KÖHLER 2012)	10.0 %	0.0 %	12.5 %	12.5 %	66.7 %	21.1 %	0.0 %	14.5 %
Budakalász, Baden c. (KÖHLER 2009)	9.3 %	0.0 %	14.3 %	2.7 %	43.4 %	6.1 %	1.4 %	14.3 %
Szigetszentmiklós, Bell Beaker c. ¹ (KÖHLER 2011)	9.9 %	100 %	100 %	0.0 %	40.0 %	0.0 %	7.69 %	0.0 %
Jánoshida-Berek, Tumulus Grave c. (HAJDU 2008)	4.5 %	0.0 %	0.0 %	31.3 %	35.0 %	11.1 %	4.5 %	?
Tápé-Széntéglágető, Tumulus Grave c. (HORVÁTH / OLÁH 1993)	5.38 %	?	?	?	96.0 %	?	?	?
Central European LBK, Germany (BACH 1978)	6.0 %	?	?	?	?	?	?	?
Cord Ware, Germany (BACH 1978)	15.0 %	?	?	?	?	?	?	?
Alföld combined series, Neolithic (FARKAS / MARCSIK 1975)	25.0 %	?	18.3 %	?	16.7 %	0.0 %	?	?
Alföld combined series, Copper Age (FARKAS / MARCSIK 1975)	27.3 %	?	9.1 %	?	45.5 %	0.0 %	?	?
Alföld combined series, Bronze Age (FARKAS / MARCSIK 1975)	19.6 %	?	7.1 %	?	37.5 %	3.6 %	?	?
Neolithic, Great Britain (BOTHWELL 1973)	7.5 %	?	15.0 %	?	?	?	?	7.4 %

¹ In the case of Szigetszentmiklós, only a single skull was suitable for the study of *os epiptericum*. This causes the 100 % incidence rate.

Tab. 35. Incidence of some epigenetic traits at Alsónyék and in other prehistoric series.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
7758	Child	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0
7760	Child	–	–	–	–	–	–	0	–	–	–	–	–	–	–	–	–	–	–
7761	Child	–	–	–	–	–	–	0	–	–	–	–	–	–	–	–	–	–	–
1	Male	–	0	0	–	–	–	0	0	0	0	–	0	–	–	–	0	–	0
2	Male	0	0	0	0	0	–	0	–	0	0	1	0	0	0	0	0	–	0
8	Male ?	0	–	0	–	–	–	0	–	–	–	–	–	–	–	–	–	–	–
14	Male ?	–	–	–	–	–	–	0	–	–	–	–	–	–	–	0	0	–	–
16	Male ?	0	–	–	–	–	–	–	–	–	–	–	0	0	0	0	0	–	1
431	Male ?	0	–	0	–	–	–	0	0	–	0	–	0	0	0	0	–	0	–
435	Male ?	0	0	0	0	–	–	0	0	–	0	0	0	0	0	0	0	–	0
478	Male	0	–	0	–	–	–	0	–	–	–	–	–	1	0	0	–	–	0
500	Male	0	–	–	–	–	–	0	0	–	0	–	0	0	0	0	0	0	0
4032	Male	0	–	–	–	–	–	–	–	–	–	–	–	–	0	0	0	–	0
4080	Male	0	–	0	0	–	–	0	0	–	0	–	0	0	0	0	0	0	0
4307	Male	0	0	0	0	–	–	0	–	–	0	0	0	0	0	–	–	–	0
7555	Male ?	0	–	–	–	–	–	0	–	–	–	–	–	–	–	–	0	–	0
7563	Male	0	–	–	–	–	–	0	–	–	0	–	0	0	0	0	–	–	0
7581	Male	–	0	1	–	–	–	0	–	–	–	–	0	–	–	–	0	–	0
7583	Male	–	–	–	–	–	–	0	–	–	–	–	0	0	0	0	1	–	0
7655	Male ?	–	–	0	–	–	–	0	–	–	0	–	0	–	–	–	–	–	–
7674	Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0	–	–	0
7675	Male ?	0	–	–	–	–	–	0	–	–	–	–	–	–	–	–	0	–	0
7676	Male ?	0	–	0	0	–	–	0	–	–	–	–	0	0	0	0	0	1	0
7678	Male ?	0	0	0	0	–	–	0	–	–	0	–	0	–	–	–	0	–	–
7679	Male	–	–	–	–	–	–	1	–	–	–	–	–	–	–	0	0	–	–
7688	Male	0	–	–	–	–	–	0	–	–	–	–	–	0	0	0	–	–	0
7689	Male ?	–	0	–	–	–	–	0	0	–	0	–	0	–	–	–	0	–	–
7716	Male	0	–	–	–	–	–	–	–	–	–	–	–	0	0	0	–	–	1
7751	Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0
7752	Male	0	0	0	0	0	–	0	0	0	0	0	0	1	–	0	0	0	1
7756	Male	0	–	–	–	–	–	0	0	–	–	–	0	0	0	–	0	–	0
7766	Male ?	–	0	0	0	–	–	–	–	–	–	–	–	–	–	–	0	–	0
7767	Male	0	–	0	–	–	–	0	–	–	–	–	0	–	–	–	0	–	0
7774	Male	0	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7775	Male	–	–	0	1	–	–	0	0	–	0	–	0	–	–	0	0	0	1
7778	Male	0	–	–	–	–	–	0	0	–	–	–	0	–	–	–	0	–	0
5	Female	0	–	–	–	–	–	0	–	–	0	0	0	–	–	0	0	–	0
7	Female	0	0	0	0	–	–	–	–	–	0	–	0	0	0	0	–	–	1
432	Female	–	0	0	0	–	–	0	0	0	0	0	0	–	–	–	–	–	0
434	Female ??	0	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0	–	1
475	Female ?	–	0	0	0	–	–	0	0	–	–	–	0	0	0	0	0	0	0
493	Female	0	–	–	0	–	–	0	0	0	0	0	0	–	0	–	0	0	1
520	Female	0	–	–	–	–	–	0	0	–	0	0	0	0	0	0	0	0	0
522	Female	0	0	0	0	–	0	0	0	0	0	0	0	–	0	–	0	–	0
4081	Female ?	0	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0	–	–
4087	Female ?	–	0	–	–	–	–	0	–	–	–	–	–	–	–	–	0	–	–
4308	Female ?	0	–	–	–	–	–	1	–	–	–	–	0	–	–	0	0	0	–

Tab. 36. Incidence of hereditary epigenetic traits in Grave Group 1 of the cemetery.

Grave Nr.	Sex	Os japonicum	O. s. coronal.	O. bregma	O. s. sagitt.	S. squam.	Os epipter.	S. metopica	O. astericum	O. i. pariet.	O. lambdae	O. wormiana	Os incae	T. palatinus	T. maxillaris	T. mandib.	S. sq.mast.	Fac. cond. bip.	Per. f. olecrani
7579	Female	–	–	0	–	–	0	–	–	–	0	–	0	–	–	0	–	–	0
7580	Female ?	–	–	0	–	0	–	0	0	0	0	1	0	–	–	0	0	0	1
7585	Female	0	–	–	–	–	–	0	–	–	–	–	–	–	–	–	–	–	0
7586	Female	–	–	0	0	–	–	0	0	–	0	–	0	–	–	0	0	–	–
7587	Female	0	0	0	0	0	–	0	–	–	0	–	0	0	0	0	0	–	–
7645	Female ??	–	–	–	–	–	–	0	–	–	–	–	–	–	–	–	0	–	–
7657	Female	–	0	0	0	–	–	–	0	–	0	0	0	–	–	0	0	0	0
7683	Female ?	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0	–	–
7685	Female	0	–	–	–	–	–	0	–	–	–	–	–	–	–	–	0	–	0
7690	Female ?	0	0	0	–	–	–	0	–	–	1	1	0	0	0	0	0	–	1
7691	Female ?	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0	0	–	–
7715	Female	–	–	–	–	–	–	0	–	–	1	–	–	–	–	–	0	–	–
7753	Female	0	0	0	0	–	–	0	0	–	0	0	0	–	–	0	0	0	–
7754	Female	0	–	0	–	–	–	0	0	–	0	–	0	–	–	0	0	–	–
7755	Female	0	0	0	–	–	–	0	0	–	0	–	0	–	–	–	0	0	0
7765	Female ?	–	–	–	–	–	–	0	–	–	0	–	0	–	–	–	–	–	–
7772	Female ?	–	–	0	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0
7773	Female	–	–	–	–	–	–	0	–	–	1	1	–	–	–	–	0	–	0
7776	Female	–	0	0	–	–	–	0	–	–	0	–	0	–	–	–	1	–	1
7777	Female ??	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0	–	0
4	?	–	–	0	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4033	?	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0	–	–
4071	?	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0	1	1
4295	?	–	–	–	–	–	–	0	–	–	–	–	–	–	–	–	0	–	–
7658	?	–	–	–	–	–	–	0	–	–	–	–	–	–	–	–	0	–	0
7671	?	0	–	–	–	–	–	0	–	–	–	–	–	1	–	–	0	–	–
Total		0/38	0/20	1/32	1/18	0/4	0/2	2/53	0/20	0/7	3/32	4/14	0/39	3/21	0/22	0/32	2/52	2/15	11/47

Tab. 36. (continued).

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incaae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
203	Male	0	0	0	0	–	–	0	0	0	0	0	0	0	0	0	–	0	0
214	Male	0	0	0	0	–	–	0	–	0	0	–	0	–	0	0	0	–	0
7562	Male	–	–	–	–	–	–	0	0	–	0	–	0	1	–	0	0	–	–
215	Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	–	1
451	Female	0	–	–	–	–	–	0	1	1	0	1	0	1	0	0	0	0	1
452	Female ?	0	0	0	–	–	–	0	–	–	0	1	0	0	0	0	0	0	–
Total		0/5	0/4	0/4	0/3	0/1	0/1	0/6	1/4	1/4	0/6	2/4	0/6	2/5	0/5	0/6	0/5	0/3	2/4

Tab. 37. Incidence of hereditary epigenetic traits in Grave Group 2 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incaae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
696	Child	0	0	0	0	–	–	0	–	–	0	–	0	0	0	0	0	0	–
763	Child	–	–	–	–	–	–	0	–	–	–	–	–	0	0	0	0	–	–
144	Male	0	–	0	–	–	–	–	0	–	–	–	–	0	0	1	0	0	0
446	Male	–	–	–	–	–	–	0	–	–	–	1	0	–	–	–	0	0	–
747	Female	–	–	0	0	–	–	0	–	–	0	1	0	–	–	–	1	–	–
713	?	–	–	–	–	–	–	0	–	–	–	–	–	–	–	–	0	–	0
765	?	0	0	0	1	1	–	0	0	–	0	1	0	0	0	0	0	0	1
Total		0/3	0/2	0/4	1/3	1/1	–	0/6	0/2	–	0/3	3/3	0/4	0/4	0/4	1/4	1/7	0/4	1/3

Tab. 38. Incidence of hereditary epigenetic traits in Grave Group 3 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incaae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
4086	Female	0	0	0	0	–	–	1	0	0	0	0	0	0	0	0	0	0	0
4123	Female	0	0	0	0	–	–	0	–	–	–	–	0	–	0	0	–	–	–
4131	Female	0	0	0	0	–	–	0	0	–	0	–	0	0	0	0	0	0	1
Total		0/3	0/3	0/3	0/3	–	–	1/3	0/2	0/1	0/2	0/1	0/3	0/2	0/3	0/3	0/2	0/2	1/2

Tab. 39. Incidence of hereditary epigenetic traits in Grave Group 4 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
764	Male ?	–	–	–	–	–	–	–	–	–	–	–	0	–	–	–	1	–	–
6339	Male	0	0	0	–	–	–	0	0	–	–	–	0	0	0	0	0	0	0
6346	Male	–	0	0	0	–	–	0	0	1	1	–	0	–	–	–	0	–	–
6348	Male	0	0	0	0	–	–	0	0	–	0	–	0	–	–	0	0	0	1
6352	Male ?	0	–	0	–	–	–	0	–	–	0	1	0	0	–	0	0	–	0
6353	Male ?	0	0	0	0	–	–	0	0	0	–	–	–	0	0	0	0	–	0
6244	Female	–	–	0	–	–	–	1	–	–	–	–	0	–	0	0	0	0	1
6338	Female	0	–	0	–	0	–	0	0	0	0	0	0	0	0	0	0	0	–
6347	Female	0	0	0	0	0	–	0	0	0	0	–	0	–	–	–	0	–	–
6349	Female ?	–	–	–	–	–	–	0	–	–	0	–	–	–	–	–	0	–	0
6377	Female	0	–	0	0	–	–	0	1	–	0	–	0	1	0	0	0	0	–
Total		0/7	0/5	0/9	0/5	0/2	–	1/10	1/7	1/4	1/7	1/2	0/9	1/5	0/5	0/7	1/11	0/5	2/6

Tab. 40. Incidence of hereditary epigenetic traits in Grave Group 5 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
503	Male ?	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0	–	–
6379	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0
Total		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0/1	–	0/1

Tab. 41. Incidence of hereditary epigenetic traits in Grave Group 6 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incaae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
164	Child	0	0	0	0	–	–	0	–	–	0	–	0	0	0	0	0	0	0
513	Child	0	–	–	–	–	–	–	–	–	–	–	–	0	0	–	–	–	–
98	Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
6151	Male	0	0	0	0	–	–	0	–	–	0	0	0	0	0	0	1	0	–
92	Female ?	–	–	0	–	–	–	0	–	–	–	–	0	–	–	–	–	–	–
96	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0	–	–	1
463	Female ?	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0
516	Female	0	0	0	0	–	–	0	0	–	0	1	0	0	0	0	0	–	1
692	Female	0	0	0	0	–	–	0	0	–	0		0	0	0	0	0	0	–
726	Female	–	–	–	–	–	–	0	–	0	–	1	0	–	–	–	1	0	–
768	Female	0	1	0	–	0	–	0	1	0	1	0	0	–	0	0	0	0	0
6155	Female	–	–	–	–	–	–	0	–	–	–	–	–	0	0	0	0	0	1
6156	Female	0	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
6336	Female	0	–	0	–	–	–	0	–	–	0	–	0	0	0	0	0	–	1
477	?	–	–	–	–	–	–	–	–	–	–	–	–	0	0	0	–	–	–
6345	?	–	0	0	0	–	–	1	–	–	0	1	0	0	0	0	0	0	0
Total		0/8	1/6	0/8	0/5	0/1	–	1/10	1/3	0/2	1/7	3/5	0/9	0/9	0/10	0/10	2/9	0/7	6/10

Tab. 42. Incidence of hereditary epigenetic traits in Grave Group 7 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incaae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
552	Male	0	–	–	–	–	–	0	0	–	–	1	0	0	0	0	0	0	0
618	Male	0	0	0	1	0	–	0	0	–	0	1	0	0	0	0	1	–	0
6121	Male	–	–	–	–	–	–	0	–	–	–	–	0	1	0	0	0	0	0
6154	Male	0	–	0	–	–	–	0	–	–	–	–	–	0	–	0	0	0	1
115	Female	0	0	0	0	0	0	0	1	1	0	–	0	0	0	0	0	0	0
155	Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
518	Female ?	0	–	–	–	–	–	–	–	–	–	–	–	0	0	0	0	0	0
585	Female	0	0	0	–	–	–	0	–	–	–	–	–	0	0	0	–	–	–
629	Female	0	0	–	–	–	1	1	0	–	0	1	0	–	–	–	1	0	0
709	Female	–	0	0	0	–	–	0	0	–	0	0	0	–	–	–	–	1	0
746	Female	0	–	–	–	–	–	0	–	–	0		0	–	–	–	1	–	0
901	Female ?	–	–	–	–	–	–	0	–	–	–	–	0	–	–	0	0	–	–
6081	Female	0	0	0	0	–	0	0	–	0	0	1	0	–	–	0	1	–	0
6082	Female	–	–	–	–	–	–	–	–	–	0	–	0	–	–	–	–	–	–
6688	Female ??	0	–	–	–	–	–	0	–	–	0	–	0	–	–	0	0	–	1
Total		0/11	0/7	0/7	1/5	0/3	1/4	1/13	1/6	1/3	0/9	4/6	0/12	1/8	0/7	0/11	4/12	1/8	2/12

Tab. 43. Incidence of hereditary epigenetic traits in Grave Group 8 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incaae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
734	Male	–	0	0	0	–	–	0	0	–	0	0	0	0	0	0	0	0	0
750	Male	0	0	0	0	–	–	0	–	–	0	0	0	0	0	0	0	0	0
880	Male	0	0	0	0	–	–	0	–	0	0	0	0	0	0	–	0	0	0
114	Female	0	0	0	0	–	–	0	–	–	0	–	0	–	–	0	0	–	0
468	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
589	Female	0	0	–	–	–	–	0	–	–	0	–	0	0	0	0	0	–	0
617	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
823	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
881	Female	–	–	–	–	–	–	0	–	–	–	–	0	–	–	–	0	–	0
1119	Female ?	–	–	–	–	–	–	–	–	–	–	–	–	0	0	0	–	–	0
4153	Female ??	–	0	0	0	–	–	0	–	–	0	–	0	0	0	0	0	–	0
Total		0/4	0/6	0/5	0/5	–	–	0/7	0/1	0/1	0/6	0/3	0/7	0/6	0/6	0/6	0/7	0/3	0/8

Tab. 44. Incidence of hereditary epigenetic traits in Grave Group 9 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incaae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
260	Male	0	–	0	0	–	–	0	0	–	–	–	0	–	–	–	0	–	0
262	Male	–	0	0	0	–	–	0	1	–	0	0	0	–	–	0	0	0	–
205	Female	0	0	0	0	–	–	0	1	–	0	0	0	0	0	0	0	0	1
407	Female	–	0	0	0	–	–	0	–	–	0	0	0	–	–	–	0	–	0
Total		0/2	0/3	0/4	0/4	–	–	0/4	2/3	–	0/3	0/3	0/4	0/1	0/1	0/2	0/4	0/2	1/3

Tab. 45. Incidence of hereditary epigenetic traits in Grave Group 10 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incaae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
6541	Male	0	0	0	0	–	–	0	–	–	0	0	0	0	0	0	0	0	1
6697	Male	0	0	0	0	–	–	0	0	0	–	–	0	0	0	0	0	0	1
908	Female	0	–	–	–	–	–	–	–	–	–	–	0	–	–	–	0	–	–
6536	Female ?	0	0	0	–	–	–	1	–	–	–	–	0	0	0	0	0	0	0
6537	Female	0	–	0	0	–	–	0	0	–	0	–	0	0	0	0	0	0	1
6538	Female	0	0	0	0	–	0	0	0	0	0	–	0	–	0	0	0	0	1
6542	Female	0	–	–	–	–	–	0	0	–	–	0	0	–	–	–	0	0	0
6680	Female	0	–	–	–	–	–	–	–	–	–	–	–	0	0	0	0	–	0
Total		0/8	0/4	0/5	0/4	–	0/1	1/6	0/4	0/2	0/3	0/2	0/7	0/5	0/6	0/6	0/8	0/6	4/7

Tab. 46. Incidence of hereditary epigenetic traits in Grave Group 11 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incaae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
362	Male	0	–	–	–	–	–	0	0	–	0	0	0	0	0	0	0	0	0
380	Female ?	0	0	0	0	–	–	–	–	–	0	–	0	–	–	–	0	–	–
355	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0
Total		0/2	0/1	0/1	0/1	–	–	0/1	0/1	–	0/2	0/1	0/2	0/1	0/1	0/1	0/2	0/1	0/2

Tab. 47. Incidence of hereditary epigenetic traits in Grave Group 12 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incaae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
793	Child	–	–	0	–	–	–	0	–	–	0	–	0	–	–	0	–	–	0
801	Child	–	–	–	–	–	0	–	–	–	0	–	0	0	0	0	0	–	0
783	Male	0	–	–	–	–	–	–	–	–	–	–	–	0	0	0	0	0	0
791	Male	0	–	0	–	–	–	0	–	–	0	1	0	0	–	0	0	0	0
792	Male	0	–	–	–	–	–	0	0	0	0	0	0	0	0	0	–	0	–
798	Male	0	–	–	–	–	–	0	–	–	–	–	0	–	–	0	0	–	–
803	Male ?	0	0	0	–	–	–	0	0	–	0	0	0	0	0	0	1	–	–
808	Male	0	–	0	–	–	–	0	0	0	0	–	0	0	0	0	0	0	0
809	Male	0	–	0	–	–	–	0	–	–	–	–	0	–	–	–	0	0	0
813	Male	0	0	0	0	–	–	0	–	–	0	–	0	0	0	0	0	0	0
819	Male	0	–	0	0	0	–	0	0	0	0	1	0	0	0	0	0	0	–
4011	Male	0	0	0	0	0	–	0	–	0	0	–	0	–	0	0	0	0	0
4027	Male ?	0	0	0	–	0	0	0	0	0	0	–	0	–	–	0	–	0	0
4028	Male	0	–	–	–	–	–	0	–	–	–	–	–	0	0	0	–	–	0
785	Female	0	0	0	0	1	–	0	0	–	0	1	0	1	0	0	0	0	1
796	Female	0	0	0	0	–	0	–	0	–	0	–	0	0	0	0	0	–	0
800	Female	0	–	–	–	–	–	0	–	–	0	–	0	–	–	0	1	–	0
805	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0	0	0	0
810	Female ?	0	–	–	–	–	–	0	–	–	–	–	0	–	–	0	0	–	–
812	Female	0	0	0	0	–	–	0	–	–	0	0	0	1	0	0	0	0	0
817	Female	–	–	–	–	–	–	0	–	–	0	–	0	0	0	0	0	–	1
818	Female	–	–	0	0	–	–	0	–	–	0	–	0	–	–	–	0	–	–
853	Female	0	0	0	–	–	–	0	0	–	0	1	0	0	0	0	0	0	1
4012	Female	0	0	0	0	0	–	0	0	0	0	–	0	0	0	0	0	0	0
782	?	0	–	–	–	–	–	0	–	–	–	–	–	0	0	–	–	–	0
811	?	0	–	0	–	–	–	0	–	–	0	–	0	1	0	0	0	0	0
Total		0/21	0/9	0/16	0/8	1/5	0/3	0/22	0/9	0/6	0/19	4/7	0/22	3/17	0/17	0/23	2/21	0/15	3/20

Tab. 48. Incidence of hereditary epigenetic traits in Grave Group 13 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipt.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdæ</i>	<i>O. wormiana</i>	<i>Os incae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
3714	Child	–	–	–	–	–	–	0	–	–	–	–	0	–	–	–	–	–	–
3718	Child	0	–	–	–	–	–	0	–	–	–	–	–	–	–	–	0	–	–
3757	Child	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
3758	Child	0	–	0	0	–	–	1	–	–	0	–	0	–	–	–	–	–	0
3830	Child	0	–	–	–	–	–	0	–	–	–	–	0	–	0	0	0	–	–
3945	Child	–	0	–	1	–	–	0	–	–	1	1	0	–	0	0	0	0	0
3709	Male	0	–	–	–	–	–	0	–	–	–	–	–	–	–	0	0	–	0
3711	Male	–	–	0	0	–	–	0	0	–	–	–	–	–	–	–	–	–	–
3715	Male ?	0	–	–	–	–	–	0	–	–	–	–	0	0	0	0	0	0	1
3723	Male	0	0	0	0	0	1	0	0	0	0	–	0	0	0	0	0	0	0
3726	Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
3729	Male	0	–	0	–	–	–	1	–	–	–	–	0	–	–	0	0	0	1
3735	Male ?	0	–	0	0	–	–	0	0	0	0	0	0	0	0	0	0	0	0
3736	Male	0	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0	0	0
3739	Male	0	–	0	–	–	–	0	–	–	–	–	0	0	0	0	–	0	0
3740	Male ?	0	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0	0	1
3743	Male	0	–	–	–	–	–	–	–	–	–	–	–	0	0	0	0	–	0
3829	Male	0	0	0	–	–	–	0	–	–	–	–	0	0	0	–	0	–	0
3831	Male	0	0	0	0	–	–	0	–	–	1	1	0	–	–	–	0	–	0
3847	Male ?	0	0	0	0	0	–	0	0	0	0	0	0	–	0	0	0	1	1
3918	Male	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
3943	Male	0	–	–	–	–	–	1	–	–	–	1	–	0	0	0	–	–	0
3949	Male ??	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
3956	Male	0	–	0	1	–	–	0	0	0	1	1	0	0	0	–	0	0	1
4002	Male	0	–	0	0	–	–	0	0	0	0	0	0	0	0	0	0	0	1
4004	Male ?	0	0	0	–	–	–	0	0	0	0	0	0	0	0	0	0	0	1
4013	Male	0	1	0	1	–	–	1	–	–	0	1	0	0	0	0	0	–	0
4079	Male	0	0	0	0	0	–	1	0	0	0	1	0	1	0	0	0	0	0
3706	Female ??	0	–	–	–	–	0	0	–	–	–	–	–	–	0	–	0	0	0
3707	Female	–	0	0	0	–	–	1	0	–	–	0	0	–	–	–	0	–	–
3712	Female ?	0	–	–	–	–	–	0	–	–	0	–	0	–	–	0	0	–	1
3713/A	Female	0	–	–	–	–	–	0	–	–	–	–	0	–	–	0	0	–	0
3722	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0	–	–
3734	Female	0	–	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3737	Female	0	0	0	1	–	–	0	–	–	0	1	0	0	0	0	0	1	0
3742	Female ?	0	–	–	–	–	–	0	–	–	–	–	0	–	–	–	0	–	–
3760	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0	–	–
3761	Female	–	0	0	0	–	–	0	–	–	0	1	0	0	0	0	0	0	0
3832	Female	–	0	0	–	–	–	0	0	–	–	1	0	–	–	–	0	0	0
3844	Female	–	–	–	–	–	–	1	–	–	–	–	0	0	0	0	0	–	0
3845	Female	0	–	0	0	–	–	0	0	0	0	1	0	–	–	–	0	0	1
3846	Female	0	0	0	0	–	–	1	0	0	0	–	0	0	0	0	0	0	0
3931	Female	0	0	0	0	0	–	0	0	0	0	0	0	0	0	0	0	0	0
3944	Female	0	0	0	0	–	–	0	0	–	0	0	0	–	–	–	0	–	–
3955	Female	0	0	0	0	–	–	0	–	–	0	–	0	0	0	0	–	–	–
4005	Female	0	–	0	0	–	–	0	–	–	0	–	0	0	0	0	0	0	0
4006	Female	0	–	0	0	–	–	0	–	–	1	1	0	0	0	0	–	0	1

Tab. 49. Incidence of hereditary epigenetic traits in Grave group 14 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipt.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os inca</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
3710	?	–	–	–	–	–	–	1	–	–	–	–	0	–	0	0	–	–	0
3724	?	0	–	–	–	–	–	–	–	–	–	–	–	0	0	–	0	–	0
3727	?	0	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0	–	–
3929	?	–	–	–	–	–	–	0	0	0	0	–	0	–	0	0	0	–	1
3930	?	0	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0	–	–
4014	?	–	–	0	–	–	–	0	0	–	0	–	0	0	0	0	0	0	–
Total		0/39	1/18	0/29	4/24	0/7	1/5	9/43	0/18	0/14	4/26	13/22	0/38	1/25	0/31	0/31	0/43	2/26	13/39

Tab. 49. (continued).

Grave Nr.	Sex	<i>Os jap.</i>	<i>O. s. coron.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipt.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os inca</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq. mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
825	Male	0		0	–	–	–	0	–	–	0	–	0	–	–	0	1	–	0
826	Male	0	0	0	0	–	–	0	–	–	0	–	0	–	0	0	–	–	–
827	Male	0	0	0	–	–	–	0	0	0	0	0	0	–	–	–	0	0	0
829	Male ??	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0
831	Male	–	–	–	–	–	–	0	–	–	0	–	0	–	–	–	0	–	1
835	Male	0	0	0	0	0	–	0	0	0	0	0	0	0	–	0	1	–	0
910	Male	0	–	–	–	–	–	0	–	–	–	–	0	0	0	0	0	–	1
3765	Male	–	0	0	–	–	–	0	0	–	0	0	0	0	0	0	0	1	1
3771	Male	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
3780	Male	0	0	0	–	–	–	0	0	0	–	0	0	0	0	0	0	0	0
3785	Male	–	–	0	–	–	–	0	–	–	0	–	0	0	0	0	1	0	0
3787	Male	–	–	–	–	–	–	0	–	–	1	1	0	1	–	0	0	0	0
426	Female	0	–	–	–	–	–	–	–	–	–	–	0	–	–	–	0	–	–
828	Female ?	–	–	–	–	–	–	–	–	–	–	–	–	–	0	0	–	–	0
834	Female ?	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0	–	–	0
836	Female	–	0	0	–	–	–	1	–	–	–	–	–	–	–	0	0	–	0
840	Female	0	0	0	–	–	–	0	–	–	0	–	0	–	–	–	0	0	1
842	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0
846	Female	0	0	0	0	–	–	0	–	–	0	–	0	–	–	–	0	–	0
847	Female	0	0	0	0	–	–	0	–	–	0	–	0	0	0	0	0	–	1
882	Female		0	0	–	–	–	0	0	–	–	–	0	–	–	–	0	0	1
883	Female	0	0	0	0	–	0	0	–	–	0	–	0	0	0	0	–	–	0
3762	Female	0	0	0	–	–	–	0	–	–	–	–	0	0	0	0	0	0	0
3763	Female ?	0	–	–	–	–	–	–	–	–	–	–	0	–	–	–	0	0	0
3764	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0
3770	Female	0	0	0	0	–	–	0	0	0	1	1	0	–	–	–	0	0	–
3777	Female	0	–	–	–	–	–	0	0	0	–	–	0	1	0	0	1	0	–
3784	Female	0	–	0	–	–	–	0	–	–	–	–	0	–	–	–	–	0	–
3786	Female	–	0	0	0	–	–	0	0	–	–	–	0	0	0	–	0	0	1
424	?	–	–	–	–	–	–	0	–	–	–	–	–	–	–	–	1	–	–
821	?	–	–	0	–	–	–	0	–	–	–	–	–	–	–	–	0	–	0
822	?	–	–	–	–	–	–	0	–	–	0	–	0	–	–	0	–	0	–
830	?	–	–	–	–	–	–	–	–	–	–	–	–	0	0	0	–	–	0
833	?	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
837	?	0	0	0	0	–	–	–	–	–	–	–	0	0	0	0	1	–	1
963	?	–	–	0	–	–	–	0	–	–	0	1	0	0	0	0	1	0	0
3772	?	0	–	–	–	–	–	0	–	–	–	–	–	–	–	–	–	–	0
Total		0/19	0/16	0/21	0/9	0/2	0/2	1/27	0/9	0/6	3/16	4/8	0/26	2/15	0/15	0/20	7/25	1/16	9/30

Tab. 50. Incidence of hereditary epigenetic traits in Grave Group 15 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incaae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
3688	Female ?	0	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	0	1
3692	Female ?	0	–	–	–	–	–	1	–	–	–	–	–	0	–	0	0	–	0
3704	Female	–	–	–	–	–	–	0	–	–	–	–	–	–	–	–	0	0	0
3522	?	0	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Total		0/3	–	–	–	–	–	1/2	–	–	–	–	–	0/1	–	0/1	1/3	0/2	2/4

Tab. 51. Incidence of hereditary epigenetic traits in Grave Group 17 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incaae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
3469	Male ??	–	–	–	–	–	–	0	–	–	–	–	0	–	–	–	–	–	–
3472	Male	0	–	0	–	–	–	0	–	–	1	–	0	–	0	0	–	–	–
3697	Male	0	–	–	1	–	–	0	–	–	0	–	0	–	–	–	0	0	0
3694	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0	–	0
3695	Female	0	–	–	–	–	–	0	–	–	0	1	–	–	–	–	0	–	–
3696	Female	0	0	0	–	–	–	0	0	–	0	1	0	–	–	–	0	0	0
Total		0/5	0/1	0/2	1/1	–	–	0/5	0/1	–	1/4	2/2	0/4	–	0/1	0/1	0/4	0/2	0/3

Tab. 52. Incidence of hereditary epigenetic traits in Grave Group 18 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incaae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
3369	Child	0	–	–	–	–	–	–	–	–	–	–	–	–	0	0	0	–	1
3366	Male	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	1
3379	Male	0	–	–	–	–	–	0	–	–	–	–	–	–	–	0	0	–	0
851	Female	0	0	0	0	0	–	0	0	0	1	0	0	1	0	0	0	–	1
3370	Female	0	0	0	0	–	–	1	–	–	0	1	0	0	0	0	0	–	0
3365	?	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3368	?	–	–	0	–	–	–	0	–	–	0	–	0	–	–	–	0	–	0
Total		0/5	0/3	0/4	0/3	0/2	0/1	1/5	1/2	0/2	1/4	2/3	0/4	1/3	0/4	0/5	0/6	0/1	3/6

Tab. 53. Incidence of hereditary epigenetic traits in Grave Group 19 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregna</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incaae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
3341	Male ??	–	0	–	–	–	–	0	0	–	0	–	0	0	0	0	0	–	–
3374	Female	–	–	–	–	–	–	0	–	–	–	–	0	–	–	0	0	–	–
3464	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	0	1	0	1
3363	?	0	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Total		1/2	0/1	–	–	–	–	0/2	0/1	–	0/1	–	0/2	0/1	0/1	0/3	1/3	0/1	1/1

Tab. 54. Incidence of hereditary epigenetic traits in Grave Group 20 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregna</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incaae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
6047	Child	0	–	0	–	–	–	0	–	–	1	–	0	0	0	0	0	0	–
6077	Child	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
3320	Male	0	–	–	–	–	–	0	–	–	–	–	–	–	–	–	–	–	0
3329	Male	0	0	0	–	–	–	0	–	–	0	–	0	0	0	0	–	–	0
3912	Male ?	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0
3913	Male	–	–	–	–	–	–	–	0	–	–	–	–	0	0	0	0	–	0
6049	Male	0	0	–	–	–	–	1	–	–	–	–	0	0	0	0	0	0	0
6051	Male ??	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	0	1
6078	Male	0	–	0	–	–	–	0	–	–	0	1	0	0	0	0	–	0	0
6137	Male	0	0	0	0	–	–	0	–	–	0	–	0	0	0	0	0	–	0
3328	Female	0	–	–	–	–	–	0	–	–	–	–	0	–	–	0	0	0	1
6092	Female	0	–	0	–	–	0	0	–	0	0	0	0	0	0	0	0	0	0
6101	Female	0	–	0	0	–	–	0	–	–	0	–	0	0	0	0	0	0	–
Total		0/9	0/3	0/6	0/2	–	0/1	2/10	0/1	0/1	1/6	1/2	0/8	0/8	0/8	0/9	1/8	0/7	2/10

Tab. 55. Incidence of hereditary epigenetic traits in Grave Group 21 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregna</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incaae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
6380	Male ?	0	0	0	–	–	–	0	0	–	–	1	0	1	0	0	0	–	0
3020	Female ?	0	–	–	–	–	–	0	0	–	0	–	0	0	0	0	0	0	0
3089	Female	0	–	0	–	–	–	0	–	–	0	–	0	–	0	0	0	–	1
3230	Female ??	0	–	–	–	–	–	0	–	–	–	–	–	–	–	–	0	–	–
6378	Female	0	0	0	0	–	–	0	0	–	0	0	0	0	0	0	–	–	–
6666	Female	–	–	–	–	–	–	0	0	0	–	–	0	–	–	–	0	1	0
Total		0/5	0/2	0/3	0/1	–	–	0/6	0/4	0/1	0/3	1/2	0/5	1/3	0/4	0/4	0/5	2/1	1/4

Tab. 56. Incidence of hereditary epigenetic traits in Grave Group 22 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
3060	Male	0	0	0	0	–	–	0	0	–	–	1	0	1	–	0	0	–	0
1478	Male	0	–	–	–	–	–	–	–	–	–	–	–	–	–	0	–	–	0
1473	Female	–	–	–	–	–	–	–	–	–	0	–	0	0	0	0	–	–	–
3050	?	0	–	–	–	–	–	0	0	–	0	–	0	–	–	–	0	–	0
Total		0/3	0/1	0/1	0/1	–	–	0/2	0/2	–	0/2	1/1	0/3	1/2	0/1	0/3	0/2	–	0/3

Tab. 57. Incidence of hereditary epigenetic traits in Grave Group 23 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
6502	Male	0	0	0	–	–	–	0	–	–	–	–	0	–	–	–	–	–	0
6383	Female	–	–	–	–	–	–	0	–	–	–	–	0	1	–	0	0	0	0
Total		0/1	0/1	0/1	–	–	–	0/2	–	–	–	–	0/2	1/1	–	0/1	0/1	0/1	0/2

Tab. 58. Incidence of hereditary epigenetic traits in Grave Group 24 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
2219	Female	0	–	–	–	–	–	0	–	–	–	–	–	0	0	0	0	–	0
2235	Female	0	–	–	–	–	–	0	–	–	–	–	0	–	0	0	0	–	1
2236	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0	0	0	0
2287	Female ?	–	–	–	–	–	–	–	–	–	–	–	0	–	–	–	0	–	0
2288	Female ?	–	–	–	–	–	–	–	–	–	–	0	0	–	–	–	0	–	–
2271	?	0	–	–	–	–	–	–	–	–	–	–	0	0	0	0	0	–	1
Total		0/3	–	–	–	–	–	0/2	–	–	–	0/1	0/4	0/2	0/3	0/4	0/6	0/1	2/5

Tab. 59. Incidence of hereditary epigenetic traits in Grave Group 25 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incaae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
1588	Male	0	–	–	–	–	–	0	–	–	–	–	–	0	0	0	1	–	0
1615	Male	–	–	–	–	–	–	0	–	–	–	–	–	–	–	–	0	–	0
1656	Male	0	–	–	–	–	–	0	–	–	–	–	0	–	–	0	–	–	–
1769	Male	0	–	–	–	–	–	0	–	–	–	–	–	0	0	0	0	–	–
1790	Male	0	–	–	–	–	–	0	–	–	–	–	0	–	–	0	0	–	0
1797	Male	0	–	–	–	–	–	0	–	–	0	–	–	–	–	0	0	0	0
1798	Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0
1801	Male ?	0	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0
1802	Male ??	0	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
1803	Male ?	0	–	–	–	–	–	0	–	–	–	–	–	–	0	1	–	–	–
1799	Female ?	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0
1814	Female	–	–	0	–	–	–	0	–	–	0	–	0	–	–	–	–	–	–
1818	Female ?	0	–	–	–	–	–	–	–	–	–	–	0	–	–	0	–	–	0
1687	?	–	–	–	–	–	–	–	–	–	–	–	–	0	0	0	–	–	1
1800	?	–	–	–	–	–	–	0	–	–	–	–	0	–	0	0	0	–	–
1834	?	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0	–	–
Total		0/9	–	0/1	–	–	–	0/9	–	–	0/2	–	0/5	0/3	0/5	1/9	1/7	0/1	1/9

Tab. 60. Incidence of hereditary epigenetic traits in Grave Group 26 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incaae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
2072	Male	–	–	–	–	–	–	0	–	–	0	–	0	0	0	0	0	–	0
2066	Female	0	0	0	0	0	–	–	0	–	0	0	–	–	–	–	0	–	–
2073	Female	–	–	–	–	–	–	–	0	–	0	1	0	–	–	–	0	0	1
Total		0/1	0/1	0/1	0/1	0/1	–	0/1	0/2	–	0/3	1/2	0/2	0/1	0/1	0/1	0/3	0/1	1/2

Tab. 61. Incidence of hereditary epigenetic traits in Grave Group 27 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incaae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
2087	Female	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
2088	Female	0	–	–	–	0	–	0	0	0	0	–	0	–	–	–	–	–	0
Total		0/2	0/1	0/1	0/1	0/2	0/1	0/2	0/2	0/2	0/2	0/1	0/2	1/1	0/1	0/1	0/1	0/1	0/2

Tab. 62. Incidence of hereditary epigenetic traits in Grave Group 28 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
2002	Child	–	–	–	–	–	–	–	–	–	–	–	–	0	0	0	0	0	0
1981	Male	0	–	–	–	–	–	0	–	–	–	–	–	–	–	–	–	–	0
1989	Male ??	0	0	0	–	–	–	–	–	–	1	–	0	0	0	0	0	0	0
1992	Female	0	–	–	–	–	–	0	–	–	–	–	–	0	0	0	0	0	0
2016	Female	0	0	0	0	0	1	1	1	0	0	1	0	1	0	0	0	0	1
1975	?	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0
1985	?	0	–	–	–	–	–	–	–	–	–	–	–	0	–	–	0	–	–
Total		0/5	0/2	0/2	0/1	0/1	1/1	1/3	1/1	0/1	1/2	1/1	0/2	1/5	0/4	0/4	0/5	0/4	1/6

Tab. 63. Incidence of hereditary epigenetic traits in Grave Group 29 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
4811	Male	–	–	–	–	–	–	0	–	–	–	–	–	1	0	0	0	–	–
4814	Male	–	–	0	–	–	–	0	–	–	–	–	–	0	0	0	0	0	0
4826	Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0
1898	Female	0	0	0	0	–	–	1	0	–	0	–	0	–	–	0	0	–	1
2706	Female ?	–	–	0	–	–	–	0	–	–	–	–	–	–	–	–	0	–	0
2877	Female	0	–	–	–	–	–	0	–	–	–	–	0	0	0	0	0	–	1
4822	Female ?	0	–	0	1	–	–	0	–	–	1	1	0	1	0	0	0	–	1
4825	Female ?	0	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0	–	1
1896	?	–	–	–	–	–	–	0	–	–	–	–	–	–	–	–	–	–	0
2887	?	0	–	0	–	–	–	0	–	–	0	–	0	–	0	0	0	–	–
4810	?	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0
Total		0/5	0/1	0/5	1/2	–	–	1/8	0/1	–	1/3	1/1	0/4	2/4	0/5	0/6	0/8	0/1	4/9

Tab. 64. Incidence of hereditary epigenetic traits in Grave Group 30 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incaae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
2998	Male	0	–	–	–	–	–	1	–	–	–	–	–	0	–	–	0	0	0
4702	Male	0	–	0	–	–	–	0	–	–	1	1	0	–	0	0	0	–	0
4502	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0
2995	?	0	–	–	–	–	–	–	–	–	–	–	–	0	–	0	0	–	1
Total		0/3	–	0/1	–	–	–	1/2	–	–	1/1	1/1	0/1	0/2	0/1	0/2	0/3	0/1	1/4

Tab. 65. Incidence of hereditary epigenetic traits in Grave Group 31 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incaae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
5001	Female	0	–	–	–	–	–	0	–	–	–	–	0	–	–	0	0	0	0
5002	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0	–	–
5015	Female	0	–	0	0	–	–	0	0	–	0	–	0	–	–	0	0	0	–
5004	?	–	–	0	0	–	–	0	–	–	0	0	0	–	–	–	–	–	–
Total		0/2	–	0/2	0/2	–	–	0/3	–	–	0/2	0/1	0/3	–	–	0/2	0/3	0/2	0/1

Tab. 66. Incidence of hereditary epigenetic traits in Grave Group 32 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incaae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
4957	Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
4978	Male	–	–	–	–	–	–	0	–	–	–	–	–	–	–	0	–	–	–
4979	Male ?	0	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
4977	Female	–	–	–	–	–	–	0	–	–	–	–	–	–	–	–	–	–	0
4985	Female	0	0	0	0	0	0	0	–	0	1	0	0	0	0	0	0	0	0
4981	?	0	0	0	0	–	0	0	0	0	0	1	0	0	0	0	1	0	1
Total		0/3	0/2	0/2	0/2	0/1	0/2	0/4	0/1	0/2	1/2	1/2	0/2	0/2	0/2	0/3	1/2	0/2	3/5

Tab. 67. Incidence of hereditary epigenetic traits in Grave Group 33 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os inca</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
4932	Male ??	0	–	–	–	–	–	0	0	–	–	–	0	0	0	0	0	–	0
Total		0/1	–	–	–	–	–	0/1	0/1	–	–	–	0/1	0/1	0/1	0/1	0/1	–	0/1

Tab. 68. Incidence of hereditary epigenetic traits in Grave Group 34 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os inca</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
2462	Female ?	0	–	0	–	–	–	0	–	–	–	–	0	0	0	0	0	0	1
2465	Female ??	–	–	–	–	–	–	0	–	–	–	–	–	–	–	–	0	–	–
Total		0/1	–	0/1	–	–	–	0/2	–	–	–	–	0/1	0/1	0/1	0/1	0/2	0/1	1/1

Tab. 69. Incidence of hereditary epigenetic traits in Grave Group 35 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os inca</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
2444	Male	0	–	–	–	–	–	–	–	–	–	–	0	–	–	–	0	–	–
Total		0/1	–	–	–	–	–	–	–	–	–	–	0/1	–	–	–	0/1	–	–

Tab. 70. Incidence of hereditary epigenetic traits in Grave Group 36 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os inca</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
4990	Male	–	1	0	–	–	–	0	0	0	0	–	0	0	0	0	0	0	1
2625	Female ?	–	–	–	–	–	–	–	–	–	–	–	0	–	–	0	–	–	1
Total		–	1/1	0/1	–	–	–	0/1	0/1	0/1	0/1	–	0/2	0/1	0/1	0/2	0/1	0/1	2/2

Tab. 71. Incidence of hereditary epigenetic traits in Grave Group 37 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incaae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
2668	Child	–	–	–	–	–	–	–	–	–	–	0	0	0	0	0	0	0	–
2635	Male	0	0	0	0	–	–	0	–	–	0	1	0	0	0	0	0	0	–
2727	Female	–	–	–	–	–	–	–	–	–	–	–	0	–	0	–	0	–	1
5385	Female	0	0	0	0	0	0	1	0	0	1	1	0	0	0	0	0	0	0
Total		0/2	0/2	0/2	0/2	0/1	0/1	1/2	0/1	0/1	1/2	2/3	0/4	0/3	0/4	0/3	0/4	0/3	1/2

Tab. 72. Incidence of hereditary epigenetic traits in Grave Group 38 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incaae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
5138	?	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0	0	0
5265	?	0	–	–	–	–	–	0	–	–	–	–	–	0	0	0	0	–	1
5266	?	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0	0	–	0
Total		0/1	–	–	–	–	–	0/1	–	–	–	–	–	0/1	0/1	0/2	0/3	0/1	1/3

Tab. 73. Incidence of hereditary epigenetic traits in Grave Group 39 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipter.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incaae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
5036	Male ?	0	–	0	–	–	–	0	0	0	–	–	0	–	–	–	0	–	–
5115	Male	0	–	0	–	0	–	0	0	–	0	–	0	0	0	0	0	0	0
5183	Male ??	0	0	0	0	–	–	0	0	0	0	0	0	0	0	0	0	0	–
Total		0/3	0/1	0/3	0/1	0/1	–	0/3	0/3	0/2	0/2	0/1	0/3	0/2	0/2	0/2	0/3	0/2	0/1

Tab. 74. Incidence of hereditary epigenetic traits in Grave Group 40 of the cemetery.

Grave Nr.	Sex	<i>Os japonicum</i>	<i>O. s. coronal.</i>	<i>O. bregma</i>	<i>O. s. sagitt.</i>	<i>S. squam.</i>	<i>Os epipt.</i>	<i>S. metopica</i>	<i>O. astericum</i>	<i>O. i. pariet.</i>	<i>O. lambdae</i>	<i>O. wormiana</i>	<i>Os incae</i>	<i>T. palatinus</i>	<i>T. maxillaris</i>	<i>T. mandib.</i>	<i>S. sq.mast.</i>	<i>Fac. cond. bip.</i>	<i>Per. f. olecrani</i>
2773	Male	0	0	0	–	–	–	1	–	–	1	1	0	0	0	0	0	–	–
2776	Male	0	0	0	0	1	–	0	0	0	–	–	0		0	0	0	0	1
5281	Male	0	0	0	0	0	–	0	0	0	0	0	0	0	0	0	1	0	–
5287	Male ??	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0
2775	Female	0	–	–	–	–	–	0	–	–	0	–	0	0	0	0	0	–	–
2801	Female ??	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
2805	Female ?	–	–	–	–	–	–	1	–	–	–	–	0	–	–	–	–	–	1
2740	?	–	–	–	–	–	–	0	–	–	–	–	0	–	–	–	–	–	0
2800	?	–	–	–	–	–	–	–	–	–	–	–	–	1	0	0	0	–	0
5273	?	–	–	–	–	–	–	0	–	–	–	–	–	0	–	–	–	–	1
Total		0/4	0/3	0/3	0/2	1/2	–	2/7	0/2	0/2	1/3	1/2	0/6	1/5	0/5	0/5	1/5	0/2	4/7

Tab. 75. Incidence of hereditary epigenetic traits in Grave Group 41 of the cemetery.

Grave Nr. / Martin Nr.	1	2	63	70	132	151	203	260	262	337	359	362	398
1	(195)	189	194	(185)	–	192	(191)	(201)	(200)	195	182	(185)	–
5	–	–	113	–	–	–	–	–	–	–	–	–	–
8	(138)	–	131	(132)	–	(130)	(148)	(140)	(137)	147	134	(135)	–
9	(127)	99	99	(100)	–	–	96	–	94	106	–	(96)	–
10	–	(127)	120	–	–	(116)	(125)	–	(121)	(132)	113	–	–
11	–	117	119	(112)	–	117	(129)	–	–	127	110	122	–
12	–	(104)	107	(103)	–	110	114	110	–	104	106	(108)	–
17	–	–	148	–	–	–	–	–	–	–	–	–	–
20	–	–	120	–	–	–	–	–	–	–	–	–	–
23	–	531	524	–	–	–	–	–	–	552	508	–	–
38	–	–	1472	–	–	–	–	–	–	–	–	–	–
40	–	–	105	–	–	–	–	–	–	–	–	–	–
43	–	108	106	–	–	–	(103)	–	101	111	–	–	–
45	–	–	–	–	–	–	–	–	–	–	–	–	–
46	–	–	–	(105)	–	–	–	–	–	–	–	–	–
47	–	–	113	–	–	–	–	–	–	–	–	–	–
48	–	–	71	(69)	–	–	–	–	–	–	–	–	–
51s	–	–	41	–	–	–	–	–	–	–	–	–	–
52s	–	–	32	–	–	–	–	–	–	–	–	–	–
51d	–	–	–	–	–	–	–	–	37	–	–	–	–
51d	–	–	–	–	–	–	–	–	27	–	–	–	–
54	–	–	25	(22)	–	–	–	–	–	–	–	–	–
55	–	–	51	(52)	–	–	–	–	–	–	–	–	–
60	–	–	58	–	–	–	–	–	–	–	–	–	–
61	–	–	59	–	–	–	–	–	–	–	–	–	–
62	–	–	44	–	–	–	–	–	–	–	–	–	–
63	–	–	35	–	–	–	–	–	–	–	–	–	–
65	–	–	122	–	–	–	–	–	–	–	–	114	(115)
66	–	–	103	102	–	–	97	–	–	–	104	104	104
68	–	–	75	78	72	–	73	–	–	–	–	78	71
69	–	–	29	34	–	–	(36)	–	28	–	–	34	35
70	–	–	66	63	57	–	57	–	–	–	–	55	59
71	–	–	34	(32)	28	31	31	36	36	–	–	31	33
72	–	–	–	–	–	–	–	–	–	–	–	–	–
79	–	–	115	125	130	–	126	–	–	–	–	130	133
8:1	(70.77)	–	67.53	(71.35)	–	(67.71)	(77.49)	(69.65)	(68.50)	75.38	73.63	(72.97)	–
17:1	–	–	76.29	–	–	–	–	–	–	–	–	–	–
17:8	–	–	112.98	–	–	–	–	–	–	–	–	–	–
20:1	–	–	61.86	–	–	–	–	–	–	–	–	–	–
20:8	–	–	91.60	–	–	–	–	–	–	–	–	–	–
9:8	(92.03)	–	75.57	(75.76)	–	–	(64.86)	–	68.61	72.11	–	(71.11)	–
47:45	–	–	–	–	–	–	–	–	–	–	–	–	–
48:45	–	–	–	–	–	–	–	–	–	–	–	–	–
52:51d	–	–	–	–	–	–	–	–	72.97	–	–	–	–
54:55	–	–	49.02	42.31	–	–	–	–	–	–	–	–	–
63:62	–	–	79.55	–	–	–	–	–	–	–	–	–	–

Tab. 76. Individual skull measurements and traits. Alsónyék. Men. Measurements in brackets uncertain.

Grave Nr./ Martin Nr.	431	435	436	440	446	500	552	618	679	691	714	734	750
1	–	(190)	–	(170)	(198)	(194)	182	(189)	191	(190)	185	179	(189)
5	–	–	–	–	–	–	–	–	–	–	(106)	–	–
8	–	131	–	(132)	(133)	(144)	140	141	139	(135)	139	–	(135)
9	–	–	–	94	90	(99)	98	98	95	(98)	94	–	–
10	–	(105)	–	–	(118)	–	–	–	116	–	121	–	–
11	–	–	–	–	–	(126)	124	120	117	123	118	–	–
12	–	103	–	–	–	(117)	110	116	112	(104)	(106)	–	–
17	–	–	–	–	–	–	–	–	–	–	(130)	(133)	(141)
20	–	–	–	–	–	–	–	–	–	–	112	–	–
23	–	–	–	–	–	–	–	535	–	–	523	–	–
38	–	–	–	–	–	–	–	–	–	–	1411	–	–
40	–	–	–	–	–	–	–	–	–	–	(108)	–	–
43	–	–	–	–	102	–	106	108	103	(107)	101	–	–
45	–	–	–	–	–	–	–	–	–	–	(122)	–	–
46	–	–	–	–	–	–	–	–	–	–	(105)	–	–
47	–	–	–	–	–	–	106	(117)	–	–	126	–	–
48	–	–	–	–	–	–	64	(73)	–	–	77	–	–
51s	–	–	–	–	–	–	–	40	–	–	39	–	–
52s	–	–	–	–	–	–	–	36	–	–	(32)	–	–
51d	–	–	–	–	–	–	–	–	–	–	40	–	–
52d	–	–	–	–	–	–	–	–	–	–	33	–	–
54	–	–	–	–	–	–	26	26	–	–	(24)	–	–
55	–	–	–	–	–	–	49	54	–	–	53	–	–
60	–	–	–	–	–	–	51	59	59	–	58	–	61
61	–	–	–	–	–	–	61	66	66	–	65	–	64
62	–	–	–	–	–	–	–	–	–	–	39	–	46
63	–	–	–	–	–	–	42	43	42	–	43	–	33
65	–	–	–	104	126	–	–	–	115	107	(110)	111	–
66	105	–	93	94	109	107	–	95	91	96	92	98	–
68	–	79	70	78	73	81	–	79	75	89	85	77	(82)
69	–	–	–	30	(38)	33	32	36	33	38	35	33	36
70	–	62	60	63	64	66	–	58	68	62	67	59	(60)
71	33	–	30	36	34	35	34	37	34	31	33	33	39
72	–	–	–	–	–	–	–	–	–	–	83	–	–
79	–	113	130	119	127	118	–	138	117	139	120	130	(120)
8:1	–	(68.95)	–	(77.65)	(67.17)	(74.23)	(76.92)	74.60	72.77	(71.05)	75.14	–	(71.43)
17:1	–	–	–	–	–	–	–	–	–	–	(70.27)	(74.30)	(74.60)
17:8	–	–	–	–	–	–	–	–	–	–	(93.53)	–	(104.44)
20:1	–	–	–	–	–	–	–	–	–	–	60.54	–	–
20:8	–	–	–	–	–	–	–	–	–	–	80.58	–	–
9:8	–	–	–	71.21	67.67	(68.75)	70.00	69.50	68.35	(72.59)	67.63	–	–
47:45	–	–	–	–	–	–	–	–	–	–	(103.28)	–	–
48:45	–	–	–	–	–	–	–	–	–	–	(63.11)	–	–
52:51d	–	–	–	–	–	–	–	–	–	–	82.50	–	–
54:55	–	–	–	–	–	–	53.06	48.15	–	–	(45.28)	–	–
63:62	–	–	–	–	–	–	–	–	–	–	110.26	–	71.74

Table 76. (continued).

Grave Nr./ Martin Nr.	791	792	803	808	809	813	819	825	826	827	835	844	880
1	182	181	185	194	(179)	(212)	187	(210)	(191)	187	199	–	198
5	–	–	–	–	–	–	97	–	–	–	–	–	–
8	136	141	–	126	134	146	–	–	133	135	138	–	–
9	97	96	91	(97)	95	98	96	(102)	100	99	106	–	96
10	119	–	–	–	–	(113)	–	–	–	119	125	–	–
11	117	119	–	–	–	111	120	–	–	110	121	–	–
12	109	(101)	109	(108)	–	(110)	109	–	(112)	110	116	–	(106)
17	–	–	–	–	–	–	–	–	–	–	–	–	–
20	–	–	–	–	–	–	–	–	–	–	–	–	–
23	508	523	–	–	–	579	–	–	–	533	567	–	–
38	–	–	–	–	–	–	–	–	–	–	–	–	–
40	–	–	–	–	–	–	(99)	–	–	–	–	–	–
43	107	101	95	–	101	103	103	(114)	107	104	113	–	104
45	(132)	–	–	–	–	–	–	–	–	–	–	–	–
46	–	–	–	–	–	–	95	–	–	–	–	–	–
47	–	–	–	–	–	–	(108)	–	–	–	–	–	–
48	–	–	–	–	–	(77)	63	–	–	–	–	–	–
51s	–	–	–	–	–	–	38	–	–	–	–	–	–
52s	–	–	–	–	–	–	28	–	–	–	–	–	–
51d	–	–	–	–	–	–	38	–	–	–	–	–	–
52d	26	–	–	–	–	–	28	–	–	–	–	–	–
54	–	(22)	–	–	–	27	26	–	–	–	–	–	–
55	–	–	–	–	–	51	42	–	–	–	–	–	–
60	61	–	49	–	–	59	56	–	–	–	–	–	–
61	–	–	59	–	–	61	63	–	–	–	–	–	–
62	–	47	–	–	–	–	–	–	–	–	–	–	–
63	–	–	33	–	–	34	42	–	–	–	–	–	–
65	–	–	111	–	–	–	112	–	109	–	–	–	–
66	98	–	89	–	–	–	93	–	99	–	(96)	–	–
68	81	–	73	76	–	–	76	–	75	–	83	–	–
69	(35)	–	34	35	–	40	34	(26)	29	–	–	–	34
70	–	–	66	60	–	–	58	–	65	–	61	–	–
71	32	(28)	31	31	–	–	34	31	33	–	40	35	36
72	–	–	–	–	–	–	–	–	–	–	–	–	–
79	–	–	130	124	–	–	129	–	117	–	120	–	–
8:1	74.73	77.90	–	64.95	(74.86)	(68.87)	–	–	(69.63)	72.19	69.35	–	–
17:1	–	–	–	–	–	–	–	–	–	–	–	–	–
17:8	–	–	–	–	–	–	–	–	–	–	–	–	–
20:1	–	–	–	–	–	–	–	–	–	–	–	–	–
20:8	–	–	–	–	–	–	–	–	–	–	–	–	–
9:8	71.32	68.09	–	(76.98)	70.90	67.12	–	–	75.19	73.33	76.81	–	–
47:45	–	–	–	–	–	–	–	–	–	–	–	–	–
48:45	–	–	–	–	–	–	–	–	–	–	–	–	–
52:51d	–	–	–	–	–	–	73.68	–	–	–	–	–	–
54:55	–	–	–	–	–	52.94	61.90	–	–	–	–	–	–
63:62	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 76. (continued).

Grave Nr./ Martin Nr.	910	1588	1615	1656	1769	1797	1851	1910	1912	1970	1989	2072	2509
1	–	–	(200)	–	–	–	188	196	204	199	182	183	186
5	–	–	–	–	–	–	(97)	108	–	(108)	–	–	–
8	–	–	156	–	–	–	141	136	–	143	135	137	134
9	–	–	110	–	93	–	97	100	91	92	–	95	92
10	–	–	–	–	–	–	125	113	–	(127)	–	–	(107)
11	–	–	–	–	–	–	121	129	114	120	111	112	128
12	–	–	–	–	–	–	113	112	102	–	109	–	109
17	–	–	–	–	–	–	(141)	154	–	(139)	141	–	–
20	–	–	–	–	–	–	–	127	–	119	–	–	–
23	–	–	–	–	–	–	533	535	–	549	–	510	–
38	–	–	–	–	–	–	–	1595	–	1595	–	–	–
40	–	–	–	–	–	–	–	100	–	105	–	–	–
43	–	–	–	–	–	–	109	106	97	104	–	102	102
45	–	–	–	–	–	–	–	–	–	–	–	–	–
46	–	–	–	–	–	–	–	92	–	99	–	–	–
47	–	–	–	–	–	–	–	125	–	(122)	–	–	(115)
48	–	–	–	–	–	–	–	74	–	74	(68)	–	66
51s	–	–	–	–	–	–	–	–	–	42	–	–	38
52s	–	–	–	–	–	–	–	34	–	31	–	–	30
51d	–	–	–	–	–	–	–	–	–	40	–	–	–
52d	–	–	–	–	–	–	–	34	–	32	–	–	–
54	–	–	–	–	–	–	–	24	20	27	–	–	26
55	–	–	–	–	–	–	–	50	–	50	49	–	43
60	–	–	–	–	–	–	–	59	58	(61)	–	58	–
61	–	–	–	–	–	–	–	–	–	–	–	64	–
62	–	–	–	–	–	–	–	(37)	–	40	–	–	–
63	–	–	–	–	–	–	–	40	–	–	–	37	–
65	–	108	–	–	119	–	113	117	–	–	–	–	(132)
66	–	93	–	–	101	–	99	101	93	103	102	92	109
68	–	76	–	64	72	–	80	76	74	84	73	81	79
69	33	–	–	30	–	36	30	–	36	39	34	40	35
70	–	62	–	54	54	–	65	62	56	69	–	59	66
71	–	34	33	33	35	–	32	30	35	38	31	36	32
72	–	–	–	–	–	–	–	88	–	88	–	–	–
79	–	122	–	137	126	–	121	127	127	109	114	117	123
8:1	–	–	(78.00)	–	–	–	75.00	69.39	–	71.86	74.18	74.86	72.04
17:1	–	–	–	–	–	–	(75.00)	78.57	–	(69.85)	77.47	–	–
17:8	–	–	–	–	–	–	(100.00)	113.24	–	(97.20)	104.44	–	–
20:1	–	–	–	–	–	–	–	64.80	–	59.80	–	–	–
20:8	–	–	–	–	–	–	–	93.38	–	83.22	–	–	–
9:8	–	–	70.51	–	–	–	68.79	73.53	–	64.34	–	69.34	68.66
47:45	–	–	–	–	–	–	–	–	–	–	–	–	–
48:45	–	–	–	–	–	–	–	–	–	–	–	–	–
52:51d	–	–	–	–	–	–	–	–	–	80.00	–	–	–
54:55	–	–	–	–	–	–	–	48.00	–	(54.00)	–	–	60.47
63:62	–	–	–	–	–	–	–	(108.11)	–	–	–	–	–

Table 76. (continued).

Grave Nr./ Martin Nr.	2635	2773	2776	2998	3043	3060	3341	3366	3372	3463	3703	3705	3709
1	182	(187)	194	–	–	191	–	189	–	175	189	–	–
5	–	–	–	–	–	–	–	110	–	101	–	–	–
8	(137)	(118)	135	–	–	137	–	135	–	146	–	–	–
9	95	107	94	100	95	96	–	95	–	101	–	–	–
10	–	–	115	–	–	119	–	114	–	–	–	–	–
11	111	–	120	–	–	119	–	118	–	128	–	–	–
12	99	–	105	–	–	116	–	107	–	113	–	–	–
17	–	–	–	–	–	–	–	144	–	(144)	–	–	–
20	–	–	–	–	–	–	–	114	–	120	–	–	–
23	515	–	–	–	–	–	–	523	–	515	–	–	–
38	–	–	–	–	–	–	–	1421	–	1478	–	–	–
40	–	–	–	–	–	–	–	116	–	102	–	–	–
43	93	(111)	98	104	–	–	–	104	–	108	(95)	–	–
45	–	–	–	–	–	–	–	–	–	(139)	–	–	–
46	–	–	–	–	–	–	–	94	–	(102)	–	–	–
47	127	–	–	–	–	–	–	117	–	(121)	–	–	–
48	74	–	67	–	–	–	–	69	–	70	–	–	–
51s	38	–	–	–	–	–	–	–	–	40	–	–	–
52s	35	–	–	–	–	–	–	33	–	32	–	–	–
51d	39	–	–	–	–	–	–	42	–	41	–	–	–
52d	34	–	–	–	–	–	–	32	–	33	–	–	–
54	23	–	–	–	–	–	–	–	–	24	–	–	–
55	56	–	–	–	–	–	–	50	–	53	–	–	–
60	–	–	57	–	–	–	–	63	–	63	–	–	–
61	–	–	66	–	–	–	–	63	–	64	–	–	–
62	–	–	–	–	–	–	–	–	–	41	–	–	–
63	–	–	41	–	–	–	–	40	–	42	–	–	–
65	–	–	–	–	(118)	115	109	–	–	124	–	–	–
66	87	–	–	–	(104)	88	101	97	98	90	–	–	113
68	72	–	–	–	81	82	70	75	74	91	–	–	79
69	29	31	–	37	–	–	30	34	35	35	–	34	–
70	59	–	–	–	59	59	54	60	63	70	–	–	56
71	32	–	32	35	33	33	33	35	31	33	–	–	31
72	–	–	–	–	–	–	–	(85)	–	75	–	–	–
79	120	–	–	–	131	116	138	123	127	111	–	–	120
8:1	(75.27)	(63.10)	69.59	–	–	71.73	–	71.43	–	83.43	–	–	–
17:1	–	–	–	–	–	–	–	76.19	–	(82.29)	–	–	–
17:8	–	–	–	–	–	–	–	106.67	–	(98.63)	–	–	–
20:1	–	–	–	–	–	–	–	60.32	–	68.57	–	–	–
20:8	–	–	–	–	–	–	–	84.44	–	82.19	–	–	–
9:8	(69.34)	(90.68)	69.63	–	–	70.07	–	70.37	–	69.18	–	–	–
47:45	–	–	–	–	–	–	–	–	–	(87.05)	–	–	–
48:45	–	–	–	–	–	–	–	–	–	(50.36)	–	–	–
52:51d	87.18	–	–	–	–	–	–	76.19	–	80.49	–	–	–
54:55	41.07	–	–	–	–	–	–	–	–	45.28	–	–	–
63:62	–	–	–	–	–	–	–	–	–	102.44	–	–	–

Table 76. (continued).

Grave Nr./ Martin Nr.	3711	3723	3729	3735	3739	3743	3753	3765	3771	3780	3785	3790	3829
1	(188)	185	181	185	–	–	–	(202)	180	195	203	–	(213)
5	–	–	–	–	–	–	–	–	102	–	–	–	–
8	(136)	114	–	132	–	–	–	133	137	(140)	134	–	(128)
9	–	92	–	99	101	–	–	99)	102	98	97	–	98
10	–	–	–	(117)	–	–	–	(124)	123	–	(111)	–	–
11	(115)	–	–	–	–	–	–	120	119	128	(121)	–	–
12	(113)	–	–	(113)	–	–	–	111	112	(113)	(106)	–	(98)
17	–	–	–	–	–	–	–	–	148	–	–	–	–
20	–	–	–	–	–	–	–	–	–	–	–	–	–
23	–	–	–	513	–	–	–	545	516	545	550	–	–
38	–	–	–	–	–	–	–	–	–	–	–	–	–
40	–	–	–	–	–	–	–	–	(92)	–	–	–	–
43	–	–	–	104	–	–	–	–	107	–	104	–	–
45	–	–	–	–	–	–	–	–	(131)	–	–	–	–
46	–	–	–	–	–	–	–	–	96	–	–	–	–
47	–	–	–	(123)	–	–	–	–	120	–	–	–	–
48	–	–	–	(74)	–	–	–	–	75	–	–	–	–
51s	–	–	–	–	–	–	–	–	39	–	–	–	–
52s	–	–	–	–	–	–	–	–	31	–	–	–	–
51d	–	–	–	–	–	–	–	–	41	–	–	–	–
52d	–	–	–	–	–	–	–	–	31	–	–	–	–
54	–	–	–	22	–	–	–	–	–	–	–	–	–
55	–	–	–	(50)	–	–	–	–	56	–	–	–	–
60	–	–	–	–	–	57	–	–	59	–	(59)	(58)	–
61	–	–	–	–	–	59	–	–	65	–	62	71	–
62	–	–	–	–	–	(48)	–	–	–	48	48	–	–
63	–	–	–	–	–	36	–	–	41	–	37	48	–
65	–	(122)	–	–	–	–	(96)	–	123	–	117	–	–
66	–	100	–	96	–	96	(90)	–	96	107	98	–	–
68	–	70	–	78	–	77	86	–	78	–	74	79	–
69	–	37	–	40	41	39	36	40	35	–	35	39	–
70	–	65	–	66	–	68	57	–	67	–	65	64	–
71	–	28	–	33	–	36	33	36	33	34	31	–	–
72	–	–	–	–	–	–	–	–	–	–	–	–	–
79	–	133	–	120	–	128	120	–	114	–	121	115	–
8:1	(72.34)	61.62	–	71.35	–	–	–	(65.84)	76.11	(71.79)	66.01	–	(60.09)
17:1	–	–	–	–	–	–	–	–	82.22	–	–	–	–
17:8	–	–	–	–	–	–	–	–	108.03	–	–	–	–
20:1	–	–	–	–	–	–	–	–	–	–	–	–	–
20:8	–	–	–	–	–	–	–	–	–	–	–	–	–
9:8	–	80.70	–	75.00	–	–	–	(74.44)	74.45	(70.00)	72.39	–	(76.56)
47:45	–	–	–	–	–	–	–	–	(91.60)	–	–	–	–
48:45	–	–	–	–	–	–	–	–	(57.25)	–	–	–	–
52:51d	–	–	–	–	–	–	–	–	75.61	–	–	–	–
54:55	–	–	–	(44.00)	–	–	–	–	–	–	–	–	–
63:62	–	–	–	–	–	(75.00)	–	–	–	–	77.08	–	–

Table 76. (continued).

Grave Nr./ Martin Nr.	3831	3847	3913	3918	3943	3949	3956	4000	4002	4004	4011	4013	4027
1	183	180	193	185	182	175	212	–	211	192	178	182	(189)
5	–	–	–	108	–	99	–	–	–	–	104	–	–
8	(137)	135	135	135	141	140	–	–	(138)	134	145	136	(139)
9	91	95	105	95	102	93	95	101	103	95	96	94	96
10	117	115	–	112	128	120	108	–	–	114	(118)	(120)	122
11	–	116	–	110	118	116	(112)	–	(127)	107	120	115	111
12	–	110	(114)	109	116	108	101	–	–	100	(115)	(107)	114
17	–	–	–	142	–	136	–	–	–	–	141	–	–
20	–	–	–	118	–	–	–	–	–	–	–	–	–
23	–	511	–	525	–	516	–	–	–	525	–	529	(535)
38	–	–	–	1435	–	–	–	–	–	–	–	–	–
40	–	–	–	97	–	–	–	–	–	–	–	–	–
43	–	98	–	100	103	98	–	–	(111)	99	102	98	–
45	–	–	–	119	–	–	–	–	–	–	–	–	–
46	–	–	–	88	–	–	–	–	–	–	–	–	–
47	–	–	–	112	–	–	–	–	120	–	–	–	–
48	–	–	–	65	–	–	–	–	71	–	–	–	–
51s	–	37	–	35	–	–	–	–	–	–	–	–	–
52s	–	25	–	28	–	–	–	–	–	–	–	–	–
51d	–	–	–	35	–	–	–	–	–	–	–	–	(39)
52d	–	–	–	27	–	–	–	–	–	–	–	–	(30)
54	–	–	–	22	–	21	–	–	26	20	–	–	–
55	–	–	–	46	–	–	–	–	–	–	–	–	–
60	–	60	–	56	–	–	–	–	63	–	59	–	–
61	–	63	–	58	–	54	–	–	65	–	64	–	–
62	–	–	–	43	–	46	–	–	–	–	–	–	–
63	–	42	–	39	–	–	–	–	44	–	41	–	–
65	–	–	(84)	104	–	–	–	–	–	120	111	–	112
66	–	–	–	88	–	88	–	–	96	102	96	98	(100)
68	–	–	79	80	–	68	–	–	79	70	76	–	75
69	–	37	–	34	–	31	–	34	–	–	–	33	(32)
70	–	–	59	55	–	63	–	–	68	59	59	–	52
71	–	33	(35)	34	–	29	–	30	40	28	34	28	34
72	–	–	–	94	–	–	–	–	–	–	–	–	–
79	–	–	124	116	–	127	–	–	125	121	124	–	124
8:1	(74.86)	75.00	69.95	72.97	77.47	80.00	–	–	(65.40)	69.79	81.46	74.73	(73.54)
17:1	–	–	–	76.76	–	77.71	–	–	–	–	79.21	–	–
17:8	–	–	–	105.19	–	97.14	–	–	–	–	97.24	–	–
20:1	–	–	–	63.78	–	–	–	–	–	–	–	–	–
20:8	–	–	–	87.41	–	–	–	–	–	–	–	–	–
9:8	(66.42)	70.37	77.78	70.37	72.34	66.43	–	–	(74.64)	70.90	66.21	69.12	(69.06)
47:45	–	–	–	94.12	–	–	–	–	–	–	–	–	–
48:45	–	–	–	54.62	–	–	–	–	–	–	–	–	–
52:51d	–	–	–	77.14	–	–	–	–	–	–	–	–	(76.92)
54:55	–	–	–	47.83	–	–	–	–	–	–	–	–	–
63:62	–	–	–	90.70	–	–	–	–	–	–	–	–	–

Table 76. (continued).

Grave Nr./ Martin Nr.	4028	4079	4080	4085	4135	4307	4342	4361	4398	4410	4411	4679	4702
1	–	178	197	175	–	(195)	–	177	(205)	194	(175)	195	(207)
5	–	97	–	102	–	–	–	–	–	–	–	–	–
8	–	137	138	145	–	138	–	139	(127)	141	–	–	(138)
9	96	95	93	93	–	(95)	100	94	–	102	(99)	104	(101)
10	117	118	–	117	–	–	–	(117)	–	119	–	121	(115)
11	–	120	–	128	–	–	–	118	–	–	–	122	(121)
12	–	107	–	111	–	(115)	–	113	–	112	–	(106)	–
17	–	132	–	141	–	–	–	–	–	–	–	–	–
20	–	109	–	114	–	–	–	118	–	–	–	–	–
23	–	515	–	507	–	–	–	498	–	542	–	530	(551)
38	–	1330	–	1415	–	–	–	1419	–	–	–	–	–
40	–	88	–	96	–	–	–	–	–	–	–	–	–
43	–	104	102	108	–	(99)	–	106	–	108	–	–	(105)
45	–	(130)	–	–	–	–	–	(127)	–	–	–	–	–
46	–	83	–	97	–	–	–	–	–	–	–	–	(93)
47	–	103	–	123	–	–	–	116	–	–	–	–	(128)
48	–	61	–	74	–	–	–	67	–	–	–	–	77
51s	–	–	–	41	–	–	–	(38)	–	–	–	–	–
52s	–	29	–	32	–	–	–	32	–	–	–	–	–
51d	–	37	–	42	–	–	–	39	–	–	–	–	(37)
52d	–	29	–	32	–	–	–	31	–	–	–	–	(31)
54	20	25	–	24	20	–	–	24	–	–	–	–	(28)
55	–	45	–	(54)	–	–	–	48	–	–	–	–	–
60	59	53	–	63	59	–	–	–	–	59	–	–	(60)
61	60	58	–	68	–	–	–	–	–	–	–	–	(58)
62	–	–	–	40	–	–	–	–	–	–	–	–	–
63	35	39	–	44	–	–	–	–	–	–	–	–	(30)
65	113	119	–	–	–	–	–	–	–	–	–	119	–
66	98	98	–	(104)	98	–	–	106	100	97	101	101	–
68	71	69	–	82	86	–	–	(77)	74	72	80	80	86
69	35	32	–	37	36	–	–	32	32	–	35	–	41
70	58	59	–	57	59	–	–	50	50	57	62	63	63
71	30	30	–	34	37	32	–	33	31	31	32	34	39
72	–	92	–	88	–	–	–	93	–	–	–	–	–
79	121	117	–	127	124	–	–	–	122	126	118	130	115
8:1	–	76.97	70.05	82.86	–	(70.77)	–	78.53	(61.95)	72.68	–	–	(66.67)
17:1	–	74.16	–	80.57	–	–	–	–	–	–	–	–	–
17:8	–	96.35	–	97.24	–	–	–	–	–	–	–	–	–
20:1	–	61.24	–	65.14	–	–	–	66.67	–	–	–	–	–
20:8	–	79.56	–	78.62	–	–	–	84.89	–	–	–	–	–
9:8	–	69.34	67.39	64.14	–	(68.84)	–	67.63	–	72.34	–	–	(73.19)
47:45	–	(79.23)	–	–	–	–	–	(91.34)	–	–	–	–	–
48:45	–	(46.92)	–	–	–	–	–	(52.76)	–	–	–	–	–
52:51d	–	78.38	–	76.19	–	–	–	79.49	–	–	–	–	(83.78)
54:55	–	55.56	–	(44.44)	–	–	–	50.00	–	–	–	–	–
63:62	–	–	–	110.00	–	–	–	–	–	–	–	–	–

Table 76. (continued).

Grave Nr./ Martin Nr.	4811	4813	4814	4932	4990	5036	5115	5125	5183	5197	5271	5281	5292
1	–	182	–	191	188	183	198	(199)	189	192	195	186	(203)
5	–	–	–	–	–	–	–	–	–	–	–	100	–
8	–	–	–	134	136	–	(137)	(128)	136	(133)	141	147	(137)
9	–	91	–	–	97	99	91	–	98	–	96	98	102
10	–	112	–	118	120	–	118	–	119	–	(119)	125	–
11	–	112	–	127	115	–	116	–	119	123	120	131	–
12	–	104	–	–	101	–	–	–	108	114	109	110	–
17	–	–	–	–	–	–	–	–	–	–	–	144	–
20	–	–	–	–	–	–	–	–	–	–	119	–	–
23	–	–	–	518	515	–	542	–	511	523	535	542	–
38	–	–	–	–	–	–	–	–	–	–	1554	–	–
40	–	–	–	–	–	–	–	–	–	–	–	–	–
43	–	100	–	–	105	103	100	–	103	–	106	103	–
45	–	–	–	–	–	–	123	–	–	–	–	–	–
46	–	98	–	–	–	–	92	–	–	–	94	102	–
47	–	–	–	–	–	–	–	–	(121)	–	120	126	–
48	–	(68)	–	–	–	–	–	–	70	–	72	–	–
51s	–	–	–	–	–	–	38	–	–	–	37	37	–
52s	–	–	–	–	–	–	32	–	–	–	32	30	–
51d	–	35	–	–	38	–	–	–	–	–	35	38	–
52d	–	30	–	–	32	–	–	–	–	–	33	31	–
54	–	(24)	–	–	25	–	–	–	25	24	24	28	22
55	–	50	–	–	(48)	–	–	–	45	–	–	52	–
60	61	–	–	–	–	–	–	56	–	–	55	–	–
61	61	–	–	–	–	–	–	62	–	–	64	68	–
62	31	–	–	–	–	–	–	–	–	30	–	–	–
63	42	–	–	–	–	–	–	42	–	–	40	44	–
65	101	–	–	–	–	–	–	–	–	–	–	130	–
66	90	–	96	100	–	98	106	–	99	–	–	108	–
68	81	–	78	–	76	75	83	–	72	–	83	75	–
69	38	–	37	–	–	35	–	35	41	31	33	37	–
70	61	–	63	–	55	54	55	–	56	–	63	60	–
71	31	–	31	–	35	28	31	33	30	–	(34)	32	–
72	–	–	–	–	–	–	–	–	–	–	85	–	–
79	127	–	119	–	135	125	130	–	133	–	119	128	–
8:1	–	–	–	70.16	72.34	–	(69.19)	64.65	71.96	(69.27)	72.31	79.03	(67.49)
17:1	–	–	–	–	–	–	–	–	–	–	–	77.42	–
17:8	–	–	–	–	–	–	–	–	–	–	–	97.96	–
20:1	–	–	–	–	–	–	–	–	–	–	61.03	–	–
20:8	–	–	–	–	–	–	–	–	–	–	84.40	–	–
9:8	–	–	–	–	71.32	–	(66.42)	–	72.06	–	68.09	66.67	(74.45)
47:45	–	–	–	–	–	–	–	–	–	–	–	–	–
48:45	–	–	–	–	–	–	–	–	–	–	–	–	–
52:51d	–	85.71	–	–	84.21	–	–	–	–	–	94.29	81.58	–
54:55	–	(48.00)	–	–	(52.08)	–	–	–	55.56	–	–	53.85	–
63:62	135.48	–	–	–	–	–	–	–	–	–	–	–	–

Table 76. (continued).

Grave Nr./ Martin Nr.	5387	5986	6049	6078	6087	6121	6128	6129	6137	6151	6154	6339	6346
1	(195)	179	186	190	210	–	–	–	(191)	201	189	(187)	179
5	–	–	–	–	–	–	–	–	–	–	–	–	–
8	139	134	136	137	137	–	–	–	(141)	127	135	138	132
9	(101)	88	(100)	91	107	–	–	–	(100)	99	92	92	–
10	119	(114)	–	113	119	–	–	–	(122)	105	117	(109)	(117)
11	116	–	(119)	–	115	–	–	–	–	–	116	113	112
12	109	108	–	107	–	–	–	–	–	–	114	–	111
17	–	–	–	–	–	–	–	–	–	–	142	–	–
20	–	–	–	–	–	–	–	–	–	–	–	–	–
23	540	515	–	511	–	–	–	–	–	–	–	–	–
38	–	–	–	–	–	–	–	–	–	–	–	–	–
40	–	–	–	–	–	–	–	–	–	–	–	–	–
43	107	92	–	–	110	–	–	98	–	–	104	–	–
45	126	–	–	–	–	–	–	–	–	–	–	–	–
46	101	–	–	–	–	–	–	90	–	–	–	–	–
47	–	–	–	–	–	–	–	–	–	–	–	–	–
48	–	–	–	–	–	–	–	–	–	–	(67)	–	–
51s	–	–	–	–	–	–	–	–	–	–	–	–	–
52s	–	–	–	–	–	–	–	–	–	–	–	–	–
51d	–	–	–	–	–	–	–	–	–	–	–	–	–
52d	–	–	–	–	–	–	–	–	–	–	–	–	–
54	–	–	–	–	–	–	–	26	–	22	–	–	–
55	–	–	–	–	–	–	–	–	–	–	(47)	–	–
60	–	–	–	62	–	–	–	60	–	59	–	–	–
61	–	–	(60)	60	–	–	–	61	–	62	–	62	–
62	–	–	–	–	–	–	–	–	–	49	–	48	–
63	–	–	(40)	34	–	–	–	40	–	39	–	40	–
65	–	–	–	–	–	127	(134)	–	–	–	129	113	–
66	100	–	105	100	98	114	–	86	–	–	105	99	–
68	78	–	79	80	80	72	82	76	–	–	79	76	–
69	–	31	–	36	–	36	40	–	–	37	–	(41)	–
70	59	–	57	71	61	65	66	55	–	–	52	59	–
71	33	–	33	31	35	33	36	32	–	–	28	34	–
72	–	–	–	–	–	–	–	–	–	–	–	–	–
79	125	–	120	118	121	128	119	131	–	–	126	132	–
8:1	(71.28)	74.86	73.12	72.11	65.24	–	–	–	(73.82)	63.18	71.43	(73.80)	73.74
17:1	–	–	–	–	–	–	–	–	–	–	75.13	–	–
17:8	–	–	–	–	–	–	–	–	–	–	105.19	–	–
20:1	–	–	–	–	–	–	–	–	–	–	–	–	–
20:8	–	–	–	–	–	–	–	–	–	–	–	–	–
9:8	(72.66)	65.67	(73.53)	66.42	78.10	–	–	–	(70.92)	77.95	68.15	66.67	–
47:45	–	–	–	–	–	–	–	–	–	–	–	–	–
48:45	–	–	–	–	–	–	–	–	–	–	–	–	–
52:51d	–	–	–	–	–	–	–	–	–	–	–	–	–
54:55	–	–	–	–	–	–	–	–	–	–	–	–	–
63:62	–	–	–	–	–	–	–	–	–	79.59	–	83.33	–

Table 76. (continued).

Grave Nr./ Martin Nr.	6348	6353	6380	6381	6438	6502	6541	6697	7281	7294	7426	7562	7581
1	(202)	180	196	180	–	192	(199)	188	(201)	184	(192)	(185)	(192)
5	–	–	–	–	–	–	–	–	(121)	–	–	–	–
8	(135)	–	137	–	–	141	(139)	136	(142)	–	(138)	–	–
9	(104)	94	95	–	–	100	99	101	(104)	–	–	(94)	(100)
10	121	–	124	–	–	123	–	(120)	(128)	–	–	–	(117)
11	–	–	–	–	–	–	116	116	122	–	(122)	–	–
12	(117)	–	107	–	–	–	(115)	108	(116)	–	(113)	(99)	–
17	–	–	–	–	–	–	–	–	(152)	–	–	(149)	–
20	–	–	–	–	–	–	–	–	–	–	–	–	–
23	–	–	–	–	–	545	547	515	560	–	–	–	–
38	–	–	–	–	–	–	–	–	–	–	–	–	–
40	–	–	–	–	–	–	–	–	(97)	–	–	–	–
43	–	–	100	–	–	–	105	–	(115)	–	–	(103)	(110)
45	–	–	–	–	–	–	–	–	–	–	–	–	–
46	–	–	–	–	–	–	–	–	–	–	–	–	–
47	–	–	–	–	–	–	(120)	–	(134)	–	–	–	–
48	–	–	–	–	–	–	69	–	(82)	–	–	–	–
51s	–	–	–	–	–	–	–	–	–	–	–	–	–
52s	–	–	–	–	–	–	–	–	–	–	–	–	–
51d	–	–	–	(35)	–	–	40	–	(45)	–	–	–	–
52d	–	–	–	(33)	–	–	34	–	(33)	–	–	–	–
54	–	–	–	–	–	–	24	–	–	–	–	–	–
55	–	–	–	–	–	–	51	–	(60)	–	–	–	–
60	–	56	–	–	–	–	56	52	59	–	–	–	–
61	–	–	62	–	–	–	59	65	62	–	–	–	–
62	–	49	–	–	–	–	41	43	–	–	–	–	–
63	–	42	42	–	–	–	39	42	39	–	–	–	–
65	–	–	111	–	–	–	114	–	–	–	–	–	–
66	–	–	95	–	96	–	98	95	96	–	–	–	–
68	–	–	78	–	–	–	71	74	81	–	–	71	–
69	37	29	–	–	32	–	31	34	36	–	–	(36)	–
70	–	–	59	–	–	–	60	54	66	–	–	–	–
71	33	34	32	–	34	35	29	32	36	35	–	(34)	–
72	–	–	–	–	–	–	–	–	–	–	–	–	–
79	–	–	124	–	–	–	120	119	113	–	–	124	–
8:1	(66.83)	–	69.90	–	–	73.44	(69.85)	72.34	(70.65)	–	(71.88)	–	–
17:1	–	–	–	–	–	–	–	–	(75.62)	–	–	(80.54)	–
17:8	–	–	–	–	–	–	–	–	(107.04)	–	–	–	–
20:1	–	–	–	–	–	–	–	–	–	–	–	–	–
20:8	–	–	–	–	–	–	–	–	–	–	–	–	–
9:8	(77.04)	–	69.34	–	–	70.92	(71.22)	74.26	(73.24)	–	–	–	–
47:45	–	–	–	–	–	–	–	–	–	–	–	–	–
48:45	–	–	–	–	–	–	–	–	–	–	–	–	–
52:51d	–	–	–	94.29	–	–	85.00	–	(73.33)	–	–	–	–
54:55	–	–	–	–	–	–	47.06	–	–	–	–	–	–
63:62	–	85.71	–	–	–	–	95.12	97.67	–	–	–	–	–

Table 76. (continued).

Grave Nr./ Martin Nr.	7583	7674	7676	7689	7716	7752	7756	7775	7778
1	208	–	184	195	–	195	(190)	(201)	(191)
5	–	–	–	–	–	–	–	–	–
8	–	–	112	138	–	122	124	147	(134)
9	–	–	97	97	–	92	–	–	98
10	–	–	–	116	–	–	–	–	–
11	–	–	–	–	–	97	119	109	–
12	–	–	–	–	–	–	(102)	103	107
17	–	–	–	–	–	–	–	159	–
20	–	–	–	–	–	–	–	–	–
23	–	–	–	(528)	–	519	(530)	533	–
38	–	–	–	–	–	–	–	–	–
40	–	–	–	–	–	–	–	–	–
43	–	–	103	106	–	99	(109)	–	–
45	–	–	–	–	–	–	–	–	–
46	–	–	–	–	–	–	–	–	–
47	–	–	–	–	–	–	–	–	–
48	–	–	–	–	–	–	–	–	–
51s	–	–	–	–	–	–	–	–	–
52s	–	–	–	–	–	–	–	–	–
51d	–	–	–	–	–	–	–	–	–
52d	–	–	–	–	–	–	–	–	–
54	–	–	–	–	–	–	–	–	–
55	–	–	–	–	–	–	–	–	–
60	–	–	58	–	–	–	–	–	–
61	–	–	61	–	–	–	–	–	–
62	–	–	32	–	–	–	33	–	–
63	–	–	39	–	–	–	–	–	–
65	–	–	111	–	110	120	–	–	–
66	–	101	90	–	–	101	–	–	–
68	–	78	76	–	81	66	–	77	–
69	–	–	35	–	34	31	–	–	–
70	–	57	66	–	64	63	–	68	–
71	–	34	32	–	35	31	–	–	–
72	–	–	–	–	–	–	–	–	–
79	–	125	127	–	126	127	–	123	–
8:1	–	–	60.87	70.77	–	62.56	(65.26)	(73.13)	(70.16)
17:1	–	–	–	–	–	–	–	79.10	–
17:8	–	–	–	–	–	–	–	108.16	–
20:1	–	–	–	–	–	–	–	–	–
20:8	–	–	–	–	–	–	–	–	–
9:8	–	–	86.61	70.29	–	75.41	–	–	(73.13)
47:45	–	–	–	–	–	–	–	–	–
48:45	–	–	–	–	–	–	–	–	–
52:51d	–	–	–	–	–	–	–	–	–
54:55	–	–	–	–	–	–	–	–	–
63:62	–	–	121.88	–	–	–	–	–	–

Table 76. (continued).

Grave Nr. / Martin Nr.	5	50	64	67	71	78	93	114	115	153	155	205	213
1	(188)	–	196	188	–	182	–	(194)	171	–	174	(194)	175
5	–	–	–	–	–	–	–	–	102	–	(101)	–	–
8	–	133	140	138	–	131	–	(127)	132	–	130	(139)	136
9	(103)	–	97	98	–	(89)	–	–	97	(93)	93	(92)	99
10	–	–	112	115	–	(111)	–	(104)	115	–	113	–	123
11	–	–	108	–	–	–	–	–	114	–	107	–	–
12	–	(101)	106	99	–	(97)	–	–	103	–	104	–	–
17	–	–	–	–	–	–	–	–	137	–	(137)	–	–
20	–	109	–	–	–	–	–	–	111	–	108	–	–
23	–	–	–	518	–	–	–	–	485	–	485	–	–
38	–	–	–	–	–	–	–	–	1236	–	1213	–	–
40	–	–	–	–	–	–	–	–	103	–	(96)	–	–
43	–	–	102	103	–	(95)	–	–	104	–	101	(101)	103
45	–	–	–	–	–	–	–	–	(120)	–	118	–	–
46	–	–	–	–	–	–	–	–	93	–	91	–	–
47	–	–	–	–	–	–	–	–	109	–	111	–	–
48	–	–	(71)	–	–	–	–	–	64	–	64	–	–
51s	–	–	–	–	–	–	–	–	39	–	37	–	–
52s	–	–	–	–	–	–	–	–	30	–	30	–	–
51d	–	–	–	–	–	–	–	–	40	–	37	–	36
52d	–	–	–	–	–	–	–	–	30	–	30	–	28
54	–	–	–	–	–	–	–	–	25	–	24	–	–
55	–	–	(47)	–	–	–	–	–	47	–	44	–	–
60	–	–	–	–	–	–	57	–	61	–	59	–	–
61	–	–	–	–	–	–	62	–	63	–	62	–	–
62	–	–	–	–	–	–	44	–	45	–	41	–	–
63	–	–	–	–	–	–	39	–	39	–	39	–	–
65	–	–	–	–	–	–	–	–	108	–	111	–	–
66	–	–	–	–	94	99	–	–	91	–	94	–	–
68	–	–	–	–	71	72	–	–	73	–	74	–	–
69	–	–	(32)	–	–	29	32	33	31	–	34	–	–
70	–	–	–	–	56	60	–	–	64	–	57	–	–
71	–	–	33	–	30	33	35	32	35	–	34	–	33
72	–	–	–	–	–	–	–	–	96	–	95	–	–
79	–	–	–	–	129	125	–	–	121	–	122	–	–
8:1	–	–	71.43	73.40	–	71.98	–	(65.46)	77.19	–	74.71	(71.65)	77.71
17:1	–	–	–	–	–	–	–	–	80.12	–	(78.74)	–	–
17:8	–	–	–	–	–	–	–	–	103.79	–	(105.38)	–	–
20:1	–	–	–	–	–	–	–	–	64.91	–	62.07	–	–
20:8	–	81.95	–	–	–	–	–	–	84.09	–	83.08	–	–
9:8	–	–	69.29	71.01	–	(67.94)	–	–	73.48	–	71.54	(66.19)	72.79
47:45	–	–	–	–	–	–	–	–	(90.83)	–	94.07	–	–
48:45	–	–	–	–	–	–	–	–	(53.33)	–	54.24	–	–
52:51d	–	–	–	–	–	–	–	–	75.00	–	81.08	–	77.78
54:55	–	–	–	–	–	–	–	–	53.19	–	54.55	–	–
63:62	–	–	–	–	–	–	88.64	–	86.67	–	95.12	–	–

Tab. 77. Individual skull measurements and traits. Alsónyék. Women. Measurements in brackets uncertain.

Grave Nr./ Martin Nr.	215	310	335	369	393	400	407	432	439	451	452	466	475
1	175	–	184	(175)	182	173	(185)	(198)	174	176	(171)	188	(190)
5	103	–	–	–	–	–	–	–	–	97	–	–	–
8	130	132	137	(134)	–	139	–	–	–	135	(120)	132	138
9	117	–	96	90	–	96	(95)	–	–	98	–	–	91
10	105	(123)	119	–	–	(118)	–	–	–	118	–	(118)	–
11	93	–	120	–	110	–	–	–	–	109	–	113	–
12	95	110	104	–	–	(106)	–	(96)	–	103	(99)	101	(108)
17	136	–	–	–	–	–	–	–	–	133	–	(138)	–
20	111	–	–	–	–	–	–	–	–	111	–	–	–
23	484	–	525	–	–	–	–	–	–	507	–	–	–
38	1243	–	–	–	–	–	–	–	–	1285	–	–	–
40	102	–	–	–	–	–	–	–	–	87	–	–	–
43	100	–	103	98	–	104	–	–	–	105	–	–	97
45	(116)	–	–	–	–	–	–	–	–	(117)	–	–	–
46	87	–	–	–	–	–	–	–	–	90	–	–	(88)
47	104	–	–	–	–	–	–	–	–	114	–	–	(116)
48	67	–	–	–	–	–	–	–	–	67	61	–	(65)
51s	40	–	–	–	–	–	–	–	–	40	37	–	–
52s	31	–	–	–	–	–	–	–	–	30	31	–	–
51d	40	–	36	–	–	–	–	–	–	38	–	–	37
52d	32	–	31	–	–	–	–	–	–	31	–	–	(30)
54	24	–	–	–	–	–	–	–	–	(22)	–	–	(24)
55	45	–	–	–	–	–	–	–	–	48	45	–	44
60	60	–	–	–	–	–	–	–	–	(55)	–	–	–
61	60	–	–	–	–	–	–	–	–	61	–	–	–
62	46	–	–	–	–	–	–	–	–	37	–	–	–
63	38	–	–	–	–	–	–	–	–	37	–	–	–
65	98	–	–	–	–	–	–	–	–	109	–	–	–
66	80	–	–	95	–	–	–	–	–	93	–	89	–
68	81	–	–	73	–	–	–	–	72	73	–	76	67
69	33	–	–	31	–	–	–	–	32	32	–	–	32
70	55	–	–	56	–	–	–	–	56	63	–	60	–
71	36	–	33	32	–	–	–	–	32	29	–	32	32
72	98	–	–	–	–	–	–	–	–	91	–	–	–
79	121	–	–	125	–	–	–	–	128	123	–	110	124
8:1	74.29	–	74.46	(76.57)	–	80.35	–	–	–	76.70	(70.18)	70.21	(72.63)
17:1	77.71	–	–	–	–	–	–	–	–	75.57	–	(73.40)	–
17:8	104.62	–	–	–	–	–	–	–	–	98.52	–	(104.55)	–
20:1	63.43	–	–	–	–	–	–	–	–	63.07	–	–	–
20:8	85.38	–	–	–	–	–	–	–	–	82.22	–	–	–
9:8	90.00	–	70.07	(67.16)	–	69.06	–	–	–	72.59	–	–	65.94
47:45	(89.66)	–	–	–	–	–	–	–	–	(97.44)	–	–	–
48:45	(57.76)	–	–	–	–	–	–	–	–	(57.26)	–	–	–
52:51d	80.00	–	86.11	–	–	–	–	–	–	81.58	–	–	(81.08)
54:55	53.33	–	–	–	–	–	–	–	–	(45.83)	–	–	(54.55)
63:62	82.61	–	–	–	–	–	–	–	–	100.00	–	–	–

Table 77. (continued).

Grave Nr./ Martin Nr.	493	516	518	520	522	589	629	692	709	715	726	736	747
1	(175)	183	–	–	(180)	179	175	(189)	186	184	(190)	(183)	(188)
5	–	–	–	–	–	–	103	–	–	–	–	(101)	–
8	–	137	–	–	(129)	–	131	(143)	133	136	(131)	136	(134)
9	–	–	–	96	94	95	100	98	(95)	94	–	92	(91)
10	–	(121)	–	–	117	–	120	(123)	(112)	115	–	(112)	(114)
11	(118)	113	–	(106)	–	–	107	111	113	104	(117)	113	–
12	(102)	111	–	103	–	–	99	(109)	106	(109)	(99)	106	–
17	–	–	–	–	–	–	(136)	–	–	–	–	(141)	–
20	–	–	–	–	–	–	–	–	–	–	–	–	–
23	–	–	–	–	–	–	500	–	510	517	520	(510)	–
38	–	–	–	–	–	–	–	–	–	–	–	–	–
40	–	–	–	–	–	–	–	–	–	–	–	–	–
43	–	–	–	–	–	100	102	–	102	102	–	98	(99)
45	–	–	–	–	–	–	–	–	(118)	–	–	–	–
46	–	–	–	–	–	–	–	–	–	–	–	–	–
47	–	–	–	–	–	–	–	–	–	–	–	–	–
48	–	–	–	–	–	–	–	–	–	–	–	–	–
51s	–	–	–	–	–	–	–	–	–	–	–	–	–
52s	–	–	–	–	–	–	–	–	–	–	–	–	–
51d	–	–	–	–	–	–	–	–	–	–	–	–	–
52d	–	–	–	–	–	–	–	–	–	–	–	–	–
54	–	–	–	–	–	–	–	–	–	–	–	–	–
55	–	–	–	–	–	–	–	–	–	–	–	–	–
60	–	–	–	–	–	–	–	–	–	–	–	–	–
61	–	–	–	–	–	–	–	–	–	–	–	–	–
62	–	–	–	–	–	–	–	–	–	–	–	–	–
63	–	–	–	–	–	–	–	–	–	–	–	–	–
65	–	–	–	102	–	–	–	–	–	–	–	117	–
66	–	–	–	91	–	–	–	(93)	–	–	–	100	–
68	–	–	–	77	–	–	–	–	–	–	–	72	–
69	–	–	30	37	–	36	–	–	–	–	–	30	–
70	–	–	–	57	–	–	–	–	–	–	–	61	–
71	35	–	32	33	–	34	28	32	–	–	–	34	–
72	–	–	–	–	–	–	–	–	–	–	–	–	–
79	–	–	–	130	–	–	–	–	–	–	–	125	–
8:1	–	74.86	–	–	(71.67)	–	74.86	(75.66)	71.51	73.91	(68.95)	(74.32)	(71.28)
17:1	–	–	–	–	–	–	(77.71)	–	–	–	–	(77.05)	–
17:8	–	–	–	–	–	–	(103.82)	–	–	–	–	(103.68)	–
20:1	–	–	–	–	–	–	–	–	–	–	–	–	–
20:8	–	–	–	–	–	–	–	–	–	–	–	–	–
9:8	–	–	–	–	(72.87)	–	(76.34)	(68.53)	71.43	69.12	–	(67.65)	(67.91)
47:45	–	–	–	–	–	–	–	–	–	–	–	–	–
48:45	–	–	–	–	–	–	–	–	–	–	–	–	–
52:51d	–	–	–	–	–	–	–	–	–	–	–	–	–
54:55	–	–	–	–	–	–	–	–	–	–	–	–	–
63:62	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 77. (continued).

Grave Nr./ Martin Nr.	768	785	796	799	800	812	817	840	847	848	851	853	854
1	186	(181)	(185)	172	(185)	173	(188)	–	–	(174)	186	192	183
5	101	–	–	–	–	90)	–	–	–	–	–	–	–
8	136	137	135	137	–	–	–	–	–	–	131	142	–
9	94	88	94	96	97	88	–	92	–	92	94	95	93
10	113	(114)	(116)	–	–	108	–	–	–	117	113	(122)	–
11	116	111	126	119	–	102	–	–	–	–	108	116	–
12	113	109	(103)	108	–	(100)	(106)	–	–	–	103	107	–
17	137	(141)	–	–	–	138	–	–	–	–	–	–	–
20	115	–	–	–	–	112	–	–	–	–	–	119	–
23	510	–	–	504	–	–	–	–	–	–	–	545	–
38	1387	–	–	–	–	–	–	–	–	–	–	1513	–
40	99	–	–	–	–	92	–	–	–	–	–	–	–
43	101	95	–	–	100	92	–	(98)	–	99	100	102	–
45	(118)	–	–	–	–	–	–	–	–	–	(113)	–	–
46	97	–	–	–	–	94	–	–	–	–	84	(97)	–
47	113	–	–	–	–	108	–	–	–	–	105	(128)	–
48	72	–	–	–	–	63	–	–	–	(66)	–	(73)	–
51s	37	–	–	–	–	37	–	–	–	–	40	–	–
52s	33	–	–	–	–	30	–	–	–	–	30	–	–
51d	37	–	–	–	–	38	–	–	–	–	(39)	–	–
52d	32	–	–	–	–	30	–	–	–	–	–	–	–
54	25	–	–	–	–	20	–	–	–	23	–	–	–
55	52	–	–	–	–	45	–	–	–	59	–	(53)	–
60	61	56	–	–	–	56	57	–	–	–	(61)	(56)	–
61	64	–	–	–	–	60	64	–	–	–	–	62	–
62	49	–	–	–	–	37	38	–	–	–	–	–	–
63	37	–	–	–	–	38	40	–	–	–	–	38	–
65	(104)	–	–	108	–	114	–	–	–	–	104	–	110
66	91	–	97	98	–	92	94	–	–	–	83	101	86
68	77	–	74	69	–	71	77	–	–	71	72	–	72
69	34	–	31	30	35	–	–	–	–	–	–	35	–
70	59	–	56	58	–	59	63	–	–	60	60	–	59
71	33	29	34	31	30	30	32	–	32	31	30	35	31
72	82	–	–	–	–	86	–	–	–	–	–	–	–
79	130	–	111	124	–	120	120	–	–	127	127	–	134
8:1	73.12	(75.69)	(72.97)	79.65	–	–	–	–	–	–	70.43	73.96	–
17:1	73.66	(77.90)	–	–	–	79.77	–	–	–	–	–	–	–
17:8	100.74	(102.90)	–	–	–	–	–	–	–	–	–	–	–
20:1	61.83	–	–	–	–	64.74	–	–	–	–	–	61.98	–
20:8	84.56	–	–	–	–	–	–	–	–	–	–	83.80	–
9:8	69.12	64.23	69.63	70.07	–	–	–	–	–	–	71.76	66.90	–
47:45	(95.76)	–	–	–	–	–	–	–	–	–	(92.92)	–	–
48:45	(61.02)	–	–	–	–	–	–	–	–	–	–	–	–
52:51d	86.49	–	–	–	–	78.95	–	–	–	–	–	–	–
54:55	48.08	–	–	–	–	44.44	–	–	–	38.98	–	–	–
63:62	75.51	–	–	–	–	102.7	105.3	–	–	–	–	–	–

Table 77. (continued).

Grave Nr./ Martin Nr.	881	882	883	907	1112	1116	1118	1473	1814	1819	1898	1992	2015
1	(176)	179	(186)	178	(176)	(182)	–	187	191	185	174	–	180
5	–	–	–	94	–	–	–	–	–	98	–	–	–
8	–	(134)	(129)	130	131	(134)	–	–	137	146	140	–	–
9	–	100	(99)	92	(90)	–	–	–	–	104	89	–	91
10	(113)	–	(113)	113	(114)	–	–	–	–	123	(120)	–	–
11	–	117	–	102	–	–	–	–	–	124	(129)	–	–
12	(94)	103	–	105	–	–	–	–	–	116	118	–	–
17	–	–	–	134	–	–	–	–	–	138	–	–	–
20	–	–	–	–	–	–	–	–	–	–	–	–	–
23	–	–	–	–	–	–	–	–	–	531	–	–	–
38	–	–	–	–	–	–	–	–	–	–	–	–	–
40	–	–	–	–	–	–	–	–	–	–	–	–	–
43	–	(103)	(103)	96	–	–	–	–	–	109	–	–	98
45	–	–	–	–	–	–	–	–	–	–	–	–	–
46	–	–	–	–	–	–	–	–	–	–	–	–	–
47	–	–	–	–	–	–	–	–	–	–	–	–	–
48	–	–	–	–	–	–	–	–	–	–	–	–	–
51s	–	–	–	–	–	–	–	–	–	–	–	–	–
52s	–	–	–	–	–	–	–	–	–	–	–	–	–
51d	–	–	–	–	–	–	–	–	–	40	–	–	–
52d	–	–	–	–	–	–	–	–	–	31	–	–	–
54	–	–	–	–	–	–	–	–	–	–	–	–	–
55	–	–	–	–	–	–	–	–	–	–	–	–	–
60	–	–	55	–	–	–	–	–	–	–	–	–	–
61	–	–	60	–	–	–	–	–	–	–	–	–	–
62	–	–	47	–	–	–	–	–	–	–	–	–	–
63	–	–	34	–	–	–	–	–	–	–	–	–	–
65	–	–	–	–	106	–	99	112	–	–	–	–	–
66	–	–	–	–	–	–	82	93	–	91	–	86	–
68	–	–	–	–	62	–	70	71	–	72	–	–	74
69	–	–	–	–	38	–	–	–	–	–	–	32	36
70	–	–	–	–	52	–	68	63	–	53	–	–	59
71	–	–	34	–	28	28	31	30	33	35	–	30	38
72	–	–	–	–	–	–	–	–	–	–	–	–	–
79	–	–	–	–	130	–	115	122	–	128	–	–	120
8:1	–	(74.86)	(69.35)	73.03	(74.43)	(73.63)	–	–	71.73	78.92	80.46	–	–
17:1	–	–	–	75.28	–	–	–	–	–	74.59	–	–	–
17:8	–	–	–	103.08	–	–	–	–	–	94.52	–	–	–
20:1	–	–	–	–	–	–	–	–	–	–	–	–	–
20:8	–	–	–	–	–	–	–	–	–	–	–	–	–
9:8	–	(74.63)	(76.74)	70.77	(68.70)	–	–	–	–	71.23	63.57	–	–
47:45	–	–	–	–	–	–	–	–	–	–	–	–	–
48:45	–	–	–	–	–	–	–	–	–	–	–	–	–
52:51d	–	–	–	–	–	–	–	–	–	77.50	–	–	–
54:55	–	–	–	–	–	–	–	–	–	–	–	–	–
63:62	–	–	72.34	–	–	–	–	–	–	–	–	–	–

Table 77. (continued).

Grave Nr./ Martin Nr.	2016	2065	2066	2073	2087	2088	2330	2351	2383	2441	2454	2462	2472
1	178	(188)	177	–	187	175	189	(181)	185	–	185	189	175
5	103	117	96	–	98	–	104	–	–	–	–	–	–
8	141	139	140	–	129	–	143	(133)	136	135	137	132	135
9	102	106	100	–	96	–	92	–	–	–	93	99	92
10	125	119	117	–	111	–	(117)	–	–	–	117	–	120
11	115	124	121	117	–	–	122	–	–	115	–	–	(116)
12	110	107	114	(103)	(100)	–	–	–	–	(108)	118	–	111
17	141	153	135	–	136	–	(137)	–	–	134	–	–	–
20	(116)	125	111	–	–	–	–	–	–	–	–	–	–
23	518	519	510	–	512	–	523	–	515	–	522	–	504
38	1388	1521	1328	–	–	–	–	–	–	–	–	–	–
40	97	115	97	–	95	–	–	–	–	–	–	–	–
43	109	114	107	–	99	–	96	–	–	–	101	–	99
45	–	–	(128)	–	116	–	–	–	–	–	–	–	–
46	–	102	99	–	88	–	–	–	–	–	94	–	–
47	114	–	105	–	103	–	–	–	–	–	121	–	–
48	68	70	61	–	64	–	(66)	–	–	–	(66)	–	–
51s	–	–	38	–	34	–	–	–	–	–	–	–	–
52s	–	–	30	–	30	–	–	–	–	–	–	–	–
51d	34	–	38	–	34	–	(40)	–	–	–	36	–	–
52d	28	–	28	–	29	–	(35)	–	–	–	31	–	–
54	26	29	26	–	25	–	–	–	–	–	23	–	–
55	(47)	–	45	–	45	–	(48)	–	–	–	(50)	–	–
60	58	59	60	–	56	–	–	–	–	–	57	–	–
61	63	64	68	–	62	–	–	–	–	–	64	–	–
62	27	33	45	–	(43)	–	–	–	–	–	(32)	–	–
63	40	39	46	–	35	–	–	–	–	–	42	–	–
65	103	119	120	–	–	–	–	–	–	–	–	–	–
66	88	106	102	–	85	–	(95)	89	–	–	90	99	–
68	78	79	79	–	69	–	71	71	–	–	85	–	–
69	32	36	32	31	–	–	–	30	–	–	–	–	–
70	60	56	59	–	61	–	–	57	–	–	62	–	–
71	38	38	37	33	32	28	29	34	30	–	37	–	–
72	90	94	80	–	–	–	–	–	–	–	–	–	–
79	117	127	120	–	128	–	115	128	–	–	119	–	–
8:1	79.21	(73.94)	79.10	–	68.98	–	75.66	(73.48)	73.51	–	74.05	69.84	77.14
17:1	79.21	(81.38)	76.27	–	72.73	–	(72.49)	–	–	–	–	–	–
17:8	100.00	110.07	96.43	–	105.43	–	(95.80)	–	–	99.26	–	–	–
20:1	(65.17)	(66.49)	62.71	–	–	–	–	–	–	–	–	–	–
20:8	(82.27)	89.93	79.29	–	–	–	–	–	–	–	–	–	–
9:8	72.34	76.26	71.43	–	74.42	–	64.34	–	–	–	67.88	75.00	68.15
47:45	–	–	(82.03)	–	88.79	–	–	–	–	–	–	–	–
48:45	–	–	(47.66)	–	55.17	–	–	–	–	–	–	–	–
52:51d	82.35	–	73.68	–	85.29	–	(87.50)	–	–	–	86.11	–	–
54:55	55.32	–	57.78	–	55.56	–	–	–	–	–	(46.00)	–	–
63:62	148.15	118.18	102.22	–	(81.40)	–	–	–	–	–	(131.25)	–	–

Table 77. (continued).

Grave Nr./ Martin Nr.	2524	2549	2706	2775	2865	2877	3020	3089	3103	3133	3231	3328	3339
1	167	(196)	186	173	167	167	185	(188)	–	(179)	(166)	–	(172)
5	140	–	–	–	87	–	–	–	–	–	–	–	–
8	130	136	–	–	135	–	133	131	–	(136)	137	–	134
9	87	–	97	–	95	–	(100)	96	94	(98)	94	94	93
10	100	–	(111)	–	114	–	–	–	–	(117)	120	–	(115)
11	117	113	–	–	109	–	–	99	–	–	(109)	–	–
12	101	(103)	–	–	96	–	–	105	–	–	8114	–	107
17	–	–	–	–	128	–	–	–	–	–	–	–	–
20	–	–	–	–	111	–	–	–	–	–	–	–	–
23	470	–	–	–	475	–	–	–	–	–	–	–	–
38	–	–	–	–	1235	–	–	–	–	–	–	–	–
40	96	–	–	–	79	–	–	–	–	–	–	–	–
43	93	–	104	–	–	–	–	–	–	–	–	–	99
45	–	–	–	–	–	–	–	–	–	–	–	–	–
46	–	–	–	–	–	–	–	–	–	–	–	–	–
47	–	–	–	–	97	–	–	–	–	–	–	–	–
48	–	–	–	–	58	–	–	–	–	–	–	–	–
51s	–	–	–	–	–	–	–	–	–	–	–	–	–
52s	–	–	–	–	–	–	–	–	–	–	–	–	–
51d	–	–	–	–	–	–	–	–	–	–	–	–	–
52d	–	–	–	–	–	–	–	–	–	–	–	–	–
54	–	–	–	–	22	–	–	–	–	–	–	–	–
55	–	–	–	–	42	–	–	–	–	–	–	–	–
60	55	–	–	–	54	–	–	–	–	–	–	–	–
61	–	–	–	–	56	–	–	–	–	–	–	–	–
62	–	–	–	–	25	–	–	–	–	–	–	–	–
63	–	–	–	–	38	–	–	–	–	–	–	–	–
65	–	115	–	–	–	–	109	–	–	–	–	–	111
66	90	98	–	–	–	–	94	–	–	102	–	92	94
68	73	69	–	–	74	79	73	–	–	78	–	80	76
69	–	–	–	–	27	–	–	–	32	36	–	32	34
70	60	57	–	–	50	52	60	–	–	(55)	–	62	57
71	31	32	–	32	30	33	32	–	33	38	31	30	32
72	–	–	–	–	92	–	–	–	–	–	–	–	–
79	132	131	–	–	122	129	124	–	–	126	–	125	139
8:1	77.84	(69.39)	–	–	80.84	–	71.89	(69.68)	–	(75.98)	(82.53)	–	(77.91)
17:1	–	–	–	–	76.65	–	–	–	–	–	–	–	–
17:8	–	–	–	–	94.81	–	–	–	–	–	–	–	–
20:1	–	–	–	–	66.47	–	–	–	–	–	–	–	–
20:8	–	–	–	–	82.22	–	–	–	–	–	–	–	–
9:8	66.92	–	–	–	70.37	–	75.19	73.28	–	(72.06)	68.61	–	69.40
47:45	–	–	–	–	–	–	–	–	–	–	–	–	–
48:45	–	–	–	–	–	–	–	–	–	–	–	–	–
52:51d	–	–	–	–	–	–	–	–	–	–	–	–	–
54:55	–	–	–	–	52.38	–	–	–	–	–	–	–	–
63:62	–	–	–	–	152.00	–	–	–	–	–	–	–	–

Table 77. (continued).

Grave Nr./ Martin Nr.	3342	3343	3375	3380	3385	3386	3454	3461	3462	3696	3706	3707	3713/A
1	184	180	176	–	167	165	–	(162)	(198)	(188)	–	(191)	–
5	–	–	101	–	–	–	–	95	–	103	–	–	–
8	133	131	128	–	139	–	–	137	–	135	–	131	–
9	95	93	89	–	91	96	–	91	95	99	94	–	–
10	–	109	111	–	115	–	–	(115)	–	(112)	–	–	–
11	119	109	116	–	121	–	–	122	–	–	–	(117)	–
12	96	105	107	–	114	–	–	(110)	–	–	–	106	–
17	–	–	127	–	–	–	–	136	–	134	–	–	–
20	–	–	–	–	–	–	–	–	–	–	–	–	–
23	–	–	–	–	–	–	–	489	–	524	–	–	–
38	–	–	–	–	–	–	–	–	–	–	–	–	–
40	–	–	95	–	–	–	–	–	–	–	–	–	–
43	100	100	102	–	102	–	–	97	(103)	–	–	–	–
45	–	–	(120)	–	–	–	–	124	–	–	–	–	–
46	102	–	92	–	–	–	–	96	–	–	–	–	–
47	112	–	105	–	–	–	–	(104)	–	–	–	–	–
48	68	–	60	–	–	–	–	59	–	–	–	–	–
51s	36	–	38	–	–	–	–	–	–	–	–	–	–
52s	35	–	33	–	–	–	–	–	–	–	–	–	–
51d	–	–	37	–	–	–	–	41	–	–	–	–	–
52d	–	–	31	–	–	–	–	31	–	–	–	–	–
54	25	–	23	–	–	–	–	25	–	–	–	–	–
55	51	–	(46)	–	–	–	–	44	–	–	–	–	–
60	52	–	50	–	54	–	–	55	–	–	–	–	–
61	61	–	56	–	61	–	–	(63)	–	–	–	–	–
62	–	–	42	–	–	–	–	(37)	–	–	–	–	–
63	36	–	34	–	39	–	–	41	–	–	–	–	–
65	–	–	111	–	115	–	–	–	–	–	–	–	–
66	92	89	(93)	84	98	78	–	85	–	–	–	–	–
68	70	74	71	–	73	–	–	70	–	–	–	–	–
69	30	–	28	–	28	33	34	29	(29)	–	–	–	31
70	52	56	61	–	54	–	–	58	–	–	–	–	–
71	33	31	33	31	29	33	27	29	–	–	31	–	35
72	–	–	–	–	–	–	–	–	–	–	–	–	–
79	126	127	129	–	138	–	–	123	–	–	–	–	–
8:1	72.28	72.78	72.73	–	83.23	–	–	(84.57)	–	(71.81)	–	(68.59)	–
17:1	–	–	72.16	–	–	–	–	(83.95)	–	(71.28)	–	–	–
17:8	–	–	99.22	–	–	–	–	99.27	–	99.26	–	–	–
20:1	–	–	–	–	–	–	–	–	–	–	–	–	–
20:8	–	–	–	–	–	–	–	–	–	–	–	–	–
9:8	71.43	70.99	69.53	–	65.47	–	–	66.42	–	73.33	–	–	–
47:45	–	–	(87.50)	–	–	–	–	(83.87)	–	–	–	–	–
48:45	–	–	(50.00)	–	–	–	–	47.58	–	–	–	–	–
52:51d	–	–	83.78	–	–	–	–	75.61	–	–	–	–	–
54:55	49.02	–	50.00	–	–	–	–	56.82	–	–	–	–	–
63:62	–	–	80.95	–	–	–	–	(110.81)	–	–	–	–	–

Table 77. (continued).

Grave Nr./ Martin Nr.	3734	3737	3761	3762	3770	3775	3777	3786	3832	3844	3845	3846	3931
1	170	193	185	(185)	–	179	175	193	174	(179)	185	189	187
5	(98)	–	–	–	–	–	–	–	–	–	–	–	–
8	129	–	–	126	141	122	–	139	135	–	130	135	138
9	88	93	–	91	–	92	89	99)	94	(96)	96	98	103
10	110	–	–	108	117	–	–	(113)	(108)	–	(109)	116	–
11	110	–	–	–	121	112	116	–	–	–	–	102	121
12	104	–	–	–	111	105	104	103	–	–	109	106	–
17	(129)	–	–	–	–	–	–	–	–	–	–	–	–
20	–	–	–	–	–	–	–	–	–	–	–	–	–
23	487	–	–	–	528	497	–	530	–	–	–	–	538
38	–	–	–	–	–	–	–	–	–	–	–	–	–
40	(87)	–	–	–	–	–	–	–	–	–	–	–	–
43	98	–	–	–	–	98	–	–	–	–	–	–	109
45	113	–	–	–	–	–	–	–	–	–	–	–	–
46	–	–	–	–	–	–	–	–	–	–	–	–	–
47	–	–	–	–	–	112	–	–	–	–	–	–	–
48	64	–	–	–	–	70	–	–	–	–	–	(67)	–
51s	37	–	–	–	–	–	–	–	–	–	–	–	–
52s	33	–	–	–	–	–	–	–	–	–	–	–	–
51d	39	–	–	–	–	–	–	–	–	–	–	–	–
52d	32	–	–	–	–	–	–	–	–	–	–	–	–
54	(21)	–	22	–	–	–	–	–	–	–	–	23	–
55	46	–	–	–	–	56	–	–	–	–	–	(45)	–
60	52	–	–	–	–	50	53	–	–	–	–	56	–
61	57	–	–	56	–	61	60	–	–	–	–	–	–
62	–	–	39	48	–	35	32	–	–	–	–	–	–
63	37	–	–	30	–	42	40	–	–	–	–	–	–
65	–	(103)	–	122	–	(106)	–	–	–	–	–	–	–
66	–	–	–	95	–	87	83	–	–	(99)	92	–	95
68	–	71	–	74	–	70	75	–	–	74	78	–	74
69	–	31	–	32	–	24	29	–	–	36	–	37	32
70	–	63	–	61	–	63	53	–	–	57	56	–	55
71	–	–	32	39	29	32	35	–	–	32	31	32	32
72	–	–	–	–	–	–	–	–	–	–	–	–	–
79	–	132	–	131	–	117	121	–	–	115	120	–	128
8:1	75.88	–	–	(68.11)	–	68.16	–	72.02	77.59	–	70.27	71.43	73.80
17:1	(75.88)	–	–	–	–	–	–	–	–	–	–	–	–
17:8	(100.00)	–	–	–	–	–	–	–	–	–	–	–	–
20:1	–	–	–	–	–	–	–	–	–	–	–	–	–
20:8	–	–	–	–	–	–	–	–	–	–	–	–	–
9:8	68.22	–	–	72.22	–	75.41	–	(71.22)	69.63	–	73.85	72.59	74.64
47:45	–	–	–	–	–	–	–	–	–	–	–	–	–
48:45	56.64	–	–	–	–	–	–	–	–	–	–	–	–
52:51d	82.05	–	–	–	–	–	–	–	–	–	–	–	–
54:55	(45.65)	–	–	–	–	–	–	–	–	–	–	(51.11)	–
63:62	–	–	–	62.50	–	120.00	125,00	–	–	–	–	–	–

Table 77. (continued).

Grave Nr./ Martin Nr.	3944	3955	4005	4006	4007	4012	4081	4084	4086	4123	4124	4131	4132
1	172	171	(211)	181	179	175	–	181	183	182	176	194	(187)
5	–	–	–	–	–	–	–	–	–	–	–	–	–
8	130	(135)	(134)	–	–	130	–	129	130	131	136	126	(136)
9	94	88)	96	–	–	(89)	–	95	105	92	97	97	–
10	110	–	106	–	–	(115)	–	(105)	120	(106)	118	113	–
11	109	–	–	–	–	113	–	–	124	–	–	(110)	–
12	107	(108)	–	–	–	105	–	–	102	–	106	(101)	–
17	–	–	–	–	–	–	–	–	–	–	–	–	–
20	–	–	–	–	–	–	–	–	–	–	–	–	–
23	495	–	–	–	–	–	–	–	515	503	–	–	–
38	–	–	–	–	–	–	–	–	–	–	–	–	–
40	–	–	–	–	–	–	–	–	–	–	–	–	–
43	–	(90)	102	–	–	93	–	103	110	101	–	105	–
45	–	–	–	–	–	–	–	–	(142)	–	–	–	–
46	–	–	–	–	–	–	–	–	–	–	–	–	–
47	–	–	–	–	–	(105)	–	–	–	–	–	–	–
48	–	–	–	–	–	(65)	–	60	–	–	–	–	–
51s	–	–	–	–	–	–	–	–	–	–	–	–	–
52s	–	–	–	–	–	–	–	–	–	–	–	–	–
51d	–	–	–	–	–	–	–	36	–	–	–	–	–
52d	–	–	–	–	–	–	–	31	–	–	–	–	–
54	–	–	–	–	19	–	–	–	24	–	–	–	–
55	–	–	–	–	–	(48)	–	–	–	–	–	–	–
60	–	–	51	–	55	57	–	–	51	–	–	–	–
61	–	–	59	–	–	58	–	–	(58)	–	–	–	–
62	–	–	–	–	–	32	–	–	–	–	–	–	–
63	–	–	38	–	40	35	–	–	38	–	–	–	–
65	–	–	–	–	–	112	–	–	–	121	–	–	–
66	–	–	97	–	–	90	92	–	92	92	–	104	–
68	–	–	75	–	–	(77)	–	–	66	69	–	74	–
69	–	–	30	–	35	27	–	–	28	–	–	34	–
70	–	–	62	–	–	–	–	–	49	54	–	–	–
71	–	–	32	–	28	32	32	29	32	36	–	33	–
72	–	–	–	–	–	–	–	–	–	–	–	–	–
79	–	–	121	–	–	–	–	–	128	129	–	117	–
8:1	75.58	(78.95)	(63.51)	–	–	74.29	–	71.27	71.04	71.98	77.27	64.95	(72.73)
17:1	–	–	–	–	–	–	–	–	–	–	–	–	–
17:8	–	–	–	–	–	–	–	–	–	–	–	–	–
20:1	–	–	–	–	–	–	–	–	–	–	–	–	–
20:8	–	–	–	–	–	–	–	–	–	–	–	–	–
9:8	72.31	(65.19)	(71.64)	–	–	68.46	–	73.64	80.77	70.23	71.32	76.98	–
47:45	–	–	–	–	–	–	–	–	–	–	–	–	–
48:45	–	–	–	–	–	–	–	–	–	–	–	–	–
52:51d	–	–	–	–	–	–	–	86.11	–	–	–	–	–
54:55	–	–	–	–	–	–	–	–	–	–	–	–	–
63:62	–	–	–	–	–	109.38	–	–	–	–	–	–	–

Table 77. (continued).

Grave Nr./ Martin Nr.	4153	4160	4164	4309	4325	4381	4391	4414	4565	4602	4605	4681	4822
1	(197)	177	–	(179)	187	–	188	180	181	179	188	188	186
5	–	–	–	–	–	–	–	–	–	–	104	–	–
8	(142)	132	–	(131)	–	–	139	140	–	(133)	139	–	133
9	92	96	99	93	–	–	96	96	92	93	91	–	–
10	–	–	–	(118)	–	–	117	115	–	(116)	118	–	–
11	–	113	–	(115)	–	–	124	112	–	–	122	–	111
12	111	106	–	(102)	–	–	103	100	–	–	117	–	–
17	–	–	–	–	–	–	–	–	–	–	145	–	–
20	–	–	–	–	–	–	–	–	–	–	122	–	–
23	563	490	–	(509)	–	–	525	510	–	–	522	–	525
38	–	–	–	–	–	–	–	–	–	–	1492	–	–
40	–	–	–	–	–	–	–	–	–	–	92	–	–
43	–	106	106	100	–	–	100	99	96	98	104	–	–
45	–	–	–	–	–	–	–	–	–	–	–	–	–
46	–	–	–	–	–	–	–	89	–	–	–	–	–
47	–	–	–	–	–	–	–	111	–	–	102	–	–
48	–	–	–	–	–	–	–	67	–	–	61	–	–
51s	–	–	–	–	–	–	–	36	–	–	37	–	–
52s	–	–	–	–	–	–	–	30	–	–	29	–	–
51d	–	–	–	–	–	–	–	36	–	–	–	–	37
52d	–	–	–	–	–	–	–	32	–	–	–	–	30
54	–	–	–	–	–	–	–	24	–	–	22	–	25
55	–	–	–	–	–	–	–	(46)	–	–	44	–	47
60	–	–	–	–	–	–	–	–	–	–	55	–	–
61	–	–	–	–	–	–	–	–	–	–	64	–	–
62	–	–	–	–	–	–	–	–	–	–	29	–	–
63	–	–	–	–	–	–	–	–	29	–	41	–	–
65	–	–	–	–	–	–	–	(108)	–	–	121	–	–
66	–	89	98	–	92	–	100	86	(93)	–	96	–	104
68	85	–	–	–	–	–	78	75	75	–	68	–	77
69	–	–	33	–	–	25	34	29	32	29	32	36	40
70	55	–	–	–	–	–	55	56	55	–	54	–	65
71	33	33	33	–	34	31	36	34	33	34	33	–	34
72	–	–	–	–	–	–	–	–	–	–	85	–	–
79	123	–	–	–	–	–	130	127	126	–	131	–	134
8:1	(72.08)	74.58	–	(73.18)	–	–	73.94	77.78	–	(74.30)	73.94	–	71.51
17:1	–	–	–	–	–	–	–	–	–	–	77.13	–	–
17:8	–	–	–	–	–	–	–	–	–	–	104.32	–	–
20:1	–	–	–	–	–	–	–	–	–	–	64.89	–	–
20:8	–	–	–	–	–	–	–	–	–	–	87.77	–	–
9:8	(64.79)	72.73	–	(70.99)	–	–	69.06	68.57	–	(69.92)	65.47	–	–
47:45	–	–	–	–	–	–	–	–	–	–	–	–	–
48:45	–	–	–	–	–	–	–	–	–	–	–	–	–
52:51d	–	–	–	–	–	–	–	88.89	–	–	–	–	81.08
54:55	–	–	–	–	–	–	–	(52.17)	–	–	50.00	–	53.19
63:62	–	–	–	–	–	–	–	–	–	–	220.69	–	–

Table 77. (continued).

Grave Nr./ Martin Nr.	4918	4985	5002	5015	5035	5196	5385	5687	6081	6092	6123	6131	6155
1	190	179	–	178	198	176	173	–	176	179	172	–	–
5	–	–	–	–	–	–	99	–	–	–	102	–	–
8	132	137	–	131	(128)	(128)	130	–	137	136	129	–	–
9	92	93	–	99	–	97	93	–	92	96	97	97	89
10	110	117	–	–	113	113	115	–	114	123	113	114	117
11	–	112	–	112	–	118	110	–	104	119	115	–	–
12	–	111	–	103	–	(107)	103	–	(102)	104	95	–	–
17	–	–	–	–	148	–	133	–	–	–	136	–	–
20	–	114	–	–	–	–	111	–	–	–	112	–	–
23	525	(508)	–	490	–	–	499	–	–	505	505	–	–
38	–	1345	–	–	–	–	1233	–	–	–	1228	–	–
40	–	–	–	–	–	–	94	–	–	–	96	–	–
43	–	98	–	–	–	103	100	–	99	101	101	105	–
45	–	–	–	–	–	–	118	–	–	–	–	–	–
46	–	(97)	–	–	–	100	93	–	–	–	103	–	–
47	–	102	–	–	–	–	121	–	–	–	123	–	–
48	–	(55)	–	–	–	–	71	–	–	–	75	–	–
51s	–	36	–	–	–	–	40	–	–	–	–	–	–
52s	–	32	–	–	–	–	29	–	–	–	34	–	–
51d	–	(35)	–	–	–	36	39	–	–	–	–	–	–
52d	–	(33)	–	–	–	29	31	–	–	–	34	–	–
54	–	–	–	–	–	(27)	23	–	–	–	25	–	–
55	–	(40)	–	–	–	44	47	–	–	–	(53)	–	–
60	–	(54)	–	–	–	56	58	–	–	–	59	–	–
61	–	(65)	–	–	–	63	58	–	–	–	65	–	–
62	–	–	–	–	–	–	41	–	–	–	–	–	–
63	–	–	–	–	–	43	–	–	–	–	41	–	–
65	–	107	111	–	–	–	–	–	–	(119)	108	–	117
66	–	91	95	–	96	–	101	–	–	102	92	–	88
68	–	71	70	–	66	74	74	62	–	61	75	–	73
69	–	29	–	–	–	30	36	28	–	32	36	–	33
70	–	57	57	–	61	54	59	57	–	62	61	–	49
71	–	31	29	30	33	34	34	33	31	30	36	28	32
72	–	–	–	–	–	–	95	–	–	–	95	–	–
79	–	120	126	–	129	122	118	116	–	121	130	–	127
8:1	69.47	76.54	–	73.60	(64.65)	(72.73)	75.14	–	77.84	75.98	75.00	–	–
17:1	–	–	–	–	74.75	–	76.88	–	–	–	79.07	–	–
17:8	–	–	–	–	(115.63)	–	102.31	–	–	–	105.43	–	–
20:1	–	63.69	–	–	–	–	64.16	–	–	–	65.12	–	–
20:8	–	83.21	–	–	–	–	85.38	–	–	–	86.82	–	–
9:8	69.70	67.88	–	75.57	–	(75.78)	71.54	–	67.15	70.59	75.19	–	–
47:45	–	–	–	–	–	–	102.54	–	–	–	–	–	–
48:45	–	–	–	–	–	–	60.17	–	–	–	–	–	–
52:51d	–	(94.29)	–	–	–	80.56	79.49	–	–	–	–	–	–
54:55	–	–	–	–	–	(61.36)	48.94	–	–	–	(47.17)	–	–
63:62	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 77. (continued).

Grave Nr./ Martin Nr.	6156	6244	6336	6338	6347	6349	6377	6536	6537	6538	6542	6666	6680
1	–	–	(180)	186	172	175	180	–	–	194	(188)	(187)	–
5	–	–	–	–	–	–	–	–	–	–	–	–	–
8	–	–	–	136	130	–	–	–	–	146	136	(127)	–
9	–	–	89)	93	89	83	95	91	–	97	(99)	–	–
10	–	–	(113)	112	115	–	–	–	–	(116)	112	–	–
11	–	–	–	119	–	–	110	–	–	131	106	(100)	–
12	–	–	–	116	107	–	–	–	–	111	–	(101)	–
17	–	–	–	–	–	–	–	–	–	–	–	–	–
20	–	–	–	120	–	–	–	–	–	–	–	–	–
23	–	–	–	520	480	–	–	–	–	–	–	(520)	–
38	–	–	–	1435	–	–	–	–	–	–	–	–	–
40	–	–	–	–	–	–	–	–	–	–	–	–	–
43	–	–	–	103	96	–	102	98	–	–	–	–	–
45	–	–	–	–	–	–	–	–	–	–	–	–	–
46	–	–	–	–	–	–	–	84	–	–	–	–	–
47	–	–	–	–	–	–	–	–	–	–	–	–	–
48	–	–	–	–	–	–	–	66	–	–	–	–	–
51s	–	–	–	–	–	–	–	36	–	–	–	–	–
52s	–	–	–	–	–	–	–	–	–	–	–	–	–
51d	–	–	–	–	–	–	–	35	–	–	–	–	36
52d	–	–	–	–	–	–	–	31	–	–	–	–	32
54	(25)	–	–	–	–	–	–	21	–	–	–	–	24
55	–	–	–	–	–	–	–	48	–	–	–	–	48
60	53	–	–	–	–	–	–	52	–	53	57	–	55
61	58	–	–	65	–	–	–	56	–	62	63	–	–
62	–	–	–	27	–	–	–	38	–	–	–	–	–
63	32	–	–	38	–	–	–	(38)	–	42	39	–	38
65	–	(102)	–	118	–	–	–	–	121	113	–	–	–
66	–	96	–	101	–	–	–	–	89	100	95	–	–
68	–	72	–	75	–	–	–	–	68	72	76	–	–
69	–	30	–	–	–	–	–	–	–	–	–	–	33
70	–	58	–	54	–	–	–	–	60	56	56	–	–
71	31	29	–	34	34	–	–	28	31	29	32	29	34
72	–	–	–	–	–	–	–	–	–	–	–	–	–
79	–	126	–	128	–	–	–	–	109	133	119	–	–
8:1	–	–	–	73.12	75.58	–	–	–	–	75.26	(72.34)	(67.91)	–
17:1	–	–	–	–	–	–	–	–	–	–	–	–	–
17:8	–	–	–	–	–	–	–	–	–	–	–	–	–
20:1	–	–	–	64.52	–	–	–	–	–	–	–	–	–
20:8	–	–	–	88.24	–	–	–	–	–	–	–	–	–
9:8	–	–	–	68.38	68.46	–	–	–	–	66.44	(72.79)	–	–
47:45	–	–	–	–	–	–	–	–	–	–	–	–	–
48:45	–	–	–	–	–	–	–	–	–	–	–	–	–
52:51d	–	–	–	–	–	–	–	88.57	–	–	–	–	88.89
54:55	–	–	–	–	–	–	–	43.75	–	–	–	–	50.00
63:62	–	–	–	140.74	–	–	–	(100.00)	–	–	–	–	–

Table 77. (continued).

Grave Nr./ Martin Nr.	6689	7244	7579	7580	7586	7657	7667	7668	7690	7753	7754	7755	7773
1	173	(191)	174	(184)	175	173	180	(180)	(202)	180	178	189	(185)
5	–	–	–	–	–	–	107	–	–	–	–	–	–
8	136	120	–	134	132	129	140	(127)	–	129	128	132	–
9	93	100	90	97	92	–	100	93)	94	95	97	97	94
10	106	–	–	112	(112)	(113)	121	(114)	112	113	–	113	114
11	–	–	–	116	(109)	105	118	–	–	112	–	118	–
12	101	–	–	–	105	99	111	(106)	–	108	–	–	–
17	–	–	–	138	–	–	–	–	–	–	–	–	–
20	–	–	–	–	–	–	(109)	–	–	–	–	–	–
23	504	–	–	518	498	–	518	–	–	508	–	518	–
38	–	–	–	–	–	–	1326	–	–	–	–	–	–
40	–	–	–	–	–	–	(100)	–	–	–	–	–	–
43	97	–	92	102	96	(97)	105	–	98	105	103	99	101
45	–	–	–	–	–	–	–	–	–	–	–	–	–
46	–	–	–	–	–	–	(86)	–	–	–	–	–	–
47	–	–	–	–	–	–	110)	–	–	–	–	–	–
48	–	–	–	–	–	–	(67)	–	–	–	–	–	–
51s	–	–	–	–	–	–	–	–	–	–	–	–	–
52s	–	–	–	–	–	–	–	–	–	–	–	–	–
51d	–	–	–	–	–	–	–	–	–	–	–	–	–
52d	–	–	–	–	–	–	–	–	–	–	–	–	–
54	–	–	–	–	–	–	23	–	–	–	–	–	–
55	–	–	–	–	–	–	(49)	–	–	–	–	–	–
60	–	–	–	–	–	–	–	–	57	–	–	–	–
61	–	–	–	–	–	–	–	–	58	–	–	–	–
62	–	–	–	–	–	–	–	–	28	–	–	–	–
63	–	–	–	–	–	–	–	–	33	–	–	–	–
65	109	–	–	–	–	–	–	–	106	–	–	–	–
66	91	–	–	–	–	93	88	–	81	–	–	–	–
68	72	–	–	–	–	65	69	–	69	–	–	–	–
69	29	34	–	–	–	29	(31)	32	36	–	–	–	–
70	54	–	–	–	–	50	57	–	61	–	–	–	–
71	30	31	–	31	–	30	28	36	29	31	–	–	–
72	–	–	–	–	–	–	(95)	–	–	–	–	–	–
79	130	–	–	–	–	131	127	–	125	–	–	–	–
8:1	78.61	(62.83)	–	(72.83)	75.43	74.57	77.78	(70.56)	–	71.67	71.91	69.84	–
17:1	–	–	–	(75.00)	–	–	58.89	–	–	–	–	–	–
17:8	–	–	–	102.99	–	–	75.71	–	–	–	–	–	–
20:1	–	–	–	–	–	–	(60.56)	–	–	–	–	–	–
20:8	–	–	–	–	–	–	(77.86)	–	–	–	–	–	–
9:8	68.38	83.33	–	72.39	69.70	–	71.43	(73.23)	–	73.64	75.78	73.48	–
47:45	–	–	–	–	–	–	–	–	–	–	–	–	–
48:45	–	–	–	–	–	–	–	–	–	–	–	–	–
52:51d	–	–	–	–	–	–	–	–	–	–	–	–	–
54:55	–	–	–	–	–	–	(46.94)	–	–	–	–	–	–
63:62	–	–	–	–	–	–	–	–	117.86	–	–	–	–

Table 77. (continued).

Martin Nr.	N	Vmax	Vmin	M	S.D.	S.D. / M
1	120	213	170	190.63	9.09	4.77
5	16	121	97	104.56	6.62	6.33
8	100	156	112	136.22	6.45	4.74
9	106	127	88	97.59	5.06	5.18
10	66	132	105	118.15	5.44	4.61
11	73	131	97	118.21	6.08	5.14
12	80	117	98	108.94	4.74	4.35
17	21	159	130	142.90	7.15	5.01
20	11	127	109	117.27	4.84	4.13
23	53	579	498	529.15	16.72	3.16
38	11	1595.37	1329.54	1465.92	84.09	5.74
40	12	116	88	100.42	7.48	7.45
43	74	115	92	103.76	4.65	4.48
45	9	139	119	127.67	6.08	4.76
46	18	105	83	95.89	5.90	6.15
47	24	134	103	119.29	7.28	6.10
48	29	82	61	70.62	4.80	6.80
51s	16	42	35	38.63	1.82	4.72
52s	19	36	25	31.26	2.58	8.25
51d	21	45	35	38.71	2.67	6.89
52d	23	34	26	31.13	2.36	7.58
54	35	28	20	23.94	2.27	9.50
55	27	60	42	50.19	4.07	8.10
60	42	63	49	58.29	3.10	5.32
61	40	71	54	62.38	3.28	5.26
62	22	49	30	41.95	6.15	14.67
63	41	48	30	39.68	3.64	9.16
65	44	134	84	114.80	9.40	8.19
66	84	114	86	98.45	5.83	5.92
68	92	91	64	77.02	4.90	6.36
69	88	41	26	34.67	3.28	9.47
70	89	71	50	60.64	4.71	7.77
71	113	40	28	32.98	2.54	7.69
72	10	94	75	87.10	5.59	6.41
79	90	139	109	123.72	6.34	5.12
8:1	100	83.43	60.09	71.55	4.63	6.47
17:1	21	82.29	69.85	76.82	3.32	4.32
17:8	19	113.24	93.53	102.67	5.87	5.71
20:1	11	68.57	59.80	63.07	2.91	4.61
20:8	11	93.38	78.62	84.57	4.68	5.54
9:8	85	92.03	64.14	71.65	4.96	6.92
47:45	6	103.28	79.23	91.10	7.94	8.71
48:45	6	63.11	46.92	54.17	5.63	10.40
52:51	21	94.29	72.97	80.90	6.10	7.54
54:55	22	61.90	41.07	49.99	5.53	11.06
63:62	16	135.48	71.74	95.23	18.32	19.23

Tab. 78. Average values and distribution parameters of the most important skull measurements and indices. Alsónyék. Men.

Martin Nr.	N	Vmax	Vmin	M	S.D.	S.D. / M
1	151	211	162	181.77	8.10	4.46
5	25	140	87	101.76	9.81	9.64
8	118	146	120	133.81	4.78	3.58
9	131	117	83	94.71	4.36	4.60
10	97	125	100	114.40	4.63	4.05
11	80	131	93	113.70	7.00	6.15
12	93	118	94	105.33	5.28	5.01
17	27	148	127	136.41	4.56	3.34
20	18	125	108	113.72	4.84	4.25
23	57	563	470	510.26	17.29	3.39
38	16	1521.34	1212.51	1338.03	107.77	8.05
40	18	115	79	95.67	7.51	7.86
43	89	114	90	100.62	4.14	4.12
45	14	142	113	120.07	7.44	6.19
46	23	103	84	93.30	5.76	6.18
47	25	128	97	110.20	7.48	6.79
48	33	75	55	65.48	4.54	6.94
51s	18	40	34	37.50	1.72	4.60
52s	18	35	29	31.11	1.78	5.72
51d	27	41	34	37.30	1.94	5.20
52d	27	35	28	30.85	1.68	5.45
54	32	29	19	23.72	2.04	8.58
55	34	59	40	47.29	3.89	8.22
60	42	61	50	55.67	2.96	5.32
61	38	68	56	61.11	3.01	4.93
62	27	49	25	37.67	7.05	18.73
63	39	46	29	38.03	3.44	9.04
65	40	122	98	110.73	6.48	5.85
66	80	106	78	92.89	5.90	6.36
68	81	85	61	72.89	4.43	6.08
69	79	40	24	31.91	3.03	9.48
70	77	68	49	57.65	3.83	6.64
71	140	39	27	32.06	2.46	7.68
72	14	98	80	91.00	5.63	6.19
79	80	139	109	124.79	5.96	4.78
8:1	114	84.57	62.83	73.65	3.87	5.26
17:1	28	83.95	58.89	75.90	4.45	5.86
17:8	28	115.63	75.71	101.13	6.71	6.63
20:1	17	66.49	60.56	63.87	1.67	2.61
20:8	17	89.93	77.86	84.00	3.11	3.70
9:8	98	90.00	63.57	71.04	4.02	5.66
47:45	11	102.54	82.03	91.40	5.99	6.55
48:45	11	61.02	47.58	54.62	4.63	8.47
52:51	26	94.29	73.68	82.69	4.95	5.99
54:55	27	61.36	38.98	50.60	4.95	9.78
63:62	25	220.69	62.50	109.20	33.00	30.22

Tab. 79. Average values and distribution parameters of the most important skull measurements and indices. Alsónyék. Women.

Martin Nr.	Categories	Male	Female	Male	Female	Total	%
1	very short	161–171	153–163	1	1	2	0.54
	short	172–177	164–169	5	6	11	2.96
	medium	178–184	170–175	25	33	58	15.63
	long	185–190	176–181	31	36	67	18.0
	very long	191–201	182–192	44	61	105	28.30
	v. very long	202–	193–	14	14	28	7.55
			Total:	120	151	371	
5	very short	88–95	84–90	0	2	2	4.88
	short	96–99	91–94	4	1	5	12.20
	medium	100–103	95–98	4	6	10	24.39
	long	104–107	99–102	2	7	9	21.95
	very long	108–115	103–109	5	7	12	29.27
	v. very long	116–	110–	1	2	3	7.32
			Total:	16	25	41	
8	v. very narrow	...–124	–119	5	0	5	2.29
	very narrow	125–133	120–128	16	11	27	12.39
	narrow	134–138	129–133	49	45	94	43.12
	medium	139–144	134–139	21	49	70	32.11
	wide	145–149	140–144	8	12	20	9.17
	very wide	150–158	145–153	1	1	2	0.92
			Total:	100	118	218	
9	v. very narrow	82–89	79–86	1	1	2	0.84
	narrow	90–93	87–90	17	17	34	14.35
	medium	94–98	91–95	47	59	106	44.73
	very wide	99–102	96–99	30	41	71	29.96
	v. very wide	103–110	100–107	10	12	22	9.29
		111–	108–	1	1	2	0.84
			Total:	106	131	237	
17	very low	118–126	113–120	0	0	0	0.00
	low	127–131	121–125	1	0	1	2.04
	medium	132–136	126–130	3	3	6	12.24
	high	137–141	131–135	6	6	12	24.49
	very high	142–150	136–143	8	16	24	48.98
	v. very high	151–	144–	3	3	6	12.24
			Total:	21	28	49	
20	very low	101–108	97–103	–	–	–	–
	low	109–112	104–107	–	–	–	–
	medium	113–116	108–111	2	9	11	37.93
	high	117–120	112–115	2	4	6	20.69
	very high	121–128	116–122	6	4	10	34.48
	v. very high	129–	123–	1	1	2	6.9
			Total:	11	18	29	
40	very short	83–91	80–87	1	3	4	13.33
	short	92–96	88–92	2	2	4	13.33
	medium	97–101	93–97	4	8	12	40.0
	long	102–106	98–102	3	3	6	20.0
	very long	107–115	103–110	1	1	2	6.67
	v. very long	116–	111–	1	1	2	6.67
			Total:	12	18	30	

Tab. 80. Distribution of absolute measurements of skulls according to ALEXEEV / DEBETS 1964. Alsónyék. Men and Women.

Martin Nr.	Categories	Male	Female	Male	Female	Total	%
45	very narrow	117–125	109–116	3	4	7	30.43
	narrow	126–130	117–121	2	7	9	39.13
	medium	131–136	122–127	3	1	4	17.39
	wide	137–141	128–132	1	1	2	8.70
	very wide	142–150	133–140	–	–	–	–
	v. very wide	150–	140–	–	1	1	4.35
			Total:	9	14	23	
46	very narrow	82–89	78–84	2	2	4	9.76
	narrow	90–94	85–89	6	5	11	26.83
	medium	95–99	90–94	5	7	12	29.27
	wide	100–104	95–99	3	5	8	19.51
	very wide	105–112	100–106	2	4	6	14.63
			Total:	18	23	41	
47	very low	96–107	89–99	2	1	3	6.12
	low	108–114	100–106	3	9	12	24.49
	medium	115–122	107–113	11	8	19	38.78
	high	123–129	114–120	7	3	10	20.41
	very high	130–141	121–131	1	4	5	10.20
			Total:	24	25	49	
48	very low	58–64	54–59	3	3	6	9.68
	low	65–68	60–63	7	6	13	20.97
	medium	69–73	64–68	9	17	26	41.94
	high	74–77	69–72	9	5	14	22.58
	very high	78–84	73–78	1	2	3	4.84
			Total:	29	33	62	
51d	v. very narrow	–36	–34	4	–	4	8.33
	very narrow	36–38	34–36	6	16	22	45.83
	narrow	39–40	37–38	6	6	12	25.0
	medium	41–42	39–40	4	5	11	18.75
	wide	43–44	41–42	–	–	–	–
	very wide	45–47	43–45	1	–	1	2.08
	v. very wide	48–	46–	–	–	–	–
			Total:	21	27	48	
52d	v. very low	–28	–28	3	–	3	6.0
	very low	28–30	28–30	4	10	14	28.0
	low	31–32	31–32	8	14	22	44.0
	medium	33–34	33–34	8	2	10	20.0
	high	35–36	35–36	–	1	1	2.0
			Total:	23	27	50	
51s	v. very narrow	–35	–33	1	–	1	2.94
	very narrow	36–38	34 – 36	8	5	13	38.23
	narrow	39–40	37 – 38	4	8	12	35.3
	medium	41–42	39 – 40	3	5	8	23.5
	wide	43–44	41 – 42	–	–	–	–
	very wide	45–47	43 – 45	–	–	–	–
			Total:	16	18	34	

Tab. 80. (continued).

Martin Nr.	Categories	Male	Female	Male	Female	Total	%
52s	v. very low	–27	–27	1	–	1	2.7
	very low	28–30	28–30	5	10	15	40.54
	low	31–32	31–32	10	3	13	35.14
	medium	33–34	33–34	1	4	5	13.51
	high	35–36	35–36	2	1	3	8.11
	very high	37–39	37–39	–	–	–	–
Total:				19	18	37	
54	very narrow	19– 21	19–21	5	4	9	13.43
	narrow	22– 23	22–23	7	10	17	25.37
	medium	24–25	24–25	13	14	27	40.30
	wide	26–27	26–27	8	3	11	16.42
	very wide	28–30	28–30	2	1	3	4.48
	v. very wide	31–	31–	–	–	–	–
Total:				35	32	67	
55	v. very low	–42	–39	1	–	1	1.64
	very low	43– 47	40–44	5	7	12	19.67
	low	48– 50	45–47	9	14	23	37.7
	medium	51– 53	48–50	7	7	14	22.95
	high	54– 56	51–53	4	4	8	13.11
	very high	57– 61	54–58	1	2	3	4.92
Total:				27	34	61	
62	v. very short	–36	–34	4	9	13	26.53
	very short	37–41	35–38	6	6	12	24.49
	short	42–44	39–41	3	3	6	12.24
	medium	45–47	42–44	3	3	6	12.24
	long	48–50	45–47	6	4	10	20.41
	very long	51–55	48–51	–	2	2	4.08
Total:				22	27	49	
63	very narrow	–34	–32	5	3	8	10.0
	narrow	35–37	33–35	5	5	10	12.5
	medium	38–40	36–38	12	13	25	31.25
	wide	41–43	39–41	15	13	28	35.0
	very wide	44–47	42–45	3	4	7	8.75
	v. very wide	48–	46–	1	1	2	2.5
Total:				41	39	80	
65	v. very narrow	–100	–93	2	–	2	2.38
	very narrow	101–110	94–104	9	8	17	20.24
	narrow	111–116	105–109	15	11	26	30.95
	medium	117–122	110–115	10	11	21	25.0
	wide	123–128	116–120	4	6	10	11.9
	very wide	129–138	121–131	4	4	8	9.52
Total:				44	40	84	
66	very narrow	79–90	74–85	10	9	19	11.59
	narrow	91–96	86–90	21	15	36	21.95
	medium	97–103	91–97	36	37	73	44.51
	wide	104–109	98–102	15	16	30	18.9
	very wide	110–121	103–114	2	3	5	3.05
Total:				84	80	164	

Tab. 80. (continued).

Martin Nr.	Categories	Male	Female	Male	Female	Total	%
69	very low	24–28	21–24	2	2	4	2.4
	low	29–31	25–27	14	2	16	9.58
	medium	32–34	28–30	24	23	47	28.14
	high	35–37	31–33	33	23	56	33.53
	very high	38–42	34–37	15	29	44	26.35
	v. very high	43–	38–	–	–	–	–
			Total:	88	79	167	
70	very low	–53	–48	4	–	4	2.41
	low	54–58	49–52	23	–	30	18.07
	medium	59–63	53–57	37	7	70	42.17
	high	64–68	58–61	22	33	47	28.31
	very high	69–77	62–70	3	25	15	9.04
	v. very low	78–	71–	–	12	–	–
			Total:	88	78	166	
71	very narrow	25–29	23–26	9	–	9	3.64
	narrow	30–32	27–29	34	21	55	22.27
	medium	33–34	30–32	40	56	96	38.87
	wide	35–37	33–35	25	44	69	27.93
	very wide	38–48	36–40	5	13	18	7.29
			Total:	113	134	247	
79	very small	100–111	104–115	2	6	8	4.82
	small	112–117	116–121	12	18	30	18.07
	medium	118–124	122–128	31	34	65	39.16
	large	125–130	129–134	28	20	48	28.91
	very large	131–142	135–146	13	2	15	9.04
			Total:	86	80	166	

Tab. 80. (continued).

Martin Nr.	Categories	Male			Female			Total	
			N	%		N	%	N	%
8:1	Hyperdolichocephalic	–73.2	66	66.00	–74.1	65	57.02	131	61.21
	Dolichocephalic	73.3–76.4	21	21.00	74.2–77.3	30	26.32	51	23.83
	Mesocephalic	76.5–79.9	9	9.00	77.4–80.8	16	14.04	25	11.68
	Brachycephalic	80.0–83.1	3	3.00	80.9–84.0	2	1.75	5	2.34
	Hyperbrachycephalic	83.2–	1	1.00	84.1–	1	0.88	2	0.93
	Total:		100			114		214	
17:1	Hyperchamaecephalic	–69.2	0	0.00	–69.4	0	0.00	0	0.00
	Chamaecephalic	69.3–72.3	2	9.52	69.5–72.5	3	11.11	5	10.42
	Orthocephalic	72.4–75.6	6	28.57	72.6–75.8	8	29.63	14	29.17
	Hypsicephalic	75.7–78.7	7	33.33	75.9–78.9	10	37.04	17	35.42
	Hyperhypsicephalic	78.8–	6	28.57	79.0–	6	22.22	12	25.00
	Total:		21			27		48	
20:1	Hyperchamaecephalic	–59.4	0	0.00	–59.6	0	0.00	0	0.00
	Chamaecephalic	59.5–61.8	5	45.45	59.7–62.0	3	17.65	8	28.57
	Orthocephalic	61.9–64.7	2	18.18	62.1–64.9	10	58.82	12	42.86
	Hypsicephalic	64.8–67.1	3	27.27	65.0–67.3	4	23.53	7	25.00
	Hyperhypsicephalic	67.2–	1	9.09	67.4–	0	0.00	1	3.57
	Total:		11			17		28	
17:8	Hypertapeinocephalic	–87.9	0	0.00	–87.1	1	3.57	0	0.00
	Tapeinocephalic	88.0–92.3	0	0.00	87.2–91.4	0	0.00	0	0.00
	Metriocephalic	92.4–97.0	2	10.53	91.5–96.1	3	10.71	5	10.87
	Acrocephalic	97.1–101.4	7	36.84	96.2–100.4	8	28.57	15	32.61
	Hyperacrocephalic	101.5–	10	52.63	100.4–	16	57.14	26	56.52
	Total:		19			28		46	
20:8	Hypertapeinocephalic	–75.8	0	0.00	–75.1	0	0.00	0	0.00
	Tapeinocephalic	75.9–78.9	1	9.09	75.2–78.2	1	5.88	2	7.14
	Metriocephalic	79.0–82.8	3	27.27	78.3–82.1	2	11.76	5	17.86
	Acrocephalic	82.9–85.9	4	36.36	82.2–85.2	8	47.06	12	42.86
	Hyperacrocephalic	86.0–	3	27.27	85.3–	6	35.29	9	32.14
	Total:		11			17		28	
9:8	Hyperstenometopic	–62.7	0	0.00	–63	0	0.00	0	0.00
	Stenometopic	62.8–66.0	4	4.71	63.1–66.3	9	9.18	13	7.10
	Metriometopic	66.1–69.6	30	35.29	66.4–69.9	33	33.67	63	34.43
	Eurymetopic	69.7–72.9	24	28.24	70.0–73.2	32	32.65	56	30.60
	Hypereurymetopic	73.0–	27	31.76	73.3–	24	24.49	51	27.87
	Total:		85			98		183	
38	Hyperoligencephalic	–1227	0	0.00	–1096	0	0.00	0	0.00
	Oligencephalic	1228–1337	1	9.09	1097–1195	0	0.00	1	3.70
	Euencephalic	1338–1462	5	45.45	1196–1307	7	43.75	12	44.44
	Aristencephalic	1463–1572	3	27.27	1308–1406	5	31.25	8	29.63
	Hyperaristencephalic	1573–	2	18.18	1407–1582	4	25.00	6	22.22
	Total:		11			16		27	

Tab. 81. Distribution of skull indices according to ALEXEEV / DEBETS 1964. Alsónyék. Men and Women.

Martin Nr.	Categories	Male			Female			Total	
		N	%		N	%		N	%
47:45	Hypereuryprosopic	–80.5	1	16.67	–80.1	0	0.00	1	5.88
	Euryprosopic	80.6–85.8	0	0.00	80.2–85.4	2	18.18	2	11.76
	Mesoprosopic	85.9–91.6	3	50.00	85.5–91.1	4	36.36	7	41.18
	Leptoprosopic	91.7–96.9	1	16.67	91.2–96.4	3	27.27	4	23.53
	Hyperleptoprosopic	97.0–	1	16.67	96.5–	2	18.18	3	17.65
	Total:		6			11		17	
48:45	Hypereuryene	–48.3	1	16.67	–48.1	2	18.18	3	17.65
	Euryene	48.4–51.4	1	16.67	48.2–51.2	1	9.09	2	11.76
	Mesene	51.5–54.9	2	33.33	51.3–54.7	2	18.18	4	23.53
	Leptene	55.0–58.0	1	16.67	54.8–57.8	4	36.36	5	29.41
	Hyperleptene	58.1–	1	16.67	57.9–	2	18.18	3	17.65
	Total:		6			11		17	
52:51	Hyperchamaekonch	–73.8	3	14.29	–76.4	3	11.54	6	12.77
	Chamaekonch	73.9–78.7	6	28.57	76.5–81.5	9	34.62	15	31.91
	Mesoconch	78.8–84.3	7	33.33	81.6–87.3	9	34.62	16	34.04
	Hypsiconch	84.4–89.2	3	14.29	87.4–92.4	4	15.38	7	14.89
	Hyperhypsiconch	89.3–	2	9.52	92.5–	1	3.85	3	6.38
	Total:		21			26		47	
54:55	Hyperleptorrhine	–42.5	2	9.09	–43.3	1	3.70	3	6.12
	Leptorrhine	42.6–46.6	4	18.18	43.4–47.5	7	25.93	11	22.45
	Mesorrhine	46.7–51.1	7	31.82	47.6–52.1	7	25.93	14	28.57
	Chamaerrhine	51.2–55.2	5	22.73	52.2–56.3	9	33.33	14	28.57
	Hyperchamaerrhine	55.3–	4	18.18	56.4–	3	11.11	7	14.29
	Total:		22			27		49	
63:62	Hyperleptostaphylin	–75.7	2	12.50	–75.8	3	12.50	5	12.50
	Leptostaphylin	75.8–82.6	3	18.75	75.9–82.7	3	12.50	6	15.00
	Mesostaphylin	82.7–90.3	2	12.50	82.8–90.5	2	8.33	4	10.00
	Brachystaphylin	90.4–97.2	2	12.50	90.6–97.4	1	4.17	3	7.50
	Hyperbrachystaphylin	97.3–	7	43.75	97.5–	15	62.50	22	55.00
	Total:		16			24		40	

Tab. 81. (continued).

Martin Nr.	N	Vmax	Vmin	M	S.D.	S.D. / M
1	17	212	177	192.47	8.56	4.45
5	2	108	108	108.00	0.00	0.00
8	15	146	122	137.67	5.30	3.85
9	17	104	92	97.47	3.30	3.39
10	13	128	112	118.85	4.72	3.97
11	9	129	97	114.67	8.85	7.71
12	13	117	101	111.00	4.55	4.10
17	3	154	141	145.67	7.23	4.97
20	3	127	118	121.00	5.20	4.29
23	9	579	498	533.44	22.17	4.16
25	0	–	–	–	–	–
26	2	38	35	36.50	2.12	5.81
27	3	34	28	31.33	3.06	9.75
28	0	–	–	–	–	–
29	13	82	64	75.62	5.85	7.74
30	3	94	88	91.67	3.21	3.51
31	12	137	116	124.08	6.10	4.91
38	3	1594.98	1418.99	1482.99	97.31	6.56
40	2	100	97	98.50	2.12	2.15
43	11	110	99	103.64	3.56	3.43
45	2	127	119	123.00	5.66	4.60
46	2	92	88	90.00	2.83	3.14
47	3	125	112	117.67	6.66	5.66
48	4	77	65	70.75	5.68	8.03
51	3	39	35	37.67	2.31	6.13
52	4	34	27	30.50	2.89	9.46
54	6	27	20	23.17	2.40	10.37
55	4	51	46	48.75	2.22	4.55
60	6	61	56	58.83	1.60	2.72
61	5	64	58	61.00	2.24	3.67
62	4	47	37	43.25	4.50	10.40
63	6	42	33	37.17	3.66	9.84
65	8	120	104	113.75	5.01	4.40
66	12	113	88	98.92	7.08	7.15
69	11	40	30	33.91	2.95	8.69
70	13	63	50	57.23	3.77	6.58
71	19	39	28	32.95	2.55	7.74
8:1	15	78.53	62.56	71.79	4.27	5.95
17:1	3	78.57	74.60	76.64	1.99	2.59
17:8	3	113.24	104.44	107.62	4.88	4.53
20:1	3	66.67	63.78	65.08	1.46	2.25
20:8	3	93.38	84.89	88.56	4.36	4.92
9:8	13	77.04	67.12	71.02	3.01	4.23
47:45	2	94.12	91.34	92.73	1.97	2.12
48:45	2	54.62	52.76	53.69	1.32	2.46
52:51	3	79.49	76.92	77.85	1.42	1.83
54:55	4	52.94	47.83	49.69	2.38	4.79
63:62	3	108.11	71.74	90.18	18.19	20.17

Tab 82. Average values and distribution parameters of the most important skull measurements and indices. Burials with timber structure. Alsónyék. Men.

Martin Nr.	N	Vmax	Vmin	M	S.D.	S.D. / M
1	20	197	172	183.75	7.36	4.01
5	0	–	–	–	–	–
8	18	142	127	133.44	4.72	3.54
9	16	103	89	94.69	3.52	3.71
10	13	122	104	113.38	4.39	3.87
11	12	119	99	109.58	7.01	6.40
12	14	116	100	105.93	4.34	4.10
17	1	138	138	138.00	–	–
20	2	120	119	119.50	0.71	0.59
23	8	563	495	519.38	23.71	4.57
25	0	–	–	–	–	–
26	1	36	36	36.00	–	–
27	1	30	30	30.00	–	–
28	0	–	–	–	–	–
29	11	85	62	73.27	6.13	8.37
30	0	–	–	–	–	–
31	10	130	109	120.80	7.32	6.06
38	2	1513.06	1434.72	1473.89	55.39	3.76
40	0	–	–	–	–	–
43	7	103	93	99.29	3.77	3.80
45	0	–	–	–	–	–
46	2	97	89	93.00	5.66	6.08
47	3	128	105	114.67	11.93	10.40
48	4	73	65	68.00	3.46	5.09
51	2	36	36	36.00	0.00	0.00
52	2	32	32	32.00	0.00	0.00
54	3	24	23	23.67	0.58	2.44
55	5	53	45	48.00	3.08	6.42
60	5	57	55	55.80	0.84	1.50
61	4	65	58	61.25	2.99	4.88
62	3	47	27	35.33	10.41	29.46
63	5	38	34	36.60	1.95	5.33
65	8	121	99	110.50	6.93	6.27
66	10	101	82	92.10	6.30	6.84
69	9	38	27	32.67	3.64	11.14
70	10	68	52	58.20	4.73	8.13
71	21	35	28	31.76	1.95	6.13
8:1	18	79.65	65.46	72.89	3.71	5.08
17:1	1	73.40	73.40	73.40	–	–
17:8	1	104.55	104.55	104.55	–	–
20:1	2	64.52	61.98	63.25	1.79	2.84
20:8	2	88.24	83.80	86.02	3.13	3.64
9:8	14	76.74	64.79	70.11	3.24	4.62
47:45	0	–	–	–	–	–
48:45	0	–	–	–	–	–
52:51	2	88.89	88.89	88.89	0.00	0.00
54:55	3	52.17	50.00	51.10	1.09	2.13
63:62	3	140.74	72.34	107.49	34.24	31.85

Tab 83. Average values and distribution parameters of the most important skull measurements and indices. Burials with timber structure. Alsónyék. Women.

Martin Nr.	Categories	Male			Female			Total	
		N	%		N	%		N	%
8:1	Hyperdolichocephalic	-73.2	10	66.67	-74.1	11	61.11	21	63.64
	Dolichocephalic	73.3-76.4	2	13.33	74.2-77.3	4	22.22	6	18.18
	Mesocephalic	76.5-79.9	3	20.00	77.4-80.8	3	16.67	6	18.18
	Brachycephalic	80.0-83.1	0	0.00	80.9-84.0	0	0.00	0	0.00
	Hyperbrachycephalic	83.2-	0	0.00	84.1-	0	0.00	0	0.00
	Total:		15			18		33	
17:1	Hyperchamaecephalic	-69.2	0	0.00	-69.4	0	0.00	0	0.00
	Chamaecephalic	69.3-72.3	0	0.00	69.5-72.5	0	0.00	0	0.00
	Orthocephalic	72.4-75.6	1	33.33	72.6-75.8	1	100.00	2	50.00
	Hypsicephalic	75.7-78.7	2	66.67	75.9-78.9	0	0.00	2	50.00
	Hyperhypsicephalic	78.8-	0	0.00	79.0-	0	0.00	0	0.00
	Total:		3			1		4	
20:1	Hyperchamaecephalic	-59.4	0	0.00	-59.6	0	0.00	0	0.00
	Chamaecephalic	59.5-61.8	0	0.00	59.7-62.0	1	50.00	1	20.00
	Orthocephalic	61.9-64.7	1	33.33	62.1-64.9	1	50.00	2	40.00
	Hypsicephalic	64.8-67.1	2	66.67	65.0-67.3	0	0.00	2	40.00
	Hyperhypsicephalic	67.2-	0	0.00	67.4-	0	0.00	0	0.00
	Total:		3			2		5	
17:8	Hypertapeinocephalic	-87.9	0	0.00	-87.1	0	0.00	0	0.00
	Tapeinocephalic	88.0-92.3	0	0.00	87.2-91.4	0	0.00	0	0.00
	Metriocephalic	92.4-97.0	0	0.00	91.5-96.1	0	0.00	0	0.00
	Acrocephalic	97.1-101.4	0	0.00	96.2-100.4	0	0.00	0	0.00
	Hyperacrocephalic	101.5-	3	100.00	100.4-	1	100.00	4	100.00
	Total:		3			1		4	
20:8	Hypertapeinocephalic	-75.8	0	0.00	-75.1	0	0.00	0	0.00
	Tapeinocephalic	75.9-78.9	0	0.00	75.2-78.2	0	0.00	0	0.00
	Metriocephalic	79.0-82.8	0	0.00	78.3-82.1	0	0.00	0	0.00
	Acrocephalic	82.9-85.9	1	33.33	82.2-85.2	1	50.00	2	40.00
	Hyperacrocephalic	86.0-	2	66.67	85.3-	1	50.00	3	60.00
	Total:		3			2		5	
9:8	Hyperstenometopic	-62.7	0	0.00	-63	0	0.00	0	0.00
	Stenometopic	62.8-66.0	0	0.00	63.1-66.3	1	7.14	1	3.70
	Metriometopic	66.1-69.6	5	38.46	66.4-69.9	6	42.86	11	40.74
	Eurytopic	69.7-72.9	5	38.46	70.0-73.2	4	28.57	9	33.33
	Hypereurytopic	73.0-	3	23.08	73.3-	3	21.43	6	22.22
	Total:		13			14		27	
38	Hyperoligencephalic	-1227	0	0.00	-1096	0	0.00	0	0.00
	Oligencephalic	1228-1337	0	0.00	1097-1195	0	0.00	0	0.00
	Euencephalic	1338-1462	2	66.67	1196-1307	0	0.00	2	40.00
	Aristencephalic	1463-1572	0	0.00	1308-1406	0	0.00	0	0.00
	Hyperaristencephalic	1573-	1	33.33	1407-1582	2	100.00	3	60.00
	Total:		3			2		5	

Tab. 84. Distribution of skull indices according to ALEXEEV / DEBETS 1964. Burials with timber structure. Alsónyék. Men and Women.

Martin Nr.	Categories	Male			Female			Total	
		N		%	N		%	N	%
47:45	Hypereuryprosopic	–80.5	0	0.00	–80.1	0	–	0	0.00
	Euryprosopic	80.6–85.8	0	0.00	80.2–85.4	0	–	0	0.00
	Mesoprosopic	85.9–91.6	1	50.00	85.5–91.1	0	–	1	50.00
	Leptoprosopic	91.7–96.9	1	50.00	91.2–96.4	0	–	1	50.00
	Hyperleptoprosopic	97.0–	0	0.00	96.5–	0	–	0	0.00
	Total:		2			0		2	
48:45	Hypereuryene	–48.3	0	0.00	–48.1	0	–	0	0.00
	Euryene	48.4–51.4	0	0.00	48.2–51.2	0	–	0	0.00
	Mesene	51.5–54.9	2	100.00	51.3–54.7	0	–	2	100.00
	Leptene	55.0–58.0	0	0.00	54.8–57.8	0	–	0	0.00
	Hyperleptene	58.1–	0	0.00	57.9–	0	–	0	0.00
	Total:		2			0		2	
52:51	Hyperchamaeconch	–73.8	0	0.00	–76.4	0	0.00	0	0.00
	Chamaeconch	73.9–78.7	2	66.67	76.5–81.5	0	0.00	2	40.00
	Mesoconch	78.8–84.3	1	33.33	81.6–87.3	0	0.00	1	20.00
	Hypsiconch	84.4–89.2	0	0.00	87.4–92.4	2	100.00	2	40.00
	Hyperhypsiconch	89.3–	0	0.00	92.5–	0	0.00	0	0.00
	Total:		3			2		5	
54:55	Hyperleptorrhine	–42.5	0	0.00	–43.3	0	0.00	0	0.00
	Leptorrhine	42.6–46.6	0	0.00	43.4–47.5	0	0.00	0	0.00
	Mesorrhine	46.7–51.1	3	75.00	47.6–52.1	2	66.67	5	71.43
	Chamaerrhine	51.2–55.2	1	25.00	52.2–56.3	1	33.33	2	28.57
	Hyperchamaerrhine	55.3–	0	0.00	56.4–	0	0.00	0	0.00
	Total:		4			3		7	
63:62	Hyperleptostaphylin	–75.7	1	33.33	–75.8	1	33.33	2	33.33
	Leptostaphylin	75.8–82.6	0	0.00	75.9–82.7	0	0.00	0	0.00
	Mesostaphylin	82.7–90.3	0	0.00	82.8–90.5	0	0.00	0	0.00
	Brachystaphylin	90.4–97.2	1	33.33	90.6–97.4	0	0.00	1	16.67
	Hyperbrachystaphylin	97.3–	1	33.33	97.5–	2	66.67	3	50.00
	Total:		3			3		6	

Tab. 84. (continued).

Traits		Male		Female		Total	
Top view	ovoid	56	45.90 %	80	48.19 %	136	47.22 %
	pentagonoid	46	37.70 %	67	40.36 %	113	39.23 %
	ovo-pentag.	4	3.28 %	8	4.82 %	12	4.17 %
	ellipsoid	9	7.38 %	6	3.62 %	15	5.21 %
	sphenoid	2	1.64 %	2	1.20 %	4	1.39 %
	spheroid	4	3.28 %	2	1.21 %	6	2.08 %
	birsoïd	1	0.82 %	1	0.60 %	2	0.69 %
	Total:	122		166		288	
Posterior view	bomb	2	1.80 %	6	5.09 %	8	3.49 %
	house	96	86.49 %	102	86.44 %	198	86.46 %
	tent	13	11.71 %	7	5.93 %	20	8.73 %
	bomb-house	0	0.00 %	2	1.69 %	2	0.87 %
	House-tent	0	0.00 %	1	0.85 %	1	0.44 %
	Total:	111		118		237	
Arch of the forehead	steep	22	14.96 %	62	31.16 %	84	24.28 %
	curved	113	76.88 %	133	66.83 %	246	71.10 %
	flat	12	8.16 %	4	2.01 %	16	4.62 %
	Total:	147		199		346	
Arch of the occipital bone	curvoccipital	136	95.10 %	195	98.48 %	331	97.07 %
	planoccipital	2	3.50 %	1	0.51 %	3	0.87 %
	bathrocranic	5	1.40 %	2	1.01 %	7	2.05 %
	Total:	143		198		341	
Glabella	Broca 1	0	0.00 %	0	0.00 %	0	0.00 %
	Broca 2	26	14.44 %	55	21.49 %	81	18.58 %
	Broca 3	111	61.67 %	183	71.48 %	294	67.43 %
	Broca 4	42	23.33 %	18	7.03 %	60	13.76 %
	Broca 5	1	0.56 %	0	0.00 %	1	0.23 %
	Broca 6	0	0.00 %	0	0.00 %	0	0.00 %
	Total:	180		256		436	
External occipital protuberance	Broca 0	4	2.31 %	46	20.54 %	50	12.59 %
	Broca 1	52	30.06 %	164	73.21 %	216	54.41 %
	Broca 2	91	52.60 %	14	6.25 %	105	26.45 %
	Broca 3	23	13.30 %	0	0.00 %	23	5.79 %
	Broca 4	3	1.73 %	0	0.00 %	3	0.76 %
	Broca 5	0	0.00 %	0	0.00 %	0	0.00 %
	Total:	173		224		397	
Orbit	round	18	16.22 %	62	56.36 %	80	36.20 %
	angular	93	83.78 %	48	43.64 %	141	63.80 %
	Total:	111		110		221	
Nose	narrow	19	47.50 %	21	43.75 %	40	45.45 %
	wide	21	52.50 %	27	56.25 %	48	54.55 %
	Total:	40		48		88	
Piriform aperture	anthropin	73	70.19 %	94	84.68 %	167	77.67 %
	<i>fossa praeenasalis</i>	19	18.27 %	11	9.92 %	30	13.95 %
	<i>sulcus praeenasalis</i>	12	11.54 %	6	5.40 %	18	8.37 %
	Total:	104		111		215	

Tab. 85. Distribution of morphological traits of skulls. Alsónyék. Men and Women.

Traits		Male		Female		Total	
Anterior nasal spine	Broca 1	0	0.00 %	1	3.45 %	1	1.54 %
	Broca 2	16	44.44 %	16	55.17 %	32	49.23 %
	Broca 3	14	38.89 %	8	27.59 %	22	33.85 %
	Broca 4	6	16.67 %	4	13.79 %	10	15.38 %
	Broca 5	0	0.00 %	0	0.00 %	0	0.00 %
	Total:	36		29		65	
Canine fossa	shallow	8	12.31 %	11	10.38 %	19	11.11 %
	medium	30	46.15 %	39	36.79 %	69	40.35 %
	deep	27	41.54 %	56	52.83 %	83	48.54 %
	Total:	65		106		171	
Alveolar prognathism	none	57	64.04 %	34	40.47 %	91	52.60 %
	mild	27	30.34 %	37	44.05 %	64	36.99 %
	pronounced	5	5.62 %	13	15.48 %	18	10.40 %
	Total:	89		84		173	

Tab. 85. (continued).

Traits		Male		Female		Total	
Top view	ovoid	7	36.84 %	9	45.00 %	16	41.03 %
	pentagonoid	9	47.37 %	9	45.00 %	18	46.15 %
	ovo-pentag.	2	10.50 %	1	5.00 %	3	7.69 %
	ellipsoid	1	5.26 %	1	5.00 %	2	5.12 %
	sphenoid	0	0.00 %	0	0.00 %	0	0.00 %
	spheroid	0	0.00 %	0	0.00 %	0	0.00 %
	birsoïd	0	0.00 %	0	0.00 %	0	0.00 %
	Total:	19		20		39	
Posterior view	bomb	0	0.00 %	2	10.53 %	2	5.88 %
	house	14	93.33 %	16	84.21 %	30	88.24 %
	tent	1	6.67 %	1	5.26 %	2	5.88 %
	bomb-house	0	0.00 %	0	0.00 %	0	0.00 %
	house-tent	0	0.00 %	0	0.00 %	0	0.00 %
	Total:	15		19		34	
Arch of the forehead	steep	2	10.00 %	6	26.09 %	8	18.60 %
	curved	15	75.00 %	16	69.57 %	31	72.09 %
	flat	3	15.00 %	1	4.35 %	4	9.30 %
	Total:	20		23		43	
Arch of the occipital bone	curvoccipital	19	95.00 %	23	100.00 %	42	97.67 %
	planoccipital	0	0.00 %	0	0.00 %	0	0.00 %
	bathrokran	1	5.00 %	0	0.00 %	1	2.33 %
	Total:	20		23		43	
Glabella	Broca 1	0	0.00 %	5	18.52 %	5	10.20 %
	Broca 2	1	4.55 %	20	74.07 %	21	42.86 %
	Broca 3	16	72.73 %	2	7.41 %	18	36.73 %
	Broca 4	5	22.73 %	0	0.00 %	5	10.20 %
	Broca 5	0	0.00 %	0	0.00 %	0	0.00 %
	Broca 6	0	0.00 %	0	0.00 %	0	0.00 %
	Total:	22		27		49	
External occipital protuberance	Broca 0	1	4.35 %	6	25.00 %	7	14.89 %
	Broca 1	4	17.39 %	16	66.67 %	20	42.55 %
	Broca 2	14	60.87 %	2	8.33 %	16	34.04 %
	Broca 3	4	17.39 %	0	0.00 %	4	8.51 %
	Broca 4	0	0.00 %	0	0.00 %	0	0.00 %
	Broca 5	0	0.00 %	0	0.00 %	0	0.00 %
	Total:	23		24		47	
Orbit	round	2	14.29 %	7	50.00 %	9	31.03 %
	angular	13	85.71 %	7	50.00 %	20	68.97 %
	Total:	15		14		29	
Nose	narrow	4	80.00 %	1	20.00 %	5	50.00 %
	wide	1	20.00 %	4	80.00 %	5	50.00 %
	Total:	5		5		10	
Piriform aperture	anthropin	8	66.67 %	13	100.00 %	21	84.00 %
	<i>fossa praeenasalis</i>	3	25.00 %	0	0.00 %	3	12.00 %
	<i>sulcus praeenasalis</i>	1	8.33 %	0	0.00 %	1	4.00 %
	Total:	12		13		25	

Tab. 86. Distribution of morphological traits of skulls. Burials with timber structure. Alsónyék. Men and Women.

Traits		Male		Female		Total	
Anterior nasal spine	Broca 1	0	0.00 %	0	0.00 %	0	0.00 %
	Broca 2	3	42.86 %	2	66.67 %	5	50.00 %
	Broca 3	3	42.86 %	1	33.33 %	4	40.00 %
	Broca 4	1	14.29 %	0	0.00 %	1	10.00 %
	Broca 5	0		0	0.00 %	0	0.00 %
	Total:	7		3		10	
Canine <i>fossa</i>	shallow	1	11.11 %	2	18.18 %	3	15.00 %
	medium	5	55.56 %	3	27.27 %	8	40.00 %
	deep	3	33.33 %	6	54.55 %	9	45.00 %
	Total:	9		11		20	
Alveolar prognathism	none	8	61.54 %	4	36.36 %	12	50.00 %
	mild	5	38.46 %	5	45.45 %	10	41.66 %
	pronounced	0	0.00 %	2	18.18 %	2	8.33 %
	Total:	13		11		24	

Tab. 86. (continued).

Grave Nr. / Martin Nr.			1	2	8	16	63	70	91	98	111	132
Clavicle	1	right	—	—	—	—	143	156	—	—	—	—
		left	—	145	—	147	143	—	—	—	—	—
	6	right	—	—	—	—	31	37	(33)	—	—	—
		left	—	38	—	38	29	—	34	—	—	—
Humerus	1	right	—	—	—	318	306	308	—	—	—	—
		left	—	—	—	—	(303)	303	—	—	—	320
	2	right	—	—	—	314	304	306	—	—	—	—
		left	—	—	—	312	(301)	300	—	—	—	317
	4	right	60	—	—	62	60	60	(53)	61	—	63
		left	—	—	—	—	(59)	59	—	—	—	65
	5	right	19	—	—	21	19	22	(22)	—	20	23
		left	—	21	—	20	17	21	22	24	19	24
	6	right	17	—	—	17	16	19	(20)	—	15	15
		left	—	18	—	16	16	19	20	21	14	15
	7	right	51	—	—	61	51	58	(64)	—	51	61
		left	—	61	—	59	48	57	63	—	50	62
	9	right	(40)	—	—	49	42	43	45	—	—	—
		left	—	—	—	47	43	40	44	44	—	47
Radius	1	right	—	—	—	242	—	239	—	—	—	—
		left	—	—	—	—	—	239	—	238	—	—
Ulna	1	right	—	—	—	—	—	—	(265)	254	—	—
		left	—	—	—	—	—	—	—	257	—	—
Femur	1	right	—	(445)	—	441	430	—	—	—	—	452
		left	(408)	—	—	450	432	—	—	—	—	451
	2	right	400	—	—	439	421	—	—	—	—	450
		left	400	—	—	440	420	—	—	—	—	448
	6	right	27	30	—	29	25	30	30	—	—	32
		left	26	30	—	29	24	29	29	31	—	33
	7	right	23	26	—	25	23	26	24	—	—	25
		left	23	26	—	26	24	26	25	28	—	25
	8	right	77	89	—	87	74	85	84	—	—	92
		left	76	89	—	88	73	84	(83)	90	—	93
	9	right	—	33	—	30	29	35	29	—	—	31
		left	27	34	34	32	30	34	—	39	—	35
	10	right	—	26	—	25	24	28	26	—	—	24
		left	24	27	27	25	24	27	—	30	—	24
	19	right	—	47	—	46	44	43	—	—	—	46
		left	(44)	47	45	—	43	43	—	47	(44)	46
	21	right	—	—	—	—	(73)	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
Tibia	1	right	(338)	—	—	—	(347)	—	—	—	—	—
		left	—	—	—	—	352	—	—	—	—	—
	1a	right	(343)	—	—	—	355	—	—	—	—	—
		left	(342)	—	—	366	—	—	—	—	—	—
	1b	right	(335)	—	—	—	(343)	—	—	—	—	—
		left	(333)	—	—	361	—	—	—	—	—	—
	8a	right	33	34	—	—	32	34	37	—	—	—
		left	34	—	—	36	—	—	—	38	—	—
	9a	right	20	21	—	—	20	29	23	—	—	—
		left	21	—	—	23	—	—	—	27	—	—
	10b	right	71	—	—	75	65	76	74	—	—	—
		left	69	—	—	74	65	75	74	79	—	78
Fibula	1	right	—	—	—	—	342	—	—	—	—	—
		left	—	—	—	—	342	—	—	—	—	—
Height	Sjovold		157.5	166.5	—	166.2	160.9	164.6	169.0	164.6	—	167.5
	Rösing		156.8	163.7	—	162.6	159.4	159.8	—	161.5	—	163.4
	Bernert		162.0	168.3	—	168.4	165.6	163.2	—	165.6	—	169.6

Tab. 87. Individual skeletal measurements and estimated height. Alsónyék. Men. Measurements in brackets uncertain.

Grave Nr./ Martin Nr.			144	151	161	203	212	214	260	262	279	337
Clavicle	1	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	149	—	—	—
	6	right	34	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	44	—	—	—
Humerus	1	right	—	—	—	—	310	—	—	—	—	—
		left	—	—	—	307	308	—	—	—	—	—
	2	right	—	—	—	—	306	—	—	—	—	—
		left	—	—	—	302	304	—	—	—	—	—
	4	right	—	—	—	56	52	63	—	—	63	—
		left	—	55	—	57	52	62	—	—	—	—
	5	right	—	—	—	21	21	—	23	—	20	26
		left	23	22	21	21	21	22	22	22	19	25
	6	right	—	—	—	17	16	—	20	—	17	20
		left	17	17	17	18	16	19	20	20	17	20
	7	right	—	—	—	59	56	63	66	—	60	68
		left	50	51	54	58	55	63	—	62	59	68
	9	right	—	—	—	—	42	—	45	—	—	50
		left	(44)	—	—	—	41	—	44	—	—	—
Radius	1	right	—	—	—	—	—	—	233	—	—	—
		left	—	—	—	(242)	223	249	—	—	—	—
Ulna	1	right	—	—	—	—	—	265	—	—	—	—
		left	—	—	—	266	246	268	—	—	274	—
Femur	1	right	—	—	—	—	(412)	437	—	—	—	—
		left	(407)	—	—	443	414	437	—	—	(475)	—
	2	right	—	—	—	436	(407)	430	—	—	—	—
		left	—	—	—	438	410	430	—	—	465	—
	6	right	32	—	—	30	26	31	30	27	25	—
		left	31	—	—	30	27	30	30	27	27	—
	7	right	24	—	—	26	27	26	28	28	27	—
		left	24	—	—	26	28	26	28	29	26	—
	8	right	82	—	—	89	84	91	93	89	88	—
		left	81	—	—	89	85	90	93	90	85	—
	9	right	—	—	—	32	30	28	—	—	33	—
		left	—	—	—	32	32	28	37	39	30	—
	10	right	—	—	—	27	24	33	—	—	26	—
		left	—	—	—	27	25	34	25	28	26	—
	19	right	—	—	—	43	42	45	48	—	—	46
		left	—	—	—	43	42	45	—	—	—	46
	21	right	—	—	—	—	—	77	—	—	—	—
		left	—	—	—	(77)	71	76	—	—	—	—
Tibia	1	right	—	—	—	—	—	—	—	(362)	—	—
		left	—	—	—	343	—	353	—	363	—	—
	1a	right	—	—	—	—	350	—	—	(369)	—	—
		left	—	—	—	357	—	364	—	—	—	—
	1b	right	—	—	—	—	342	—	—	(361)	—	—
		left	—	—	—	349	—	357	—	—	—	—
	8a	right	36	33	—	35	34	39	36	36	35	—
		left	34	—	—	36	34	37	38	—	37	—
	9a	right	21	21	—	27	25	26	24	25	21	—
		left	20	—	—	22	24	24	26	—	22	—
	10b	right	71	—	—	79	76	83	80	82	79	85
		left	69	—	—	77	75	82	79	80	80	—
Fibula	1	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
Height	Sjøvold		156.2	—	—	164.5	159.7	166.6	162.8	166.6	173.9	—
	Rösing		156.5	—	—	160.6	157.7	162.6	159.9	162.8	169.3	—
	Bernert		161.1	—	—	166.2	162.3	166.6	163.6	168.2	174.0	—

Tab. 87. (continued).

Grave Nr./ Martin Nr.			359	362	398	411	431	435	436	440	446	478
Clavicle	1	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	156	154	—	—	—
	6	right	—	—	—	—	—	—	—	—	—	—
		left	—	39	37	—	—	35	37	—	—	—
Humerus	1	right	—	—	288	—	(289)	—	302	—	—	—
		left	—	—	287	—	—	—	300	—	336	—
	2	right	—	—	284	—	(287)	—	298	—	—	—
		left	—	—	280	—	—	—	295	—	330	—
	4	right	—	—	58	—	56	—	62	58	64	—
		left	—	58	57	55	—	—	62	—	65	—
	5	right	—	21	23	—	—	21	20	22	23	25
		left	22	—	—	—	20	21	—	20	21	24
	6	right	—	19	18	—	—	17	18	18	17	18
		left	18	—	—	—	16	18	—	18	16	16
	7	right	—	59	58	—	—	59	61	60	62	65
		left	63	58	57	—	57	60	—	58	57	64
	9	right	—	46	42	39	41	55	44	43	45	—
		left	—	—	41	—	41	57	44	—	44	—
Radius	1	right	—	—	218	(229)	—	237	231	—	249	—
		left	—	—	213	(226)	—	237	234	—	249	—
Ulna	1	right	—	298	238	255	—	—	250	—	268	—
		left	—	—	234	—	247	—	250	—	267	—
Femur	1	right	—	—	404	432	—	(426)	—	442	—	—
		left	—	—	404	435	(425)	—	—	442	480	(462)
	2	right	—	—	400	424	—	(420)	—	438	—	—
		left	—	—	400	427	(417)	—	—	439	472	(459)
	6	right	30	28	29	27	30	27	30	28	31	31
		left	—	27	28	27	29	27	—	27	31	32
	7	right	27	26	26	24	25	27	26	22	27	28
		left	—	25	26	24	24	26	—	23	27	29
	8	right	90	85	89	77	85	86	89	80	94	94
		left	—	84	88	77	85	85	—	80	94	97
	9	right	—	32	30	31	30	34	31	31	33	—
		left	—	—	32	32	30	34	32	—	34	35
	10	right	—	29	27	25	25	23	25	25	28	—
		left	—	—	25	24	25	24	24	—	26	29
	19	right	—	44	43	41	43	44	47	42	46	—
		left	—	—	—	40	43	44	47	42	47	47
	21	right	—	—	78	—	—	—	—	—	—	—
		left	—	—	75	(70)	—	—	—	—	79	—
Tibia	1	right	—	—	—	—	341	—	—	352	370	—
		left	—	—	332	—	—	343	344	354	370	369
	1a	right	—	—	—	—	348	—	—	358	377	—
		left	—	—	340	—	—	349	349	360	379	380
	1b	right	—	—	—	—	—	—	—	350	—	—
		left	—	—	334	—	339	339	338	352	371	370
	8a	right	—	—	34	31	32	37	—	30	38	—
		left	—	35	32	31	29	(38)	37	30	35	42
	9a	right	—	—	26	21	20	24	—	24	25	—
		left	—	21	25	20	19	(24)	22	23	23	26
	10b	right	—	77	78	66	68	78	—	71	79	83
		left	—	77	78	—	67	78	74	70	77	84
Fibula	1	right	—	—	—	—	335	—	—	—	361	—
		left	—	—	—	—	—	—	—	—	359	—
Height	Sjøvold		—	184.2	155.1	162.8	158.1	161.9	160.9	164.6	170.6	169.9
	Rösing		—	—	154.5	159.8	156.8	159.8	158.2	161.8	166.6	165.6
	Bernert		—	—	160.9	166.2	164.1	164.4	163.8	167.2	173.0	171.0

Tab. 87. (continued).

Grave Nr./ Martin Nr.			490	496	500	552	573	618	679	691	714	734
Clavicle	1	right	—	142	—	149	—	—	—	—	164	142
		left	—	—	—	145	—	—	144	154	—	143
Humerus	6	right	—	36	—	36	—	47	—	—	42	32
		left	—	—	—	36	—	47	35	34	40	31
	1	right	—	303	—	292	—	320	312	—	329	281
		left	—	(296)	—	294	—	—	314	—	—	281
	2	right	—	299	—	289	—	318	308	—	324	278
		left	—	—	—	289	—	—	310	—	—	279
	4	right	—	55	—	62	57	62	58	—	64	57
		left	—	—	(64)	61	57	—	59	61	—	57
	5	right	21	21	21	21	20	21	20	22	23	23
		left	21	20	21	21	19	21	19	22	22	22
	6	right	18	17	17	18	16	18	16	17	17	18
		left	17	17	17	18	17	18	15	16	16	16
	7	right	60	(57)	60	62	—	61	56	61	63	58
		left	59	57	58	61	57	61	54	61	62	56
Radius	1	right	—	45	—	43	—	45	44	—	48	42
		left	—	—	—	42	—	—	43	—	—	41
Ulna	1	right	255	—	—	237	223	—	227	231	—	223
		left	—	—	—	236	—	—	231	232	—	223
Femur	1	right	—	—	—	258	246	—	253	254	—	—
		left	—	—	—	256	242	—	253	—	—	—
Tibia	1	right	(459)	430	—	414	404	429	445	428	453	409
		left	458	427	—	414	403	428	445	429	457	—
	2	right	(456)	426	—	411	400	425	442	424	450	(401)
		left	—	425	—	411	398	424	443	425	451	402
	6	right	30	25	27	28	27	27	24	28	30	25
		left	29	24	27	30	26	27	23	28	30	27
	7	right	24	28	27	26	26	26	25	27	26	23
		left	25	28	28	26	27	26	25	27	26	25
	8	right	87	84	86	87	82	84	79	87	87	74
		left	87	82	87	89	83	84	77	87	87	77
	9	right	32	36	34	30	—	29	30	32	32	29
		left	32	37	35	33	30	31	31	34	32	30
	10	right	25	25	24	25	—	23	24	28	28	25
		left	26	25	24	29	23	22	24	28	29	23
	19	right	44	46	46	43	43	43	46	44	47	42
		left	45	45	—	44	44	44	46	43	47	42
	21	right	(77)	(74)	—	78	74	—	82	80	—	(77)
		left	—	77	—	76	—	78	(83)	—	—	—
	1	right	—	339	—	(332)	322	—	—	—	—	332
		left	(373)	336	355	331	325	349	350	—	—	333
	1a	right	—	346	—	343	333	—	358	—	363	339
		left	380	345	367	344	334	353	358	358	360	338
	1b	right	—	—	—	(332)	324	—	346	—	354	(335)
		left	(372)	338	357	334	326	—	346	352	351	332
	8a	right	—	33	34	38	34	—	33	33	37	30
		left	37	32	34	41	34	—	32	33	39	31
	9a	right	—	24	24	19	21	—	22	24	23	21
		left	21	23	25	20	20	—	22	24	23	21
	10b	right	—	69	—	79	74	—	71	—	79	68
		left	77	69	76	79	74	75	74	74	79	67
Fibula	1	right	—	—	—	—	—	346	347	—	352	—
		left	—	—	—	335	—	—	347	—	—	323
Height	Sjøvold		170.4	159.2	164.1	159.1	156.8	162.9	163.0	162.7	167.6	154.7
	Rösing		166.2	157.8	161.0	157.1	155.3	160.7	160.5	160.0	165.0	154.9
	Bernert		171.0	164.1	166.4	161.9	160.0	165.3	167.2	165.2	170.2	161.5

Tab. 87. (continued).

Grave Nr./ Martin Nr.			750	760	769	783	791	792	798	803	808	809
Clavicle	1	right	—	148	167	—	—	—	—	—	—	—
		left	—	149	—	—	—	—	—	—	—	—
	6	right	—	34	39	—	—	37	—	—	—	—
		left	—	33	—	—	—	—	36	—	—	—
Humerus	1	right	307	307	326	—	—	—	—	—	311	295
		left	—	305	—	—	—	—	—	—	309	287
	2	right	305	302	324	—	—	—	—	—	—	291
		left	—	300	—	—	—	—	—	—	—	—
	4	right	58	—	62	—	64	—	—	—	59	55
		left	—	65	—	—	62	—	—	—	—	—
	5	right	22	23	22	—	20	22	20	21	20	—
		left	21	21	22	—	19	21	—	20	19	—
	6	right	17	18	18	—	16	18	17	18	17	—
		left	17	18	18	—	16	17	—	17	17	—
	7	right	62	62	63	—	57	63	58	60	61	—
		left	61	62	62	—	56	62	—	56	59	—
	9	right	44	46	48	—	—	—	—	—	—	41
		left	44	45	—	—	—	—	—	—	—	40
Radius	1	right	—	—	—	—	245	233	240	—	243	—
		left	—	—	—	—	—	—	—	—	—	—
Ulna	1	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
Femur	1	right	435	437	—	—	(420)	—	—	—	—	—
		left	—	—	464	—	(423)	420	—	—	—	—
	2	right	431	432	—	—	—	—	—	—	—	—
		left	—	—	459	—	(420)	418	—	—	—	—
	6	right	28	30	—	28	28	—	—	28	(29)	29
		left	—	—	30	—	28	29	27	—	—	—
	7	right	28	27	—	27	28	—	—	27	(24)	25
		left	—	—	29	—	27	29	23	—	—	—
	8	right	88	90	—	87	88	—	—	88	(84)	85
		left	—	—	91	—	88	92	81	—	—	—
	9	right	30	34	—	34	32	—	—	—	(34)	32
		left	—	—	35	—	33	36	34	—	—	—
	10	right	24	26	—	28	26	—	—	—	(24)	26
		left	—	—	29	—	23	29	27	—	—	—
	19	right	43	50	—	—	44	—	47	—	—	43
		left	—	—	48	45	43	—	—	—	—	—
	21	right	79	81	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	80	—	—	—	—
Tibia	1	right	—	—	—	—	—	—	—	—	—	—
		left	356	350	—	—	—	—	—	—	—	—
	1a	right	—	—	380	—	360	—	—	—	—	—
		left	360	360	—	—	—	—	—	—	—	—
	1b	right	—	—	—	—	—	—	—	—	—	—
		left	—	349	—	—	—	—	—	—	—	—
	8a	right	—	—	38	—	35	(35)	—	36	—	—
		left	36	34	—	—	35	—	31	—	36	—
	9a	right	—	—	24	—	23	(25)	—	24	—	—
		left	23	25	—	—	23	—	22	—	23	—
	10b	right	—	—	81	—	77	78	—	—	—	—
		left	78	78	—	—	77	—	75	—	72	—
Fibula	1	right	—	344	—	—	—	—	—	—	—	—
		left	352	347	—	—	—	—	—	—	—	—
Height	Sjøvold		162.9	161.9	170.6	—	163.7	161.2	165.4	—	164.6	153.4
	Rösing		160.4	159.9	165.4	—	161.5	159.4	162.2	—	161.2	153.5
	Bernert		166.7	166.3	171.9	—	163.9	163.6	166.4	—	164.9	158.7

Tab. 87. (continued).

Grave Nr./ Martin Nr.			813	819	825	826	827	829	831	835	844	880
Clavicle	1	right	—	146	—	—	131	—	—	—	—	—
		left	—	143	160	—	148	—	—	—	—	—
	6	right	—	43	—	—	37	—	—	—	—	43
		left	36	45	41	39	36	—	—	—	—	—
Humerus	1	right	—	—	—	311	320	—	—	298	—	321
		left	—	—	—	315	302	290	308	292	—	320
	2	right	—	—	—	308	317	—	—	289	—	318
		left	—	—	—	312	298	(285)	305	—	—	316
	4	right	—	—	—	61	57	57	—	—	58	—
		left	—	—	58	—	55	(54)	61	64	57	—
	5	right	21	23	—	21	21	—	20	21	—	24
		left	—	—	21	20	21	23	20	21	—	22
	6	right	17	18	—	16	19	—	18	18	—	21
		left	—	—	17	16	19	17	17	18	—	19
	7	right	61	64	—	58	64	—	61	63	—	67
		left	—	—	58	58	63	60	61	64	—	64
	9	right	—	43	—	44	40	—	44	45	—	—
		left	45	—	—	44	39	(41)	43	44	—	—
Radius	1	right	—	—	—	—	—	221	238	—	—	254
		left	—	—	248	—	238	—	232	244	—	—
Ulna	1	right	—	—	—	—	—	—	259	—	—	281
		left	—	—	—	—	252	234	—	—	247	—
Femur	1	right	461	—	444	—	—	—	—	(444)	—	—
		left	472	—	(449)	441	—	—	429	445	—	452
	2	right	459	—	445	—	—	—	—	(442)	—	—
		left	469	—	(450)	439	—	—	422	441	—	448
	6	right	29	33	28	26	27	—	28	30	—	—
		left	28	—	27	27	27	—	28	29	—	34
	7	right	27	28	32	25	24	—	26	26	—	—
		left	26	—	33	25	25	—	27	27	—	29
	8	right	87	95	—	82	85	—	87	91	—	—
		left	86	—	—	82	83	—	88	89	—	99
	9	right	32	33	—	32	32	—	32	32	—	—
		left	34	—	—	32	32	—	33	34	—	34
	10	right	28	26	—	25	25	—	28	25	—	—
		left	27	—	—	24	25	—	28	24	—	28
	19	right	46	—	46	44	43	—	—	45	—	46
		left	47	—	47	45	43	46	—	—	—	—
	21	right	82	—	77	—	—	—	—	—	—	—
		left	(84)	—	—	77	—	—	78	—	—	82
Tibia	1	right	—	356	370	—	349	—	—	357	—	(366)
		left	—	—	368	365	—	—	—	—	—	—
	1a	right	—	366	(374)	—	357	—	—	365	—	376
		left	—	—	371	372	353	—	362	—	—	—
	1b	right	—	359	368	—	—	—	—	(359)	—	369
		left	—	—	364	362	345	—	352	—	—	—
	8a	right	39	41	40	34	32	—	37	37	—	40
		left	37	—	38	35	31	—	36	37	—	—
	9a	right	25	24	23	22	25	—	25	26	—	24
		left	25	—	21	21	24	—	24	24	—	—
	10b	right	—	87	78	74	70	—	—	81	—	83
		left	—	—	78	75	70	—	80	81	—	—
Fibula	1	right	—	353	355	361	—	—	—	—	—	—
		left	—	—	—	361	—	—	—	—	—	362
Height	Sjøvold		172.3	163.8	167	165.6	163.1	155.9	163.3	163.3	160.7	169.4
	Rösing		167.7	161.2	164.4	162.0	160.1	154.6	159.9	160.8	—	164.3
	Bernert		172.4	166.7	169.3	168.3	165.0	158.4	165.3	167.9	—	169.6

Tab. 87. (continued).

Grave Nr./ Martin Nr.			910	962	1013	1405	1408	1478	1588	1615	1656	1697
Clavicle	1	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	157	—	—	—	137	—	—	—
	6	right	—	—	—	—	—	—	39	—	—	—
		left	—	—	41	—	—	—	38	—	—	—
Humerus	1	right	308	—	337	336	—	—	317	—	—	—
		left	—	—	—	—	—	—	315	—	—	304
	2	right	304	—	—	332	—	—	315	—	—	—
		left	—	—	—	—	—	—	313	—	—	298
	4	right	61	—	—	58	—	—	61	—	58	53
		left	62	—	—	—	—	—	—	60	—	53
	5	right	21	—	22	22	21	—	22	20	20	21
		left	21	—	22	20	—	—	20	—	19	21
	6	right	18	—	18	18	18	—	18	16	17	18
		left	17	—	18	17	—	—	17	—	16	18
	7	right	62	—	62	63	61	—	62	58	59	60
		left	62	—	63	—	60	—	62	—	58	58
	9	right	—	—	46	44	—	—	49	—	—	45
		left	—	—	—	—	—	—	47	—	—	45
Radius	1	right	—	—	—	250	—	—	—	—	—	—
		left	243	—	—	247	—	—	243	—	—	—
Ulna	1	right	—	—	—	—	—	—	262	—	—	261
		left	268	—	—	262	—	—	265	—	—	—
Femur	1	right	—	—	—	447	—	—	—	—	—	416
		left	—	—	—	—	—	—	439	—	—	414
	2	right	—	—	—	441	—	—	—	—	—	411
		left	—	—	—	—	—	—	437	—	—	412
	6	right	—	—	34	30	—	—	—	—	27	31
		left	31	—	—	30	—	—	28	28	30	30
	7	right	—	—	25	24	—	—	—	—	26	24
		left	26	—	—	25	—	—	30	25	28	25
	8	right	—	—	96	87	—	—	—	—	84	86
		left	90	—	—	89	—	—	92	86	91	(85)
	9	right	—	—	—	32	31	—	—	34	33	30
		left	35	—	—	—	—	—	—	32	36	31
	10	right	—	—	—	26	21	—	—	27	25	27
		left	24	—	—	—	—	—	—	28	24	27
	19	right	—	—	—	42	—	—	—	(45)	44	42
		left	46	—	—	43	—	—	45	—	45	—
	21	right	—	—	—	75	—	—	—	—	—	—
		left	—	—	—	74	—	—	—	—	—	—
Tibia	1	right	350	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	388
	1a	right	358	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	396
	1b	right	351	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
	8a	right	36	32	—	39	—	—	—	—	37	35
		left	—	—	40	36	—	—	—	—	36	35
	9a	right	22	24	—	24	—	—	—	—	23	23
		left	—	—	25	24	—	—	—	—	23	24
	10b	right	76	76	—	80	—	—	—	—	75	—
		left	—	—	84	80	—	—	—	—	71	76
Fibula	1	right	350	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
Height	Sjøvold		164.5	—	165.9	169.4	—	—	166.2	—	—	—
	Rösing		160.5	—	166.8	165.2	—	—	162.1	—	—	—
	Bernert		165.2	—	172.9	168.7	—	—	167.2	—	—	—

Tab. 87. (continued).

Grave Nr./ Martin Nr.			1769	1790	1797	1798	1801	1802	1803	1851	1910	1912
Clavicle	1	right	140	147	—	—	—	—	—	—	151	—
		left	—	—	—	—	—	—	—	—	—	—
	6	right	39	41	—	—	—	—	—	41	42	—
		left	—	—	—	—	—	—	—	40	43	39
Humerus	1	right	311	313	—	—	—	—	—	—	321	329
		left	306	311	313	—	—	—	306	—	318	324
	2	right	308	310	—	—	—	—	—	—	319	327
		left	—	308	310	—	—	—	304	—	313	320
	4	right	66	62	60	60	57	—	—	62	62	61
		left	—	62	63	61	—	—	60	—	62	59
	5	right	—	21	22	(20)	20	20	21	21	22	23
		left	19	20	22	—	19	20	20	21	22	21
	6	right	—	17	18	(17)	17	15	18	18	17	19
		left	15	17	19	—	17	15	17	18	17	18
	7	right	—	63	—	60	60	—	61	63	62	65
		left	57	61	62	60	59	57	60	61	61	62
	9	right	47	47	—	—	—	—	—	—	47	—
		left	—	45	46	—	—	—	45	—	47	—
Radius	1	right	—	237	—	249	—	—	—	—	232	—
		left	—	—	260	—	—	—	250	—	—	—
Ulna	1	right	—	—	—	273	—	—	—	—	261	—
		left	—	257	—	272	—	—	—	—	259	—
Femur	1	right	—	—	462	—	—	—	—	427	458	—
		left	449	—	—	449	—	—	—	428	458	—
	2	right	—	—	460	—	—	—	—	425	454	—
		left	447	—	—	447	—	—	—	425	452	—
	6	right	26	28	29	28	18	—	26	29	29	30
		left	26	28	28	28	24	29	27	28	28	29
	7	right	25	24	26	25	25	—	26	27	26	26
		left	25	25	26	27	22	25	26	27	27	26
	8	right	83	83	87	83	70	—	83	87	87	89
		left	83	84	88	89	75	83	85	87	88	89
	9	right	31	30	35	31	32	—	32	—	37	34
		left	33	34	38	32	34	—	32	35	36	35
	10	right	25	27	27	25	23	—	26	—	30	28
		left	24	24	26	28	23	—	25	26	28	27
	19	right	—	—	45	44	—	—	—	43	47	—
		left	46	46	46	44	—	—	—	43	47	47
	21	right	—	—	—	77	—	—	—	—	—	—
		left	—	—	72	—	—	—	—	—	84	—
Tibia	1	right	366	—	—	374	—	—	—	—	349	361
		left	(365)	—	—	375	—	—	—	—	353	—
	1a	right	373	—	387	377	—	—	—	—	358	370
		left	373	—	—	380	—	—	—	—	363	368
	1b	right	365	—	—	372	—	—	—	—	346	—
		left	364	—	—	375	—	—	—	—	352	358
	8a	right	34	—	37	37	(20)	—	—	38	37	36
		left	36	35	36	36	33	—	36	36	37	37
	9a	right	22	—	23	25	(17)	—	—	24	26	25
		left	25	24	22	24	22	—	26	23	26	26
	10b	right	79	—	79	80	(56)	72	—	79	—	81
		left	77	75	79	80	68	—	—	—	79	—
Fibula	1	right	—	—	—	—	—	—	—	—	(330)	—
		left	—	—	—	—	—	—	—	—	—	—
Height	Sjøvold		165.6	164.2	169.2	169.8	—	—	164.8	161.7	163.9	168.0
	Rösing		162.2	160.4	165.1	165.1	—	—	161.6	160.4	161.9	163.1
	Bernert		169.2	165.2	171.5	170.2	—	—	163.3	165.0	168.7	167.9

Tab. 87. (continued).

Grave Nr./ Martin Nr.			1970	1981	1989	2068	2072	2192	2444	2509	2552	2635
Clavicle	1	right	—	—	148	—	—	—	—	164	—	—
		left	160	135	153	—	—	—	—	—	—	152
	6	right	42	—	39	—	—	—	—	44	—	—
		left	44	—	39	—	—	—	—	—	—	40
Humerus	1	right	321	—	312	299	—	—	—	—	306	315
		left	321	290	316	—	—	—	—	—	—	—
	2	right	316	294	310	—	—	—	—	—	304	314
		left	317	288	312	—	—	—	—	—	—	—
	4	right	63	58	61	—	65	—	—	71	66	59
		left	62	59	58	—	65	—	—	—	—	62
	5	right	23	21	21	22	23	—	24	—	22	22
		left	22	20	20	21	21	—	23	25	—	21
	6	right	19	18	17	17	19	—	18	—	18	18
		left	18	16	16	17	18	—	18	23	—	18
	7	right	66	61	60	59	67	—	62	75	66	63
		left	65	59	58	60	65	—	61	74	—	63
	9	right	47	45	45	45	—	—	—	—	47	44
		left	45	43	45	—	—	52	—	—	46	—
Radius	1	right	245	223	238	223	—	—	—	262	241	249
		left	242	—	238	—	—	—	—	—	—	—
Ulna	1	right	263	246	258	—	—	—	—	—	—	—
		left	262	—	258	—	—	—	245	—	—	—
Femur	1	right	443	416	—	—	—	384	—	—	—	450
		left	447	408	430	—	466	(387)	—	—	—	—
	2	right	442	414	—	—	—	381	—	—	—	447
		left	445	405	427	—	463	—	—	—	—	—
	6	right	29	31	26	—	32	25	—	—	31	26
		left	28	28	26	28	31	25	—	—	28	27
	7	right	27	26	26	—	28	24	—	—	27	26
		left	27	26	27	24	29	24	—	—	27	25
	8	right	90	90	84	—	96	76	—	—	92	83
		left	91	86	84	82	95	77	—	—	89	85
	9	right	34	33	31	34	34	29	—	—	—	32
		left	37	35	33	—	38	29	—	—	34	36
	10	right	26	24	25	27	28	23	—	—	—	24
		left	27	26	23	—	28	23	—	—	26	24
	19	right	45	42	43	46	—	42	—	—	—	—
		left	45	42	42	46	48	42	—	51	46	—
	21	right	82	76	—	—	—	74	—	—	—	83
		left	82	77	76	—	—	—	—	—	—	83
Tibia	1	right	359	—	—	—	—	—	—	—	—	369
		left	—	—	—	—	—	—	—	—	—	—
	1a	right	366	—	—	—	—	—	—	392	—	375
		left	—	—	—	—	386	—	—	—	—	—
	1b	right	358	—	—	—	—	—	—	383	—	368
		left	—	—	—	—	379	—	—	—	—	—
	8a	right	39	37	34	—	40	31	—	41	38	35
		left	40	37	34	—	—	31	34	—	—	36
	9a	right	26	23	21	—	26	19	—	31	27	24
		left	25	25	20	—	—	19	23	—	—	24
	10b	right	83	—	—	—	83	67	—	95	81	73
		left	82	—	75	70	—	65	—	—	—	75
Fibula	1	right	—	—	—	—	—	314	—	—	—	—
		left	—	—	347	—	—	310	—	—	—	358
Height	Sjøvold		166.8	157.4	163.6	158.1	172.2	149.3	159.8	173.7	160.8	165.5
	Rösing		162.8	155.8	160.8	156.2	167.6	152.5	—	169.4	160.2	163.1
	Bernert		168.1	162.1	165.5	161.2	172.3	157.1	—	175.5	163.3	169.7

Tab. 87. (continued).

Grave Nr./ Martin Nr.			2661	2669	2773	2776	2804	2948	2959	2998	3043	3060
Clavicle	1	right	—	—	—	—	—	136	144	—	163	—
		left	—	—	—	—	—	139	153	—	—	—
	6	right	—	—	—	—	—	37	47	—	40	—
		left	—	—	—	—	—	38	45	—	42	—
Humerus	1	right	—	—	—	338	—	306	305	322	337	—
		left	—	—	—	337	—	300	298	320	333	—
	2	right	—	—	—	335	—	302	302	320	—	—
		left	—	—	—	332	—	297	294	318	331	—
	4	right	—	—	—	60	—	60	62	51	—	—
		left	62	—	—	60	—	60	61	60	41	—
	5	right	—	—	—	22	—	20	23	22	22	—
		left	—	—	21	21	—	20	22	21	20	20
	6	right	—	—	—	16	—	16	17	17	17	—
		left	—	—	18	15	—	16	17	17	17	16
	7	right	—	—	—	59	—	57	64	63	63	—
		left	—	—	62	56	—	57	63	63	59	55
	9	right	—	—	44	—	—	43	46	44	48	—
		left	—	—	44	48	—	42	45	44	47	—
Radius	1	right	—	—	—	—	—	219	—	243	251	257
		left	—	—	—	253	—	218	—	242	251	—
Ulna	1	right	—	—	—	—	—	—	243	265	271	—
		left	—	—	—	—	—	—	243	—	—	—
Femur	1	right	—	—	421	—	—	442	419	—	469	(450)
		left	—	—	422	472	—	—	423	—	—	—
	2	right	—	—	419	—	—	438	417	—	465	—
		left	—	—	420	467	—	—	420	—	—	—
	6	right	29	29	28	28	—	27	29	—	31	—
		left	29	—	27	27	—	27	29	26	—	29
	7	right	29	25	27	26	—	26	23	—	26	—
		left	29	—	26	28	—	27	24	26	—	26
	8	right	89	85	86	86	—	85	83	—	91	—
		left	89	—	84	87	—	85	85	81	—	89
	9	right	36	32	30	33	34	30	29	—	33	—
		left	37	—	33	34	—	(34)	32	33	34	—
	10	right	26	24	26	26	24	26	26	—	27	—
		left	25	—	24	26	—	27	25	25	26	—
	19	right	—	45	—	48	45	43	46	—	45	—
		left	—	—	—	48	45	43	46	—	(45)	—
	21	right	—	—	77	—	—	75	79	—	82	—
		left	—	—	—	80	—	—	76	—	81	—
Tibia	1	right	—	—	—	377	—	351	338	—	—	—
		left	—	—	—	—	—	350	334	—	—	—
	1a	right	—	—	—	382	—	—	345	—	—	(402)
		left	—	—	—	—	—	358	342	—	—	—
	1b	right	—	—	—	—	—	348	339	—	—	—
		left	—	—	—	—	—	347	336	—	—	—
	8a	right	35	—	36	36	39	24	35	36	—	40
		left	37	—	35	—	—	21	34	—	—	—
	9a	right	22	—	21	23	23	24	25	24	—	27
		left	23	—	22	—	—	24	26	—	—	—
	10b	right	—	—	—	77	—	71	78	—	—	80
		left	81	—	—	76	—	71	77	—	—	—
Fibula	1	right	—	—	—	—	—	—	326	—	—	—
		left	—	—	—	—	—	—	326	—	—	—
Height	Sjøvold		—	—	160.1	172.6	—	161.1	157.7	167.6	172.0	171.8
	Rösing		—	—	159.2	167.1	—	158.8	157.4	162.6	166.7	167.7
	Bernert		—	—	163.9	172.9	—	166.9	163.1	168.0	172.9	173.4

Tab. 87. (continued).

Grave Nr./ Martin Nr.			3319	3320	3329	3366	3372	3379	3382	3389	3463	3469
Clavicle	1	right	—	—	—	—	—	—	—	145	147	—
		left	—	—	—	158	—	140	—	155	154	—
	6	right	—	—	—	41	—	38	—	39	40	—
		left	—	—	—	40	—	37	—	38	37	—
Humerus	1	right	—	—	—	324	—	—	—	—	333	—
		left	—	—	—	322	—	279	—	326	336	—
	2	right	—	—	—	319	—	277	—	—	330	—
		left	—	—	—	317	—	276	—	321	335	—
	4	right	57	—	69	60	—	57	—	—	65	—
		left	—	60	—	60	62	57	—	60	66	—
	5	right	—	—	23	21	22	22	—	—	24	19
		left	—	—	23	20	21	21	—	20	23	19
	6	right	—	—	20	16	17	18	—	—	19	16
		left	—	—	21	16	17	17	—	18	18	16
	7	right	—	—	63	59	62	61	—	—	65	—
		left	—	—	63	57	61	60	—	60	64	54
	9	right	—	45	—	46	—	42	—	46	47	—
		left	—	—	49	45	—	41	—	44	46	—
Radius	1	right	—	—	—	242	—	—	—	251	252	—
		left	—	—	—	240	—	213	—	25	257	—
Ulna	1	right	—	—	—	—	—	—	—	—	277	—
		left	—	—	—	—	—	—	—	265	—	—
Femur	1	right	—	—	—	452	—	—	—	—	—	—
		left	430	—	—	—	—	—	—	—	—	—
	2	right	—	—	—	448	—	—	—	—	—	—
		left	427	—	—	—	—	—	—	—	—	—
	6	right	27	—	34	30	31	—	30	—	36	—
		left	26	—	32	30	—	—	30	—	—	—
	7	right	23	—	31	24	25	—	26	—	28	—
		left	24	—	31	25	—	—	26	—	—	—
	8	right	82	—	102	89	89	—	92	—	99	—
		left	88	—	100	89	—	—	92	—	—	—
	9	right	28	—	38	32	32	33	—	—	32	—
		left	30	—	42	33	32	33	35	34	—	—
	10	right	22	—	29	26	27	25	—	—	28	—
		left	23	—	—	26	27	24	27	28	—	—
	19	right	43	46	(48)	46	—	45	47	—	47	43
		left	—	—	48	46	48	44	46	47	—	42
	21	right	76	80	—	80	—	—	77	—	—	—
		left	—	78	—	79	—	—	—	—	—	—
Tibia	1	right	—	—	—	—	—	—	—	—	—	—
		left	349	—	—	358	372	—	—	—	—	—
	1a	right	—	—	—	368	—	—	—	—	—	—
		left	358	—	—	366	379	—	356	—	—	—
	1b	right	—	—	—	360	—	—	—	—	—	—
		left	348	—	—	357	—	—	350	—	—	—
	8a	right	33	—	38	35	38	—	35	—	43	34
		left	33	35	39	35	37	—	36	—	41	—
	9a	right	22	—	27	24	25	—	27	—	23	22
		left	23	25	28	25	24	—	26	—	23	—
	10b	right	—	—	—	77	—	—	84	—	85	72
		left	71	74	85	77	78	—	81	—	84	—
Fibula	1	right	—	—	—	348	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
Height	Sjøvold		162.3	—	—	165.7	169.7	151.6	—	169.3	173.0	—
	Rösing		160.2	—	—	163.0	165.0	151.7	—	164.6	166.5	—
	Bernert		165.5	—	—	168.8	170.5	155	—	169.5	172.2	—

Tab. 87. (continued).

Grave Nr./ Martin Nr.			3472	3697	3702	3703	3705	3709	3711	3723	3726	3729
Clavicle	1	right	—	—	161	—	—	—	—	132	—	—
		left	—	—	169	—	145	—	—	140	—	—
	6	right	—	—	42	—	—	—	—	42	—	—
		left	—	—	43	—	39	—	—	43	—	—
Humerus	1	right	—	—	—	—	—	—	—	294	—	308
		left	—	—	335	—	—	—	—	293	—	—
	2	right	—	—	—	—	—	—	—	290	—	306
		left	—	—	332	—	—	—	—	288	—	—
	4	right	—	60	—	—	62	—	—	60	—	62
		left	—	—	66	—	63	—	—	61	59	—
	5	right	(20)	21	23	22	22	21	—	21	—	23
		left	—	21	22	—	—	21	—	21	—	23
	6	right	(16)	17	19	17	17	19	—	18	—	18
		left	—	17	18	—	—	19	—	18	—	17
	7	right	57	63	—	66	57	63	—	62	—	63
		left	55	62	64	—	—	60	—	62	—	62
	9	right	—	—	47	—	—	—	—	43	—	45
		left	—	—	45	—	—	—	—	43	—	43
Radius	1	right	—	—	260	—	241	—	—	230	—	—
		left	—	—	—	—	241	239	—	228	—	235
Ulna	1	right	—	—	281	—	—	265	—	—	—	259
		left	—	—	281	—	—	267	—	248	—	—
Femur	1	right	(415)	—	—	—	—	—	—	396	—	—
		left	—	444	497	—	415	—	—	—	—	—
	2	right	—	—	—	—	—	—	—	394	—	—
		left	—	442	474	—	411	—	—	—	—	—
	6	right	24	—	33	—	—	—	—	30	31	—
		left	26	30	33	—	30	27	—	—	—	30
	7	right	23	—	28	—	—	—	—	24	25	—
		left	23	25	30	—	27	29	—	—	—	28
	8	right	79	—	99	—	—	—	—	87	90	—
		left	81	87	99	—	89	88	—	—	—	92
	9	right	29	—	—	—	—	—	—	28	32	—
		left	—	30	36	—	36	36	—	—	31	34
	10	right	26	—	—	—	—	—	—	24	25	—
		left	—	27	27	—	25	27	—	—	27	25
	19	right	44	(46)	—	—	—	50	—	45	46	47
		left	—	47	—	—	45	49	—	—	46	48
	21	right	—	—	84	—	—	—	—	(80)	—	—
		left	—	—	—	—	79	—	—	—	—	—
Tibia	1	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	389	—	339	364	—	323	—	—
	1a	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	396	—	345	373	—	330	—	—
	1b	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	388	—	—	363	—	324	—	—
	8a	right	33	34	—	—	37	38	34	—	—	36
		left	—	—	41	—	36	—	32	33	—	—
	9a	right	23	25	—	—	23	21	21	—	—	22
		left	—	—	25	—	22	—	20	23	—	—
	10b	right	73	—	—	—	—	80	—	—	—	78
		left	—	—	91	—	—	—	—	75	—	—
Fibula	1	right	—	—	—	—	332	—	—	322	—	—
		left	—	—	—	—	—	—	—	320	—	—
Height	Sjøvold		158.3	166.2	174.8	—	159.6	168.4	—	155.9	—	163.7
	Rösing		158.0	163.5	168.5	—	159.2	161.9	—	155.2	—	159.5
	Bernert		162.7	168.1	174.9	—	162.8	166.0	—	159.1	—	163.9

Tab. 87. (continued).

Grave Nr./ Martin Nr.			3735	3736	3739	3740	3743	3753	3755	3765	3771	3780
Clavicle	1	right	145	—	—	—	149	151	—	—	144	—
		left	155	—	—	—	152	146	—	(156)	152	—
	6	right	39	—	—	—	42	42	—	—	38	—
		left	36	—	—	—	43	41	—	38	38	—
Humerus	1	right	316	—	324	304	307	310	—	—	317	—
		left	—	—	—	300	304	—	—	—	313	—
	2	right	314	—	323	300	303	308	—	—	315	—
		left	312	—	—	295	299	—	—	—	310	—
	4	right	62	63	65	61	62	67	—	63	65	62
		left	—	63	64	63	61	68	—	63	65	64
	5	right	22	23	21	20	23	22	—	24	20	23
		left	21	22	21	—	21	21	—	23	20	21
	6	right	19	18	18	17	18	18	—	18	17	17
		left	18	19	19	—	17	16	—	18	16	18
	7	right	62	64	60	60	62	66	—	65	62	65
		left	60	63	60	59	60	63	—	64	61	64
	9	right	48	—	—	44	46	48	—	—	45	—
		left	46	—	—	42	45	—	—	—	43	—
Radius	1	right	228	232	247	232	234	229	—	—	246	234
		left	—	—	—	233	—	—	—	254	242	232
Ulna	1	right	—	259	—	255	257	249	—	—	—	253
		left	251	260	—	254	254	—	—	—	—	252
Femur	1	right	423	429	—	—	—	—	—	—	—	—
		left	—	—	429	421	—	—	—	451	453	436
	2	right	420	427	—	—	—	—	—	—	—	—
		left	—	—	428	419	—	—	—	448	450	434
	6	right	28	32	—	25	—	27	—	32	—	—
		left	—	—	27	27	30	—	29	32	28	29
	7	right	26	31	—	25	—	28	—	26	—	—
		left	—	—	26	26	28	—	27	27	28	27
	8	right	86	95	—	79	—	88	—	92	—	—
		left	—	—	84	83	89	—	90	93	88	88
	9	right	32	33	33	—	—	34	—	—	—	—
		left	—	—	33	—	35	—	35	36	34	35
	10	right	27	27	24	—	—	25	—	—	—	—
		left	—	—	24	—	26	—	24	28	25	26
	19	right	45	47	46	44	45	49	47	—	—	—
		left	—	—	46	42	47	—	47	44	(47)	47
	21	right	80	85	—	—	—	—	—	—	—	—
		left	—	83	—	—	—	—	—	—	79	—
Tibia	1	right	—	—	351	—	—	—	—	—	362	—
		left	336	—	—	—	—	—	—	—	—	—
	1a	right	—	—	368	—	353	—	—	—	374	—
		left	347	—	—	—	—	—	—	—	—	—
	1b	right	—	—	—	—	346	—	—	—	365	—
		left	338	—	—	—	—	—	—	—	—	—
	8a	right	—	36	33	33	34	—	—	39	33	—
		left	35	—	—	—	—	—	—	—	—	—
	9a	right	—	22	22	18	25	—	—	24	23	—
		left	27	—	—	—	—	—	—	—	—	—
	10b	right	—	81	74	74	78	—	—	84	74	—
		left	77	—	—	—	—	—	—	—	—	—
Fibula	1	right	—	—	—	—	344	—	—	—	361	—
		left	—	—	—	—	—	—	—	—	360	346
Height	Sjøvold		161.4	163.7	165.4	161.3	161.9	161.7	—	169.4	166.5	162.6
	Rösing		158.7	160.1	162.1	158.5	159.0	158.8	—	165.8	162.9	160.9
	Bernert		163.4	165.3	165.6	163.8	163.2	164.6	—	169.5	169.3	166.6

Tab. 87. (continued).

Grave Nr./ Martin Nr.			3785	3787	3790	3791	3829	3831	3847	3912	3913	3918
Clavicle	1	right	—	—	159	—	—	—	157	—	—	—
		left	—	—	159	—	—	—	151	—	—	—
	6	right	39	—	41	—	—	—	41	—	—	37
		left	37	—	41	—	—	—	41	—	—	36
Humerus	1	right	—	—	332	—	—	—	300	—	—	285
		left	312	—	—	—	—	—	—	—	—	—
	2	right	—	—	331	—	—	—	296	—	—	283
		left	309	—	—	—	—	—	—	—	—	—
	4	right	63	66	68	—	66	57	61	63	—	61
		left	65	66	—	—	66	—	62	62	—	—
	5	right	21	—	24	—	—	21	24	21	22	21
		left	21	22	—	—	21	20	23	20	22	20
	6	right	16	—	17	—	—	17	19	18	18	18
		left	16	19	—	—	18	17	18	17	18	17
	7	right	61	—	62	—	—	59	64	61	64	58
		left	60	66	—	—	60	58	62	59	63	57
	9	right	—	—	49	—	—	—	46	—	—	44
		left	43	—	—	—	—	—	—	—	—	—
Radius	1	right	247	251	253	—	247	244	223	—	268	226
		left	249	—	257	—	246	—	—	225	—	226
Ulna	1	right	271	—	—	—	267	—	244	—	—	250
		left	—	—	—	—	—	—	243	—	—	—
Femur	1	right	450	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	435	—	—	—	385
	2	right	447	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	432	—	—	—	382
	6	right	27	31	—	29	29	—	28	—	33	—
		left	27	—	—	—	—	31	—	30	—	25
	7	right	28	26	—	24	27	—	31	—	27	—
		left	29	—	—	—	—	24	—	25	—	24
	8	right	88	82	—	85	89	—	86	—	96	—
		left	—	—	—	—	—	88	—	88	—	77
	9	right	32	32	—	32	34	—	26	—	36	—
		left	—	—	—	—	—	32	—	35	—	29
	10	right	24	27	—	23	25	—	24	—	28	—
		left	—	—	—	—	—	25	—	27	—	25
	19	right	45	46	—	—	48	—	44	—	46	—
		left	—	—	—	—	—	—	—	46	—	44
	21	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	(73)	—	—	—	75
Tibia	1	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	357	—	—	—	316
	1a	right	—	—	—	—	—	—	—	—	—	—
		left	377	—	—	—	—	362	—	—	—	326
	1b	right	—	—	—	—	—	—	—	—	—	—
		left	371	—	—	—	—	359	—	—	—	320
	8a	right	38	34	—	31	—	—	—	—	—	—
		left	—	36	—	—	—	35	36	39	—	33
	9a	right	22	26	—	22	—	—	—	—	—	—
		left	—	26	—	—	—	22	23	21	—	24
	10b	right	89	—	—	—	—	—	—	—	—	—
		left	—	80	—	—	—	75	—	79	—	68
Fibula	1	right	—	—	—	—	—	—	—	—	—	320
		left	—	—	—	—	—	354	—	—	—	320
Height	Sjøvold		167.8	169.6	171.7	—	168.9	164.7	158.6	159.8	176.0	154.3
	Rösing		163.0	165.8	166.2	—	164.3	162.2	156.4	157.3	171.3	153.4
	Bernert		169.3	171.0	171.4	—	169.1	166.8	161.5	160.3	177.9	157.2

Tab. 87. (continued).

Grave Nr./ Martin Nr.			3943	3949	3956	4000	4002	4004	4011	4013	4027	4028
Clavicle	1	right	161	—	—	—	—	150	—	—	145	138
		left	—	—	—	—	—	—	138	—	147	—
	6	right	45	41	—	—	46	34	41	—	41	33
		left	—	44	45	—	—	37	38	—	39	31
Humerus	1	right	—	—	—	—	310	—	294	312	320	326
		left	—	—	—	—	—	—	289	—	—	—
	2	right	—	—	—	—	306	—	289	309	—	319
		left	—	—	—	—	—	—	285	—	—	—
	4	right	—	—	63	62	61	59	70	61	65	61
		left	65	59	63	—	61	—	68	61	—	—
	5	right	24	22	23	23	23	20	22	22	20	20
		left	24	21	22	20	21	19	21	20	19	19
	6	right	18	18	19	18	17	18	18	18	17	16
		left	18	17	18	18	17	16	17	17	16	16
	7	right	64	60	66	61	62	60	63	61	58	57
		left	65	58	64	60	62	59	61	58	—	55
	9	right	—	—	49	—	45	—	46	46	48	46
		left	—	44	48	—	43	—	46	—	46	—
Radius	1	right	240	220	251	—	235	—	235	244	246	242
		left	238	213	250	—	234	—	—	240	—	—
Ulna	1	right	—	—	—	—	—	—	262	265	268	—
		left	257	230	—	262	—	259	262	261	270	—
Femur	1	right	—	—	—	(453)	430	420	410	—	—	—
		left	—	413	474	—	—	—	—	430	—	440
	2	right	—	—	—	—	427	418	408	—	—	—
		left	—	410	471	—	—	—	—	425	—	435
	6	right	31	—	—	34	29	28	26	—	25	—
		left	30	27	31	—	—	—	27	28	—	27
	7	right	28	—	—	26	28	26	23	—	20	—
		left	26	27	29	—	—	—	22	24	—	25
	8	right	91	—	—	96	—	86	78	—	75	—
		left	88	84	—	—	—	—	78	83	—	83
	9	right	33	—	—	33	33	30	28	—	27	—
		left	—	32	35	—	—	—	—	34	—	30
	10	right	26	—	—	25	27	24	24	—	24	—
		left	—	24	28	—	—	—	—	25	—	25
	19	right	47	—	48	(45)	45	44	43	—	—	—
		left	—	43	48	—	—	—	—	—	—	45
	21	right	—	—	80	—	—	74	78	—	—	74
		left	—	—	80	—	—	—	77	—	—	72
Tibia	1	right	—	—	364	—	—	—	—	349	364	363
		left	—	—	—	—	—	341	—	—	—	—
	1a	right	—	—	371	—	370	—	—	355	356	369
		left	—	—	—	—	—	347	—	—	—	—
	1b	right	—	—	363	—	364	—	—	347	—	361
		left	—	—	—	—	—	340	—	—	—	—
	8a	right	—	—	39	39	37	—	35	36	32	35
		left	36	—	—	—	—	35	—	—	—	—
	9a	right	—	—	26	21	25	—	22	20	19	23
		left	23	—	—	—	—	21	—	—	—	—
	10b	right	—	74	89	80	84	—	73	74	66	76
		left	77	—	—	—	—	75	74	—	—	—
Fibula	1	right	—	—	—	—	349	—	—	345	—	362
		left	—	—	—	—	350	—	—	343	—	361
Height	Sjøvold		165.2	155.7	170.3	168.1	162.6	161.8	160.4	163.6	167.7	166.9
	Rösing		161.9	156.1	166.0	165.2	159.8	158.3	157.1	160.7	161.7	163.1
	Bernert		166.0	162.3	171.7	169.8	165.5	163.6	161.7	165.5	167.6	168.0

Tab. 87. (continued).

Grave Nr./ Martin Nr.			4032	4079	4080	4085	4135	4290	4292	4307	4342	4361
Clavicle	1	right	—	—	—	—	146	—	—	—	—	152
		left	—	144	—	—	—	—	—	—	—	—
	6	right	45	41	—	—	44	—	—	—	—	39
		left	45	41	—	—	—	—	—	36	—	—
Humerus	1	right	314	—	—	—	295	—	—	305	319	317
		left	315	291	—	—	—	—	—	305	—	317
	2	right	311	—	—	—	293	—	—	303	317	316
		left	311	287	—	—	—	—	—	300	—	314
	4	right	61	58	60	—	58	—	—	59	64	61
		left	62	58	—	—	60	61	48	59	63	60
	5	right	23	21	21	21	24	21	—	21	22	24
		left	23	21	—	20	23	22	—	21	20	23
	6	right	18	17	18	19	20	17	—	19	17	17
		left	18	17	—	18	19	17	—	19	16	17
	7	right	66	59	58	63	68	60	—	61	63	62
		left	64	58	—	60	65	62	—	62	59	60
	9	right	49	46	—	—	46	—	—	45	45	47
		left	49	46	48	—	—	—	45	45	—	45
Radius	1	right	—	—	—	—	—	—	—	245	—	—
		left	240	—	—	244	231	—	—	—	253	235
Ulna	1	right	—	241	—	267	254	—	—	—	—	258
		left	—	—	—	—	—	—	—	—	274	254
Femur	1	right	—	—	—	—	408	—	—	—	—	—
		left	—	407	—	—	—	—	—	436	—	—
	2	right	—	—	—	—	404	—	—	—	—	—
		left	—	403	—	—	—	—	—	432	—	—
	6	right	—	—	32	—	30	—	—	—	—	—
		left	29	28	—	29	—	—	—	30	28	29
	7	right	—	—	26	—	27	—	—	—	—	—
		left	28	26	—	28	—	—	—	32	28	26
	8	right	—	—	94	—	91	—	—	—	—	—
		left	89	85	—	90	—	—	—	89	89	89
	9	right	—	—	31	36	32	—	—	—	—	—
		left	35	34	—	—	—	—	—	25	36	35
	10	right	—	—	28	27	27	—	—	—	—	—
		left	27	24	—	—	—	—	—	25	26	27
	19	right	—	—	(45)	—	44	—	46	—	45	—
		left	46	44	—	(46)	—	—	—	43	45	—
	21	right	—	—	—	—	77	—	—	80	—	—
		left	—	78	—	—	—	—	—	—	—	—
Tibia	1	right	—	—	—	—	—	—	—	—	—	—
		left	356	318	—	—	—	—	—	355	362	—
	1a	right	—	—	—	—	—	—	—	—	—	373
		left	364	325	—	—	—	—	—	362	372	—
	1b	right	—	—	—	—	—	—	—	—	—	361
		left	355	316	—	—	—	—	—	354	364	—
	8a	right	—	—	—	39	36	41	—	—	—	38
		left	37	37	—	—	—	—	—	38	38	—
	9a	right	—	—	—	25	23	23	—	—	—	23
		left	24	24	—	—	—	—	—	26	22	—
	10b	right	—	—	—	86	—	83	—	—	—	80
		left	75	73	—	—	—	—	—	79	82	—
Fibula	1	right	—	—	—	—	—	—	—	—	—	352
		left	—	—	—	—	(317)	—	—	—	—	—
Height	Sjøvold		164.7	154.9	—	168.4	157.6	—	—	162.0	169.1	164.1
	Rösing		161.2	154.1	—	163.5	156.9	—	—	160.2	163.6	160.8
	Bernert		166.7	159.7	—	168.1	161.3	—	—	166.7	168.1	166.7

Tab. 87. (continued).

Grave Nr./ Martin Nr.			4398	4410	4411	4604	4679	4702	4811	4813	4814	4819
Clavicle	1	right	—	145	—	—	—	—	—	—	155	125
		left	—	—	—	—	143	—	—	—	155	—
	6	right	—	38	—	—	47	—	—	—	41	36
		left	—	—	40	—	49	—	—	—	40	—
Humerus	1	right	306	307	—	302	318	323	—	—	324	—
		left	—	300	333	297	316	—	—	—	320	—
	2	right	305	298	—	300	316	321	—	—	322	—
		left	—	295	329	293	314	—	—	—	316	—
	4	right	56	—	—	58	64	58	—	—	61	63
		left	56	54	67	—	62	58	—	—	61	—
	5	right	20	22	23	23	23	22	19	—	22	21
		left	—	22	23	24	22	22	20	20	22	20
	6	right	18	17	18	18	18	18	17	—	20	17
		left	—	18	18	18	17	17	17	16	18	16
	7	right	60	62	63	63	66	64	59	—	64	62
		left	58	61	63	63	64	63	58	59	63	60
	9	right	44	43	—	45	51	43	46	—	43	—
		left	—	42	—	44	50	—	—	—	41	—
Radius	1	right	—	—	—	230	234	—	—	—	—	220
		left	—	—	252	225	—	—	—	—	—	218
Ulna	1	right	—	—	—	—	254	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
Femur	1	right	—	422	—	—	440	458	—	—	450	—
		left	437	—	(467)	—	447	—	—	—	448	390
	2	right	—	419	—	—	437	455	—	—	448	—
		left	435	—	465	—	443	—	—	—	444	387
	6	right	—	28	—	28	31	27	—	—	29	29
		left	27	—	30	—	31	27	26	29	27	28
	7	right	—	28	—	24	26	25	—	—	28	23
		left	25	—	29	—	24	26	24	25	27	23
	8	right	—	90	—	82	91	81	—	—	90	84
		left	85	—	—	—	90	82	80	86	88	82
	9	right	—	33	—	31	31	34	34	—	38	28
		left	31	—	38	34	34	35	35	32	39	28
	10	right	—	27	—	26	27	23	25	—	28	24
		left	27	—	26	25	28	24	25	25	28	23
	19	right	—	47	48	42	—	44	46	—	44	—
		left	43	—	49	—	47	—	47	42	45	—
	21	right	—	—	84	—	82	78	—	—	76	—
		left	—	—	—	—	—	79	—	—	78	—
Tibia	1	right	—	—	—	—	345	374	—	—	375	—
		left	—	—	—	—	344	375	—	—	378	—
	1a	right	—	—	—	—	352	377	—	—	380	339
		left	—	—	388	—	353	378	—	—	384	—
	1b	right	—	—	—	—	343	369	—	—	373	—
		left	—	—	380	—	345	372	—	—	375	—
	8a	right	38	39	—	33	38	38	—	—	35	33
		left	—	—	41	32	38	38	31	—	36	33
	9a	right	22	24	—	26	23	23	—	—	26	21
		left	—	—	24	26	24	23	21	—	26	21
	10b	right	81	86	—	73	82	78	—	—	79	71
		left	—	—	83	—	81	79	—	—	78	—
Fibula	1	right	—	—	—	—	349	—	—	—	—	—
		left	—	—	—	—	346	—	—	—	—	—
Height	Sjøvold		162.3	159.7	171.7	159.0	163.9	169.6	—	—	168.8	154.5
	Rösing		160.0	158.2	166.5	157.0	160.8	164.8	—	—	164.3	154.3
	Bernert		166.8	164	172.5	161.3	166.4	171.1	—	—	170.4	157.9

Tab. 87. (continued).

Grave Nr./ Martin Nr.		4826	4932	4957	4979	4990	5036	5115	5125	5183	5197
Clavicle	1 right	–	137	153	–	–	–	–	–	–	–
	left	–	–	155	–	–	–	–	–	(135)	–
Humerus	6 right	–	38	42	–	–	–	–	–	(34)	42
	left	–	–	40	–	–	–	–	37	(36)	–
	1 right	–	300	300	–	320	294	–	311	317	–
	left	340	296	301	–	–	–	–	307	311	–
	2 right	–	296	297	–	316	292	–	309	314	–
	left	337	294	297	–	–	–	–	302	304	–
	4 right	61	–	64	63	62	–	66	64	58	62
	left	61	56	63	63	62	–	–	63	58	–
	5 right	–	19	23	21	20	20	22	21	21	22
	left	21	19	21	20	–	–	23	21	21	–
	6 right	–	16	17	17	17	16	18	18	16	18
	left	16	15	17	16	–	–	18	17	16	–
	7 right	61	56	63	60	60	57	66	62	65	64
	left	61	55	62	58	–	–	65	60	64	63
Radius	9 right	–	43	43	–	46	48	52	47	44	–
	left	43	42	43	–	–	–	–	45	44	–
Ulna	1 right	252	230	235	–	250	–	246	237	–	–
	left	–	–	237	–	–	–	–	233	–	–
Femur	1 right	–	248	251	–	269	–	–	258	–	–
	left	–	–	–	–	–	–	265	257	–	–
	1 right	458	432	435	467	–	432	–	435	–	424
	left	–	430	–	(468)	–	431	–	429	445	–
	2 right	455	428	430	464	–	430	–	433	–	422
	left	–	427	–	(466)	–	429	–	425	437	–
	6 right	31	27	31	33	33	25	32	32	31	29
	left	29	26	30	34	31	24	31	30	30	29
	7 right	26	22	26	26	24	21	28	26	28	26
	left	27	22	27	26	25	22	28	27	27	27
	8 right	92	78	90	93	94	74	95	93	92	89
	left	90	76	90	95	90	74	93	90	91	88
	9 right	32	29	30	32	–	28	33	31	34	30
	left	36	31	33	35	34	32	–	33	34	34
	10 right	25	23	26	27	–	23	28	25	32	26
	left	24	23	25	28	27	22	–	24	28	27
	19 right	44	44	46	46	–	46	50	47	45	–
	left	–	44	46	45	–	46	50	46	44	–
	21 right	–	74	–	84	–	–	–	–	–	–
	left	–	–	–	–	–	–	–	78	(75)	–
Tibia	1 right	–	(343)	356	370	–	–	–	350	371	330
	left	–	–	358	–	–	–	–	351	–	–
	1a right	–	348	362	379	–	–	–	360	376	335
	left	–	–	364	–	–	–	–	356	–	–
	1b right	–	–	355	367	–	–	–	354	369	–
	left	–	–	357	–	–	–	–	352	–	–
	8a right	38	35	39	38	–	29	42	37	37	34
	left	37	33	37	39	37	30	–	35	–	34
	9a right	25	20	26	24	–	22	24	22	25	23
	left	25	19	25	23	25	22	–	22	–	24
Fibula	10b right	83	73	74	77	–	68	88	77	77	77
	left	80	71	74	78	–	69	–	76	–	74
Height	1 right	–	–	–	–	–	–	–	344	–	–
	left	–	335	352	–	–	–	–	–	–	–
Height	Sjøvold	172.0	159.8	162.6	170.8	169	158.8	168.3	162.7	166.6	158.3
	Rösing	166.6	158.4	160.1	166.2	163.7	157.7	164.1	160.1	162.9	157.4
	Bernert	170.8	164.9	166.8	171.7	167.7	165.8	168.9	165.8	169.4	162.8

Tab. 87. (continued).

Grave Nr./ Martin Nr.			5271	5281	5287	5292	5387	5388	5631	5986	6049	6051
Clavicle	1	right	—	—	—	—	—	—	149	—	—	142
		left	156	—	—	156	—	143	—	—	—	—
	6	right	—	—	—	—	—	—	38	—	—	34
		left	45	—	—	43	—	33	—	—	41	—
Humerus	1	right	—	316	—	—	307	302	323	289	—	—
		left	308	—	—	336	305	301	—	288	—	—
	2	right	—	312	—	—	304	300	320	287	—	—
		left	306	—	—	330	300	297	—	283	—	—
	4	right	—	62	—	—	60	63	—	57	64	—
		left	59	—	58	65	58	62	63	55	—	58
	5	right	22	24	21	—	21	22	21	20	—	—
		left	21	23	—	23	20	20	21	21	—	—
	6	right	18	21	18	—	17	17	16	16	—	—
		left	17	20	—	17	16	17	17	17	—	—
	7	right	63	71	—	64	62	62	61	59	62	—
		left	60	68	62	63	60	59	61	60	—	—
	9	right	46	48	—	—	43	46	48	42	45	—
		left	44	47	—	49	43	46	—	41	44	—
Radius	1	right	—	231	—	262	234	238	—	—	238	—
		left	239	234	—	260	230	238	—	—	238	—
Ulna	1	right	—	—	—	285	—	262	—	—	260	—
		left	263	—	—	282	—	258	—	256	—	—
Femur	1	right	446	449	—	—	—	427	460	—	—	—
		left	447	448	—	460	450	427	459	—	—	—
	2	right	444	446	—	—	—	425	458	—	—	—
		left	444	445	—	457	448	425	457	—	—	—
	6	right	29	31	—	32	30	29	28	25	—	—
		left	29	29	—	30	30	29	28	24	—	—
	7	right	30	27	—	26	28	26	28	24	—	—
		left	30	27	—	26	28	26	29	24	—	—
	8	right	92	93	—	91	92	87	89	77	—	—
		left	92	89	—	90	91	88	90	76	—	—
	9	right	33	33	—	31	—	30	31	29	—	34
		left	35	36	34	35	36	32	35	30	—	—
	10	right	28	26	—	27	—	25	25	23	—	27
		left	27	27	25	29	25	24	27	24	—	—
	19	right	46	48	—	—	—	46	49	42	—	47
		left	46	—	—	48	44	47	48	42	—	47
	21	right	80	—	—	—	73	77	84	—	—	—
		left	—	82	—	—	75	78	83	—	—	—
Tibia	1	right	—	354	—	—	—	350	—	—	—	—
		left	—	351	—	—	347	350	—	—	—	—
	1a	right	—	360	—	—	—	359	—	—	—	—
		left	—	359	—	—	355	360	—	—	—	—
	1b	right	—	352	—	—	—	350	—	—	—	—
		left	—	350	—	—	350	351	—	—	—	—
	8a	right	39	38	—	42	35	36	34	31	—	—
		left	38	36	—	40	35	35	35	28	—	—
	9a	right	25	27	—	23	24	22	25	20	—	—
		left	25	26	—	22	23	22	24	20	—	—
	10b	right	—	85	—	84	—	75	—	63	—	—
		left	84	85	—	84	80	75	—	—	—	—
Fibula	1	right	—	347	—	372	—	347	—	—	—	—
		left	—	—	—	—	—	349	—	—	—	—
Height	Sjøvold		165.2	163.8	—	173.1	163.0	162.5	169.3	158.6	165.7	—
	Rösing		161.3	161.3	—	167.3	160.3	159.5	164.6	152.8	161.5	—
	Bernert		168.6	167.8	—	171.2	167.4	165.3	171.1	157.9	165.6	—

Tab. 87. (continued).

Grave Nr./ Martin Nr.			6078	6087	6121	6128	6129	6137	6151	6154	6339	6346
Clavicle	1	right	—	—	—	—	—	146	—	150	—	—
		left	—	—	—	—	—	—	—	149	—	—
	6	right	—	—	—	—	—	38	—	39	39	—
		left	—	—	39	—	—	—	—	39	39	—
Humerus	1	right	—	292	—	—	277	—	306	—	—	—
		left	322	290	—	316	—	324	305	322	—	—
	2	right	—	287	—	—	266	—	304	—	—	—
		left	317	286	—	309	—	321	303	319	—	—
	4	right	66	58	—	—	52	62	59	—	66	—
		left	66	60	—	66	53	62	58	61	67	—
	5	right	22	20	21	22	20	22	23	20	22	(24)
		left	21	20	21	21	20	21	21	18	21	22
	6	right	17	17	17	18	15	19	19	16	18	(20)
		left	17	17	17	18	16	18	18	16	17	18
	7	right	63	58	59	66	57	65	64	56	62	67
		left	60	58	58	64	57	64	60	54	62	65
	9	right	—	45	—	—	40	—	45	—	—	—
		left	48	43	—	47	—	49	43	45	—	—
Radius	1	right	—	225	250	252	—	242	241	249	—	—
		left	—	221	—	249	—	243	—	—	—	—
Ulna	1	right	—	—	—	274	—	—	—	—	—	—
		left	—	—	267	—	—	—	—	271	270	—
Femur	1	right	—	420	—	447	378	—	—	465	—	—
		left	—	—	—	—	—	447	446	—	475	—
	2	right	—	425	—	445	374	—	—	464	—	—
		left	—	—	—	—	—	444	444	—	471	—
	6	right	—	28	31	33	26	—	—	29	—	31
		left	29	—	—	—	—	30	28	—	33	—
	7	right	—	23	27	29	24	—	—	25	—	26
		left	—	—	—	—	—	28	26	—	26	—
	8	right	—	84	90	98	79	—	—	86	—	88
		left	90	—	—	—	—	92	85	—	95	—
	9	right	—	27	27	31	29	—	—	33	—	33
		left	27	31	—	—	—	35	34	—	38	—
	10	right	—	24	25	26	22	—	—	27	—	27
		left	—	24	—	—	—	28	26	—	29	—
	19	right	50	44	45	49	38	—	—	47	—	—
		left	49	44	—	—	—	48	—	—	48	—
	21	right	—	80	—	84	—	—	—	81	—	—
		left	—	—	—	—	—	80	79	—	84	—
Tibia	1	right	—	—	—	370	—	—	346	—	365	—
		left	—	330	—	—	—	368	—	—	—	—
	1a	right	—	—	—	371	—	—	354	—	372	—
		left	—	343	—	—	305	372	—	—	—	—
	1b	right	—	—	—	366	—	—	344	—	364	—
		left	—	331	—	—	300	367	—	—	—	—
	8a	right	38	—	—	39	—	—	34	36	38	—
		left	36	35	—	—	30	42	—	36	—	(35)
	9a	right	24	—	—	26	—	—	22	24	24	—
		left	23	26	—	—	29	26	—	23	—	(24)
	10b	right	78	—	—	86	—	—	79	—	81	—
		left	—	76	—	—	68	85	—	75	—	75
Fibula	1	right	—	328	—	352	—	—	—	—	361	—
		left	—	—	—	354	—	—	—	—	—	—
Height	Sjøvold		167.8	156.4	169.6	167.8	147.6	167.6	163.5	170.1	169.8	—
	Rösing		162.5	156.0	165.5	163.7	150.3	163.5	160.7	165.0	166.3	—
	Bernert		168.3	162.4	170.5	169.5	155.7	169.3	166.8	172.1	171.9	—

Tab. 87. (continued).

Grave Nr./ Martin Nr.			6348	6352	6353	6380	6381	6387	6438	6502	6541	6697
Clavicle	1	right	—	—	—	—	—	—	145	—	147	—
		left	—	—	—	—	—	—	152	—	151	—
	6	right	—	—	—	—	—	—	40	—	42	—
		left	—	—	—	41	—	—	39	—	42	—
Humerus	1	right	—	289	302	324	—	—	322	—	301	—
		left	—	281	292	324	—	—	324	—	300	—
	2	right	—	285	299	322	—	—	—	—	297	—
		left	—	276	290	—	—	—	317	—	297	—
	4	right	60	58	60	62	—	—	—	—	61	54
		left	58	56	—	60	—	—	65	—	60	52
	5	right	23	19	20	24	—	—	22	23	22	20
		left	22	18	18	22	—	(22)	21	—	22	18
	6	right	17	15	17	18	—	—	18	20	18	17
		left	16	15	16	17	—	(19)	17	—	18	16
	7	right	61	53	56	64	—	—	65	69	63	56
		left	59	53	56	61	—	63	62	—	59	54
	9	right	—	40	45	47	—	—	50	—	46	—
		left	—	39	—	46	—	—	47	—	44	—
Radius	1	right	—	—	229	246	—	—	243	—	239	—
		left	—	—	234	247	—	—	—	—	237	—
Ulna	1	right	—	—	—	—	—	—	—	—	256	—
		left	272	242	—	—	—	—	—	—	—	—
Femur	1	right	—	—	—	444	—	—	—	—	—	—
		left	—	400	415	—	—	—	442	—	421	411
	2	right	—	—	—	443	—	—	—	—	—	—
		left	—	398	411	—	—	—	436	—	416	409
	6	right	32	—	—	30	—	30	—	—	—	—
		left	—	27	25	—	—	—	29	31	27	25
	7	right	27	—	—	(29)	—	26	—	—	—	—
		left	—	22	26	—	—	—	25	26	26	25
	8	right	94	—	—	—	—	89	—	—	—	—
		left	—	80	80	—	—	—	87	90	85	77
	9	right	—	—	—	32	—	—	—	36	33	—
		left	—	29	32	—	—	37	31	37	35	31
	10	right	—	—	—	28	—	—	—	28	26	—
		left	—	23	21	—	—	27	29	26	26	23
	19	right	46	41	—	46	47	48	—	45	42	—
		left	46	41	42	46	47	48	47	46	42	41
	21	right	—	—	—	—	—	—	85	—	—	—
		left	—	72	—	—	—	—	84	—	77	—
Tibia	1	right	—	—	—	—	—	—	—	—	—	—
		left	—	312	—	361	—	—	355	—	353	—
	1a	right	—	—	—	—	—	—	—	—	—	—
		left	—	322	—	370	—	—	361	—	359	—
	1b	right	—	—	—	—	—	—	—	—	—	—
		left	—	311	—	364	—	—	355	—	351	—
	8a	right	34	—	—	—	34	—	—	—	—	32
		left	—	34	32	39	34	39	38	37	33	—
	9a	right	23	—	—	—	26	—	—	—	—	23
		left	—	19	22	23	25	26	26	23	25	—
	10b	right	75	—	72	—	80	—	85	82	—	74
		left	—	66	69	84	80	82	84	—	74	—
Fibula	1	right	—	—	—	—	—	—	349	—	—	—
		left	—	—	—	355	—	—	350	—	—	—
Height	Sjøvold		172.2	153.3	158.9	166.5	—	—	165.3	—	162.2	157.2
	Rösing		—	152.6	157.6	163.3	—	—	162.5	—	159.4	157.3
	Bernert		—	158.4	162.7	168.2	—	—	167.4	—	164.9	161.9

Tab. 87. (continued).

Grave Nr./ Martin Nr.			7185	7281	7294	7426	7555	7562	7563	7581	7583	7655
Clavicle	1	right	—	—	139	—	—	—	144	—	—	—
		left	—	—	143	—	—	—	—	—	—	—
	6	right	—	—	35	—	—	—	37	—	—	—
		left	—	—	36	—	—	—	—	—	—	—
Humerus	1	right	—	306	—	—	—	328	312	—	—	—
		left	304	—	—	316	—	324	—	—	—	—
	2	right	—	304	—	—	—	—	310	—	—	—
		left	301	—	—	313	—	321	—	—	—	—
	4	right	—	62	63	—	—	62	—	59	58	—
		left	55	62	59	—	58	64	58	57	—	—
	5	right	—	22	20	20	—	22	22	20	—	20
		left	21	22	—	19	19	22	21	21	—	20
	6	right	—	16	16	17	—	17	17	16	—	15
		left	16	16	—	16	17	17	17	17	—	15
	7	right	—	58	57	61	—	65	62	61	57	57
		left	66	59	—	58	57	64	61	61	—	56
	9	right	—	43	45	43	—	47	43	—	—	—
		left	43	—	45	43	—	46	—	—	—	—
Radius	1	right	225	248	234	—	—	252	—	—	—	—
		left	—	251	—	—	—	—	236	—	—	—
Ulna	1	right	—	274	253	—	—	275	262	—	—	—
		left	—	274	—	—	—	274	258	—	—	262
Femur	1	right	—	—	—	—	—	445	—	—	—	—
		left	—	—	428	—	—	445	432	—	414	—
	2	right	—	—	424	—	—	443	—	—	—	—
		left	—	—	425	—	—	443	430	—	412	—
	6	right	—	—	28	—	—	31	31	31	—	27
		left	—	28	28	—	—	31	31	31	27	25
	7	right	—	—	23	—	—	25	25	27	—	24
		left	—	25	25	—	—	26	25	24	26	26
	8	right	—	—	82	—	—	91	89	93	—	82
		left	—	84	83	—	—	92	89	91	84	82
	9	right	31	—	28	—	—	31	32	33	32	—
		left	31	34	31	—	—	33	33	30	31	32
	10	right	24	—	23	—	—	24	24	25	24	—
		left	24	25	23	—	—	24	26	26	23	24
	19	right	—	—	45	—	—	44	—	—	—	—
		left	42	45	—	—	—	44	45	(45)	—	45
	21	right	—	—	—	—	—	75	—	—	—	—
		left	—	—	81	—	—	—	—	—	—	—
Tibia	1	right	—	—	341	—	—	352	—	—	—	—
		left	—	—	341	—	—	356	—	—	—	—
	1a	right	—	—	346	—	—	361	—	—	—	—
		left	—	—	348	—	—	364	(353)	—	—	—
	1b	right	—	—	340	—	—	354	—	—	—	—
		left	—	—	341	—	—	356	(346)	—	—	—
	8a	right	—	36	34	—	—	37	38	37	—	38
		left	35	36	32	—	—	38	38	—	—	—
	9a	right	—	23	25	—	—	27	23	24	—	21
		left	21	22	25	—	—	26	23	—	—	—
	10b	right	—	80	74	—	—	77	85	81	—	78
		left	73	78	74	—	—	81	83	79	—	—
Fibula	1	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
Height	Sjøvold		159.6	167.5	162.0	165.0	—	167.8	164.2	—	158.1	167.6
	Rösing		157.3	161.6	159.4	160.7	—	163.5	160.6	—	157.8	—
	Bernert		162.7	163.3	164.4	166.4	—	167.6	165.9	—	162.5	—

Tab. 87. (continued).

Grave Nr./ Martin Nr.			7674	7675	7676	7678	7679	7688	7689	7713	7716	7749
Clavicle	1	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	145	—	—	—	—	—	—	—
	6	right	—	—	—	—	—	38	—	—	—	—
		left	—	—	38	—	—	—	—	44	—	—
Humerus	1	right	—	—	307	—	—	—	287	325	—	—
		left	—	—	—	—	—	332	—	320	—	—
	2	right	—	—	305	—	—	—	285	322	—	—
		left	—	—	—	—	—	326	—	316	—	—
	4	right	61	63	58	—	—	64	62	61	64	—
		left	—	—	—	55	—	66	61	59	65	—
	5	right	20	22	20	19	21	20	21	23	23	—
		left	—	—	20	19	20	20	20	22	21	—
	6	right	15	18	18	16	17	17	17	18	16	—
		left	—	—	19	16	17	17	17	18	15	—
	7	right	57	64	59	57	—	61	60	64	64	—
		left	—	—	59	—	—	61	60	61	62	—
	9	right	—	—	42	—	42	—	(45)	46	—	—
		left	—	—	41	—	—	46	—	44	—	—
Radius	1	right	—	—	—	—	—	—	—	230	—	—
		left	—	—	—	—	—	—	230	230	242	—
Ulna	1	right	—	—	—	250	—	—	—	251	—	—
		left	—	—	245	—	—	—	—	256	—	—
Femur	1	right	—	—	—	—	473	—	422	446	—	—
		left	—	—	—	380	472	475	422	448	—	—
	2	right	—	—	—	—	468	—	420	442	—	—
		left	—	—	—	375	466	474	419	444	—	—
	6	right	30	32	28	27	31	34	27	30	29	—
		left	—	29	28	25	32	(27)	28	29	30	—
	7	right	24	26	26	23	25	27	25	27	27	—
		left	—	28	27	25	25	(30)	26	27	28	—
	8	right	86	93	87	83	90	96	83	90	89	—
		left	—	90	87	81	92	94	85	89	91	—
	9	right	29	34	33	28	30	36	28	34	37	34
		left	—	36	34	30	—	36	33	35	38	—
	10	right	24	27	25	24	26	30	25	27	29	26
		left	—	27	25	21	—	27	24	27	28	—
	19	right	(45)	—	43	45	44	48	43	45	49	46
		left	—	(45)	44	44	—	48	43	45	48	45
	21	right	—	—	—	—	—	—	—	78	—	—
		left	—	—	—	—	—	(83)	—	81	—	—
Tibia	1	right	—	—	—	—	—	379	344	358	—	—
		left	—	—	—	—	—	—	—	—	—	—
	1a	right	—	—	—	—	—	385	351	364	—	—
		left	—	—	—	—	—	—	352	362	—	—
	1b	right	—	—	—	—	—	374	341	356	—	—
		left	—	—	—	—	—	—	343	—	—	—
	8a	right	35	—	—	34	—	38	35	38	38	—
		left	—	—	—	—	33	44	36	—	—	35
	9a	right	20	—	—	21	—	23	23	25	22	—
		left	—	—	—	—	22	27	23	—	—	25
	10b	right	72	—	75	70	—	85	77	84	79	—
		left	—	—	74	—	74	85	77	—	79	—
Fibula	1	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
Height	Sjøvold		—	—	160.3	155.5	173.9	173.0	158.5	165.1	166.2	—
	Rösing		—	—	158.1	151.4	168.8	165.1	157.2	161.8	162.8	—
	Bernert		—	—	163.6	156.0	173.5	173.4	164.1	168.2	167.3	—

Tab. 87. (continued).

Grave Nr./ Martin Nr.			7751	7752	7756	7766	7767	7774	7775	7778
Clavicle	1	right	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—
	6	right	—	—	—	—	—	—	—	—
		left	—	37	—	—	—	—	—	—
Humerus	1	right	—	302	323	300	—	—	—	—
		left	—	—	—	298	—	—	—	—
	2	right	—	299	321	298	—	—	—	—
		left	—	—	—	292	—	—	—	—
	4	right	—	—	64	—	62	—	—	60
		left	—	62	63	64	—	—	—	—
	5	right	—	21	23	21	—	—	22	21
		left	—	—	21	20	—	—	22	20
	6	right	—	17	19	19	—	—	18	17
		left	—	—	19	18	—	—	17	16
	7	right	—	59	67	64	—	—	64	65
		left	—	59	64	61	—	—	63	61
	9	right	—	45	49	45	—	—	—	—
		left	—	—	—	43	43	—	—	—
Radius	1	right	—	—	244	—	—	—	—	—
		left	—	227	244	—	—	—	—	—
Ulna	1	right	276	—	—	—	—	—	—	—
		left	—	—	267	—	—	—	—	—
Femur	1	right	459	—	445	422	445	—	—	—
		left	459	425	—	—	—	—	461	—
	2	right	456	—	443	416	443	—	—	—
		left	457	422	—	—	—	—	459	—
	6	right	32	29	32	28	30	—	29	—
		left	33	29	—	27	—	—	30	—
	7	right	25	24	28	28	22	—	25	—
		left	27	26	—	28	—	—	26	—
	8	right	93	84	94	89	85	—	86	—
		left	94	90	—	88	—	—	88	—
	9	right	32	—	32	35	—	34	33	33
		left	34	32	—	35	—	—	36	35
	10	right	26	—	28	27	—	25	25	28
		left	25	24	—	26	—	—	26	28
	19	right	45	45	47	46	—	46	49	—
		left	46	45	—	47	45	46	48	47
	21	right	—	—	—	—	—	—	—	—
		left	79	—	—	—	—	—	—	—
Tibia	1	right	—	—	—	(344)	—	—	—	—
		left	—	—	—	—	—	—	—	—
	1a	right	—	—	—	353	—	—	—	—
		left	382	—	—	—	—	—	—	—
	1b	right	—	—	—	347	—	—	—	—
		left	—	—	—	—	—	—	—	—
	8a	right	—	37	39	—	36	—	—	—
		left	37	38	39	38	33	—	38	—
	9a	right	—	22	26	—	22	—	—	—
		left	23	24	25	23	21	—	25	—
	10b	right	81	78	—	78	—	—	77	—
		left	—	77	84	78	—	—	78	—
Fibula	1	right	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—
Height	Sjøvold		174.6	160.0	167.9	168.5	166.5	—	—	—
	Rösing		170.1	158.2	163.3	158.9	163.7	—	—	—
	Bernert		171.0	164.5	168.3	164.1	168.3	—	—	—

Tab. 87. (continued).

Grave Nr./ Martin Nr.			5	7	31	50	64	66	67	71	72	73
Clavicle	1	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	141	—	—	—	—	—
	6	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	32	—	—	—	—	—
Humerus	1	right	—	—	—	—	281	—	313	—	—	—
		left	—	—	—	—	—	—	308	302	—	—
	2	right	—	—	—	—	279	—	309	—	—	—
		left	—	—	—	—	—	—	303	296	—	—
	4	right	—	—	—	—	50	—	—	—	—	—
		left	—	—	—	—	49	54	57	—	—	—
	5	right	—	—	20	—	17	(20)	—	19	19	—
		left	—	—	—	—	18	(20)	19	19	18	—
	6	right	—	—	17	—	14	(16)	—	15	17	—
		left	—	—	—	—	15	(17)	16	16	16	—
	7	right	—	50	58	—	48	—	—	54	55	—
		left	—	49	—	—	49	—	58	55	55	—
	9	right	—	—	—	—	39	—	41	—	44	—
		left	—	—	—	—	—	—	41	38	—	—
Radius	1	right	—	—	—	—	—	—	—	228	—	—
		left	—	—	—	—	—	—	227	223	—	—
Ulna	1	right	—	—	—	—	—	—	245	247	—	—
		left	—	—	—	—	—	—	246	244	—	—
Femur	1	right	—	—	—	—	—	—	444	—	—	—
		left	—	—	—	—	—	(437)	—	—	—	—
	2	right	—	—	—	—	(376)	—	438	—	—	—
		left	—	—	—	—	—	(430)	—	—	—	—
	6	right	—	26	27	—	23	—	28	29	—	22
		left	—	26	—	—	—	28	—	30	22	—
	7	right	—	25	27	—	22	—	25	23	—	19
		left	—	25	—	—	—	23	—	24	25	—
	8	right	—	74	85	—	67	—	84	83	—	62
		left	—	74	—	—	—	75	—	85	76	—
	9	right	—	—	35	—	28	—	28	31	29	31
		left	—	—	—	—	—	—	28	30	32	—
	10	right	—	—	39	—	23	—	24	25	22	23
		left	—	—	—	—	—	25	25	26	22	—
	19	right	41	—	—	—	40	—	40	—	—	—
		left	41	—	44	—	—	—	41	41	—	—
	21	right	—	—	—	—	—	—	—	—	75	—
		left	—	—	—	—	—	74	—	—	—	—
Tibia	1	right	—	—	—	—	—	348	345	344	—	—
		left	—	—	—	—	—	349	—	347	—	—
	1a	right	—	—	—	—	—	(352)	355	351	—	—
		left	—	—	—	—	—	360	—	354	—	—
	1b	right	—	—	—	—	—	(350)	347	342	—	—
		left	—	—	—	—	—	348	—	346	—	—
	8a	right	30	—	—	—	29	—	30	34	35	—
		left	—	—	—	—	—	29	30	34	31	—
	9a	right	22	—	—	—	—	—	21	21	22	—
		left	—	—	—	—	—	22	22	20	21	—
	10b	right	70	—	—	—	—	—	68	72	—	—
		left	—	—	—	—	—	61	71	70	—	—
Fibula	1	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
Height	Sjøvold		—	—	—	—	148.8	163.1	162.0	159.9	—	—
	Rösing		—	—	—	—	147.6	156.2	156.1	154.5	—	—
	Bernert		—	—	—	—	159.5	168.5	168.8	166.8	—	—

Tab. 88. Individual skeletal measurements and estimated height. Alsónyék. Women. Measurements in brackets uncertain.

Grave Nr./ Martin Nr.			78	92	93	96	114	115	153	155	188	205
Clavicle	1	right	—	—	—	—	140	—	—	—	—	—
		left	—	—	—	—	142	—	—	—	—	—
Humerus	6	right	—	—	—	—	37	34	—	—	—	—
		left	—	—	—	—	36	33	—	36	—	—
	1	right	—	—	—	—	315	299	280	277	—	—
		left	—	—	288	270	303	298	—	271	—	—
	2	right	—	—	—	—	309	—	277	275	—	—
		left	—	—	282	—	298	295	—	266	—	—
	4	right	—	—	—	—	58	—	57	54	53	58
		left	—	—	55	—	56	55	55	54	—	—
	5	right	18	19	—	—	19	19	20	20	—	—
		left	18	19	21	17	18	18	20	20	—	—
	6	right	15	15	—	—	15	15	16	14	—	—
		left	15	15	16	15	15	16	15	14	—	—
	7	right	(49)	48	—	—	55	54	48	59	—	—
		left	(49)	48	57	51	55	54	46	59	—	—
Radius	9	right	—	—	—	—	41	42	40	38	—	—
		left	—	—	41	39	41	41	40	37	—	—
Ulna	1	right	—	—	—	—	224	224	201	202	—	—
		left	—	—	—	—	—	222	202	—	—	—
Femur	1	right	—	—	—	—	—	420	—	389	—	—
		left	—	—	(405)	—	(433)	430	—	392	350	—
	2	right	—	—	—	—	—	413	—	380	—	—
		left	—	—	399	—	426	425	—	388	347	—
	6	right	25	27	25	—	—	26	28	25	—	—
		left	25	—	25	—	27	26	27	25	—	—
	7	right	25	24	25	—	—	24	26	23	—	—
		left	25	—	26	—	26	25	25	23	—	—
	8	right	75	78	82	—	—	80	80	78	—	—
		left	75	—	83	—	85	81	78	78	—	—
	9	right	31	—	31	—	—	31	32	27	—	—
		left	32	—	31	—	34	—	32	29	31	—
	10	right	22	—	26	—	—	24	26	23	—	—
		left	22	—	26	—	25	—	24	22	22	—
	19	right	42	—	42	42	—	40	40	39	—	42
		left	43	—	41	—	42	41	—	39	(39)	41
	21	right	—	—	—	—	—	72	—	(72)	—	—
		left	—	—	—	—	—	70	—	—	—	—
Tibia	1	right	—	—	—	—	—	—	—	307	—	—
		left	—	—	317	—	—	331	—	—	—	—
	1a	right	—	—	—	—	—	—	332	317	—	—
		left	—	—	325	—	349	339	—	—	—	—
	1b	right	—	—	—	—	—	—	—	309	—	—
		left	—	—	318	—	340	333	—	—	—	—
	8a	right	—	—	34	—	—	31	31	31	—	—
		left	—	32	33	—	30	31	29	31	—	—
	9a	right	—	—	24	—	—	21	20	22	—	—
		left	—	20	24	—	22	21	19	23	—	—
	10b	right	—	—	71	—	—	67	65	68	—	—
		left	—	64	71	—	70	67	63	67	—	—
Fibula	1	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	309	—	—
Height	Sjøvold		—	—	152.4	143.7	160.7	159.1	149.2	148.6	140.7	—
	Rösing		—	—	149.4	144.6	155.4	153.2	147.3	146.7	139.3	—
	Bernert		—	—	161.6	156.0	168.7	165.3	159.2	159.0	152.8	—

Tab. 88. (continued).

Grave Nr./ Martin Nr.			213	215	255	310	315	335	355	369	379	387
Clavicle	1	right	—	147	131	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	143	—	—
	6	right	—	31	32	—	—	—	33	—	—	—
		left	33	—	—	—	—	—	—	—	40	—
Humerus	1	right	294	314	—	—	—	—	(296)	—	—	331
		left	—	306	—	—	311	—	—	—	—	—
	2	right	292	310	—	—	—	—	(294)	—	—	329
		left	—	302	—	—	305	—	—	—	—	—
	4	right	(54)	58	—	57	—	60	51	—	—	60
		left	—	58	—	57	—	60	49	—	—	59
	5	right	20	17	19	21	—	22	19	20	19	19
		left	20	17	19	—	—	22	—	21	—	—
	6	right	15	14	16	17	—	19	15	15	17	16
		left	15	14	16	—	—	19	—	16	—	—
	7	right	53	43	54	—	—	59	54	55	—	54
		left	53	44	54	55	53	60	53	55	—	—
	9	right	—	40	—	—	—	—	39	—	—	42
		left	—	39	—	42	42	—	—	—	—	—
Radius	1	right	—	—	—	214	—	—	—	—	—	(242)
		left	217	229	211	—	—	—	(222)	—	—	—
Ulna	1	right	—	—	—	—	—	—	—	—	—	—
		left	—	249	—	—	—	—	241	—	—	—
Femur	1	right	—	—	409	—	(436)	—	—	—	—	(464)
		left	400	437	—	—	—	—	—	(427)	—	—
	2	right	395	(422)	400	—	429	—	—	—	—	(457)
		left	395	432	—	—	428	—	—	—	—	—
	6	right	25	24	25	26	25	28	—	27	—	27
		left	25	25	25	25	25	—	26	26	—	26
	7	right	26	25	23	24	22	25	—	26	—	23
		left	26	24	22	26	23	—	25	26	—	24
	8	right	81	70	75	80	76	86	—	85	—	81
		left	81	70	74	81	77	—	80	84	—	81
	9	right	32	31	32	33	28	—	28	31	—	—
		left	32	32	32	33	29	—	—	31	—	—
	10	right	24	23	27	26	25	—	26	26	—	—
		left	25	22	26	24	25	—	—	25	—	—
	19	right	38	41	42	(40)	43	—	38	—	41	(43)
		left	38	40	—	—	43	47	—	—	—	—
	21	right	—	73	—	—	—	—	—	—	—	—
		left	(68)	73	—	—	—	—	—	—	—	—
Tibia	1	right	—	344	—	—	—	—	—	—	—	—
		left	324	343	—	—	—	—	—	—	—	—
	1a	right	330	350	—	—	—	—	—	—	—	—
		left	334	350	—	—	—	—	—	—	—	—
	1b	right	325	342	—	—	—	—	—	—	—	—
		left	327	342	—	—	—	—	—	—	—	—
	8a	right	28	33	30	—	—	33	31	32	—	35
		left	30	31	31	—	—	—	—	32	—	—
	9a	right	21	21	22	—	—	26	23	24	—	23
		left	23	20	23	—	—	—	—	23	—	—
	10b	right	64	69	—	—	—	—	—	—	—	—
		left	64	—	—	—	—	77	—	73	—	—
Fibula	1	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
Height	Sjøvold		154.9	161.9	155.6	155.6	163.4	—	157.4	160.7	—	169.9
	Rösing		150.7	155.8	150.9	151.5	156.2	—	152.9	155.0	—	161.4
	Bernert		161.8	167.9	164.1	161.3	169.3	—	164.4	167.6	—	174.7

Tab. 88. (continued).

Grave Nr./ Martin Nr.			392	393	400	407	426	432	434	439	449	451
Clavicle	1	right	—	—	—	—	—	—	—	—	—	145
		left	—	—	—	—	—	—	—	—	—	145
Humerus	6	right	—	—	—	—	—	—	—	36	—	—
		left	—	—	—	—	—	—	—	33	—	34
	1	right	284	—	302	—	—	—	—	277	—	309
		left	—	—	—	—	—	—	—	—	—	—
	2	right	—	—	298	—	—	—	—	275	—	308
		left	277	—	—	—	—	—	—	—	—	—
	4	right	—	—	55	—	—	—	—	50	—	58
		left	59	52	55	—	—	—	—	—	—	—
	5	right	19	—	—	—	—	—	21	—	—	21
		left	19	18	22	20	—	—	—	—	—	20
	6	right	16	—	—	—	—	—	17	—	—	16
		left	15	15	16	16	—	—	—	—	—	17
	7	right	55	—	54	54	—	—	58	—	—	58
		left	55	55	53	54	—	—	—	—	—	56
Radius	9	right	40	—	—	—	43	—	—	39	—	41
		left	—	—	—	—	—	—	—	—	—	40
Ulna	1	right	209	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	249
Femur	1	right	235	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	224	—	274
	1	right	(388)	—	—	—	432	425	—	391	—	439
		left	—	—	—	—	430	426	—	—	—	—
	2	right	(380)	—	—	—	429	421	—	388	—	428
		left	—	—	—	—	428	420	—	—	372	—
	6	right	—	—	—	—	—	—	—	27	25	28
		left	—	25	24	24	—	—	29	26	25	26
	7	right	—	—	—	—	—	—	—	24	24	23
		left	—	27	24	25	—	—	25	24	24	24
	8	right	—	—	—	—	—	—	85	82	77	81
		left	—	82	77	58	—	—	84	81	77	80
	9	right	—	—	29	31	32	30	30	29	31	30
		left	—	35	33	—	—	30	30	32	31	—
	10	right	—	—	26	25	27	24	25	25	24	22
		left	—	25	28	—	—	23	25	23	25	—
	19	right	43	—	42	41	43	40	—	40	40	43
		left	—	40	42	41	—	40	45	40	40	(43)
	21	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	70
Tibia	1	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	340	—	310	—	—
	1a	right	—	—	—	—	350	—	—	—	—	—
		left	309	—	—	—	—	350	—	312	—	—
	1b	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	341	—	308	—	—
	8a	right	34	31	30	29	—	34	—	—	—	31
		left	32	30	—	—	34	32	32	30	—	31
	9a	right	22	21	22	23	—	20	—	—	—	23
		left	22	21	—	—	23	20	22	21	—	23
Fibula	10b	right	—	70	71	—	72	73	—	—	—	69
		left	68	—	—	—	—	72	—	65	—	—
Height	1	right	—	—	—	—	—	—	—	—	—	355
		left	—	—	—	—	—	—	—	—	—	—
Height	Sjøvold		152.5	—	158.5	—	162.7	160.2	—	147.2	—	166.5
	Rösing		148.5	—	153.4	—	155.7	154.0	—	145.1	—	158.6
	Bernert		160.1	—	166.3	—	168.3	166.3	—	159.3	—	169.9

Tab. 88. (continued).

Grave Nr./ Martin Nr.			464	466	468	475	493	497	516	518	520	522
Clavicle	1	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
	6	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	(30)	—	—	—	—
Humerus	1	right	—	—	—	(295)	—	—	—	301	—	(258)
		left	—	—	—	—	—	—	—	299	286	—
	2	right	—	—	—	—	—	—	—	299	—	256
		left	—	—	—	—	—	—	—	295	282	—
	4	right	—	—	—	—	—	56	66	—	54	49
		left	—	58	—	—	—	—	—	57	54	—
	5	right	—	21	—	20	21	—	20	19	—	18
		left	—	—	—	19	20	—	20	19	21	—
	6	right	—	18	—	14	15	—	16	16	—	13
		left	—	—	—	15	16	—	15	16	16	—
	7	right	—	57	—	51	54	55	55	56	57	—
		left	—	—	—	53	54	—	55	56	57	—
	9	right	—	40	—	43	—	(39)	—	(40)	—	36
		left	—	—	—	—	—	(38)	—	(39)	40	—
Radius	1	right	—	232	—	—	—	—	—	—	—	—
		left	—	231	—	—	—	—	—	—	219	—
Ulna	1	right	—	252	—	—	—	—	—	—	—	—
		left	—	249	—	—	—	—	—	—	—	—
Femur	1	right	—	416	—	(415)	—	—	—	—	—	(368)
		left	—	407	—	—	395	382	—	—	—	—
	2	right	—	410	—	—	—	—	—	—	(360)	(360)
		left	—	402	—	—	391	378	—	—	—	—
	6	right	—	28	—	26	—	—	24	(24)	26	—
		left	—	28	—	25	—	23	23	24	25	—
	7	right	—	26	—	26	—	—	26	(24)	21	—
		left	—	26	—	25	—	24	25	24	20	—
	8	right	—	85	—	81	—	—	82	(77)	78	—
		left	—	85	—	79	—	75	81	77	74	—
	9	right	—	31	—	28	31	—	29	—	27	—
		left	—	32	—	29	32	29	29	29	—	27
	10	right	—	26	—	23	26	—	25	—	25	—
		left	—	26	—	23	27	23	24	25	—	21
	19	right	—	41	—	44	39	—	42	40	40	—
		left	43	—	—	—	40	37	42	(39)	40	38
	21	right	—	73	—	—	—	—	—	—	—	—
		left	—	72	—	—	71	—	—	—	—	—
Tibia	1	right	—	340	—	—	—	—	—	—	—	—
		left	—	—	—	—	322	—	—	—	—	—
	1a	right	—	349	—	—	—	—	—	343	—	—
		left	—	—	—	—	330	—	—	344	—	—
	1b	right	—	341	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	334	—	—
	8a	right	—	32	—	31	30	(28)	—	30	—	—
		left	—	32	—	30	30	28	33	29	—	—
	9a	right	—	22	—	21	21	(22)	—	21	—	—
		left	—	22	—	20	21	22	21	21	—	—
	10b	right	—	72	—	72	65	—	72	—	—	—
		left	—	71	—	72	65	—	—	66	—	—
Fibula	1	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
Height	Sjøvold		—	160.3	—	156.8	153.1	149.4	—	157.6	154.3	141.9
	Röding		—	154.2	—	152.0	149	146.1	—	152.8	151.1	142.3
	Bernert		—	164.8	—	165.3	161.1	158.9	—	165.7	161.1	156.2

Tab. 88. (continued).

Grave Nr./ Martin Nr.			585	587	589	629	692	709	715	726	736	743
Clavicle	1	right	141	—	135	—	137	—	139	—	—	—
		left	—	—	—	—	—	—	137	—	—	—
	6	right	35	—	—	—	36	—	34	—	—	—
		left	33	—	39	—	—	—	32	—	—	—
Humerus	1	right	—	(278)	299	287	—	—	—	—	294	—
		left	—	284	(294)	—	—	—	—	—	291	—
	2	right	—	(275)	297	284	—	—	—	—	291	—
		left	—	282	(293)	—	—	—	—	—	(288)	—
	4	right	—	55	56	55	54	—	60	—	55	—
		left	—	—	—	—	—	—	58	—	55	—
	5	right	18	—	21	20	22	20	21	—	19	—
		left	18	19	20	18	22	20	19	—	19	—
	6	right	14	—	18	16	17	16	15	—	15	—
		left	14	17	17	15	18	15	17	—	17	—
	7	right	51	—	60	53	61	55	57	56	51	—
		left	50	55	59	52	60	55	57	57	52	—
	9	right	—	36	41	41	41	—	—	—	37	40
		left	39	35	41	40	41	—	—	—	(37)	—
Radius	1	right	—	—	223	211	—	—	232	—	—	—
		left	—	—	—	210	—	—	230	—	—	—
Ulna	1	right	—	—	248	—	—	230	—	—	244	—
		left	—	—	—	—	—	226	—	—	(242)	—
Femur	1	right	—	—	422	—	(399)	—	—	—	428	366
		left	—	—	(421)	—	—	—	—	—	425	—
	2	right	—	—	415	—	—	393	—	—	424	360
		left	431	—	(416)	—	—	—	—	—	420	—
	6	right	24	28	26	25	25	24	27	27	24	27
		left	25	—	25	24	24	25	28	27	24	26
	7	right	25	25	26	22	26	24	29	27	22	24
		left	25	—	26	22	26	23	28	27	23	24
	8	right	78	82	83	77	82	76	87	84	75	82
		left	78	—	82	77	81	75	87	84	76	81
	9	right	26	31	30	—	28	28	—	—	30	28
		left	27	—	31	—	—	29	—	32	32	29
	10	right	25	24	25	—	26	21	—	—	23	24
		left	24	—	24	—	—	20	—	26	23	24
	19	right	40	38	41	41	42	37	43	—	40	40
		left	—	—	41	—	—	37	43	—	40	—
	21	right	—	—	—	—	—	—	—	—	70	75
		left	—	—	—	—	—	—	—	—	(70)	—
Tibia	1	right	—	—	(336)	—	—	—	—	—	347	—
		left	—	—	334	—	—	—	—	—	—	305
	1a	right	345	—	(342)	—	—	—	357	—	352	—
		left	—	—	341	—	—	—	—	—	—	311
	1b	right	337	—	(335)	—	—	—	—	—	346	—
		left	—	—	332	—	—	—	—	—	—	304
	8a	right	29	33	33	—	28	—	33	—	31	32
		left	29	32	32	28	27	—	32	—	32	—
	9a	right	19	21	24	—	26	—	23	—	22	22
		left	19	21	25	19	24	—	23	—	22	—
	10b	right	66	69	70	—	69	—	72	—	70	—
		left	64	68	70	63	68	—	70	—	71	—
Fibula	1	right	—	—	332	—	—	—	—	—	327	301
		left	—	—	333	—	—	—	—	—	331	—
Height	Sjøvold		—	148.8	158.2	152.9	154.0	—	162.0	—	158.1	145.7
	Rösing		—	147.6	153.1	149.8	149.4	—	157.2	—	153.6	144.1
	Bernert		—	159.5	165.3	161.5	162.2	—	168.2	—	167.2	156.1

Tab. 88. (continued).

Grave Nr./ Martin Nr.			746	747	768	785	796	799	800	805	812	814
Clavicle	1	right	—	—	129	126	—	125	—	—	122	—
		left	—	—	131	—	—	—	—	—	126	—
	6	right	—	—	35	39	—	29	—	—	33	—
		left	—	—	34	—	—	29	—	—	33	34
Humerus	1	right	311	298	292	—	297	—	—	—	284	—
		left	—	290	286	—	—	—	—	—	277	—
	2	right	308	296	289	—	294	—	—	—	282	—
		left	—	287	284	—	—	—	—	—	273	—
	4	right	56	—	54	53	53	—	56	—	—	—
		left	55	57	52	—	52	—	—	—	53	—
	5	right	22	20	21	20	19	—	19	17	19	—
		left	22	20	21	—	18	19	—	16	—	—
	6	right	17	17	16	16	15	—	15	13	14	—
		left	16	16	16	—	15	18	—	12	—	—
	7	right	61	59	55	56	53	—	57	50	52	—
		left	61	57	56	56	53	60	—	48	51	—
	9	right	44	41	41	42	39	—	—	—	38	—
		left	—	41	41	—	38	—	—	—	38	—
Radius	1	right	222	—	222	—	—	—	206	—	211	211
		left	225	231	219	—	—	—	—	—	207	212
Ulna	1	right	—	—	242	238	256	—	—	—	236	—
		left	—	—	240	—	255	—	231	—	231	—
Femur	1	right	—	—	416	—	—	408	—	—	—	—
		left	—	—	—	—	—	419	398	—	402	—
	2	right	—	—	410	—	—	406	—	—	—	—
		left	—	—	—	—	—	—	395	—	399	—
	6	right	33	28	25	—	25	27	—	—	—	—
		left	32	—	—	23	—	25	26	24	24	26
	7	right	27	25	24	—	24	25	—	—	—	—
		left	28	—	—	24	—	24	24	23	25	24
	8	right	95	83	76	—	78	77	—	—	—	—
		left	94	—	—	75	—	76	78	74	77	78
	9	right	34	32	26	33	—	30	—	—	—	—
		left	35	—	—	—	—	31	29	29	31	—
	10	right	26	25	23	25	—	23	—	—	—	—
		left	26	—	—	—	—	23	24	22	23	—
	19	right	42	41	41	41	—	(41)	—	37	41	—
		left	42	41	—	—	—	40	41	38	41	—
	21	right	—	—	72	—	—	70	—	—	—	—
		left	—	—	—	—	—	—	71	—	70	—
Tibia	1	right	(346)	—	335	—	—	323	—	—	—	—
		left	—	—	—	—	—	329	—	—	—	—
	1a	right	(355)	—	342	—	—	333	—	—	—	—
		left	—	—	—	—	—	336	—	—	—	—
	1b	right	(344)	—	(333)	—	—	324	—	—	—	—
		left	—	—	—	—	—	325	—	—	—	—
	8a	right	37	—	30	—	—	31	32	29	28	—
		left	—	33	—	—	31	31	—	—	—	—
	9a	right	22	—	21	—	—	22	21	20	22	—
		left	—	22	—	—	22	22	—	—	—	—
	10b	right	76	—	64	—	—	68	72	67	65	63
		left	—	69	—	—	66	68	—	—	—	62
Fibula	1	right	347	—	325	—	336	—	—	—	310	—
		left	—	—	325	—	—	320	307	—	310	—
Height	Sjøvold		161.0	158.4	156.3	156.6	159.3	154.6	151.5	—	151.8	154.7
	Rösing		155.1	154.2	152.1	—	152.0	151.2	149.0	—	149.1	150.6
	Bernert		166.9	163.7	164.7	—	164.7	163.5	162.0	—	162.8	160.3

Tab. 88. (continued).

Grave Nr./ Martin Nr.			817	818	828	834	836	840	842	845	846	847
Clavicle	1	right	—	—	—	122	122	—	—	—	141	—
		left	—	—	—	—	—	—	127	—	—	—
Humerus	6	right	—	—	—	32	30	—	—	—	33	—
		left	32	—	—	—	29	—	33	—	—	—
	1	right	302	—	—	291	—	283	274	—	—	—
		left	298	—	—	—	—	277	268	—	—	—
	2	right	299	—	—	289	—	281	272	—	—	—
		left	295	—	—	—	—	274	265	—	—	—
	4	right	60	—	—	52	49	56	54	54	52	—
		left	60	—	54	51	—	51	54	52	53	—
	5	right	20	—	—	19	18	21	20	—	20	17
		left	—	—	—	19	18	20	19	—	20	17
	6	right	16	—	—	14	13	17	15	—	17	15
		left	—	—	—	13	13	16	15	—	15	15
	7	right	57	—	—	53	49	58	57	—	—	52
		left	—	—	51	53	—	54	56	—	57	52
Radius	9	right	42	—	40	39	36	37	38	—	41	40
		left	41	—	—	—	—	35	38	—	—	—
Ulna	1	right	222	—	—	—	—	—	—	—	—	—
		left	219	—	—	—	—	—	—	—	—	207
Femur	1	right	—	—	—	—	—	—	—	—	—	224
		left	—	—	—	—	—	—	—	—	—	230
	1	right	—	—	—	—	—	—	402	—	—	398
		left	418	—	—	—	—	400	—	—	—	—
	2	right	—	—	—	—	380	—	—	—	—	395
		left	416	—	—	—	—	398	—	—	—	—
	6	right	26	28	25	—	22	—	24	—	—	22
		left	27	27	—	25	—	25	—	—	—	—
	7	right	25	28	21	—	22	—	24	—	—	23
		left	25	27	—	23	—	24	—	—	—	—
	8	right	80	87	74	—	70	—	75	—	—	73
		left	81	85	—	74	—	77	—	—	—	—
	9	right	31	—	29	—	25	—	27	—	—	28
		left	32	32	—	28	—	27	—	—	—	—
	10	right	24	—	23	—	21	—	22	—	—	21
		left	24	27	—	24	—	23	—	—	—	—
	19	right	43	—	—	—	35	—	39	—	39	42
		left	42	—	—	40	—	39	39	—	40	—
	21	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	61	70	69	—	—	—
Tibia	1	right	—	—	—	312	—	—	—	—	—	—
		left	—	—	—	—	—	—	311	—	—	—
	1a	right	352	—	—	319	—	—	—	—	—	—
		left	—	—	—	—	—	—	314	—	—	314
	1b	right	—	—	—	310	—	—	—	—	—	—
		left	—	—	—	—	—	—	306	—	—	—
	8a	right	30	—	30	29	—	28	—	—	—	29
		left	31	—	—	—	27	—	27	—	33	26
	9a	right	22	—	21	20	—	22	—	—	—	19
		left	22	—	—	—	18	—	20	—	24	19
Fibula	10b	right	68	74	—	65	—	65	—	—	—	—
		left	68	—	—	—	—	—	64	—	—	61
Height	1	right	—	—	—	306	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
Height	Sjøvold		158.3	—	—	149.9	—	151.3	149.6	—	—	152.7
	Rösing		153.2	—	—	148.6	—	148.5	147.2	—	—	149.2
	Bernert		165.8	—	—	158.5	—	162.4	160.6	—	—	162.0

Tab. 88. (continued).

Grave Nr./ Martin Nr.			848	851	853	854	881	882	883	901	907	908
Clavicle	1	right	147	—	130	—	—	—	—	—	—	—
		left	144	124	129	141	—	136	—	—	—	—
	6	right	37	—	36	—	—	—	—	—	—	—
		left	35	29	37	31	—	33	—	—	—	31
Humerus	1	right	300	278	—	282	—	—	280	—	—	—
		left	—	271	—	—	—	—	—	—	274	—
	2	right	297	276	—	280	—	—	276	—	—	—
		left	—	267	—	—	—	—	—	—	271	—
	4	right	56	53	—	51	—	—	—	—	—	—
		left	—	54	—	52	—	57	—	—	52	—
	5	right	18	19	21	18	21	—	19	—	—	19
		left	19	18	19	17	21	17	19	—	18	19
	6	right	15	19	16	15	16	—	15	—	—	14
		left	15	13	15	15	16	14	16	—	14	14
	7	right	54	54	56	53	58	—	54	—	—	51
		left	54	54	55	53	58	54	55	—	50	51
	9	right	41	39	—	41	—	—	38	—	—	—
		left	41	38	—	—	—	—	—	—	40	—
Radius	1	right	—	208	238	—	—	—	213	—	193	—
		left	—	206	—	—	—	—	211	—	189	—
Ulna	1	right	254	225	257	230	—	—	228	—	216	—
		left	247	220	253	225	—	—	—	—	211	—
Femur	1	right	—	386	—	380	—	—	399	—	—	—
		left	(417)	384	426	—	—	—	—	—	—	—
	2	right	—	382	—	379	—	—	394	—	—	—
		left	—	380	424	—	—	—	—	—	—	—
	6	right	—	23	—	27	—	—	27	—	—	—
		left	26	24	27	—	26	—	—	—	(23)	—
	7	right	—	24	—	25	—	—	25	—	—	—
		left	24	25	24	—	25	—	—	—	(21)	—
	8	right	—	76	—	80	—	—	80	—	—	—
		left	82	78	80	—	82	—	—	—	(71)	—
	9	right	—	29	—	30	—	—	28	—	—	—
		left	—	30	28	—	—	—	—	—	—	—
	10	right	—	23	—	23	—	—	22	—	—	—
		left	—	24	24	—	—	—	—	—	—	—
	19	right	—	38	—	40	—	—	39	—	—	—
		left	43	39	40	—	40	—	—	—	—	—
	21	right	—	—	—	—	—	—	76	—	63	—
		left	—	72	—	—	—	—	69	—	—	—
Tibia	1	right	—	—	—	—	—	—	—	—	278	—
		left	—	—	—	—	—	—	—	—	—	—
	1a	right	—	—	—	—	—	—	—	—	285	—
		left	—	315	—	—	—	—	—	—	—	—
	1b	right	—	—	—	—	—	—	—	—	279	—
		left	—	308	—	—	—	—	—	—	—	—
	8a	right	—	30	29	—	30	—	—	—	28	—
		left	—	29	—	32	—	28	31	—	29	—
	9a	right	—	21	21	—	21	—	—	—	19	—
		left	—	20	—	20	—	18	21	—	18	—
	10b	right	—	68	65	—	—	—	—	—	60	—
		left	—	68	—	—	—	—	64	—	—	—
Fibula	1	right	—	304	—	—	—	—	312	—	—	—
		left	327	—	—	—	—	—	—	—	—	—
Height	Sjøvold		157.7	148.8	163.5	149.9	—	—	151.5	—	144.1	—
	Rösing		152.9	147.2	157.1	146.8	—	—	149.5	—	142.8	—
	Bernert		165.6	159.5	167.4	158.5	—	—	162.2	—	150.0	—

Tab. 88. (continued).

Grave Nr./ Martin Nr.			1112	1116	1118	1119	1436	1473	1752	1799	1814	1818
Clavicle	1	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
Humerus	6	right	34	—	33	—	—	—	—	—	—	—
		left	32	—	34	—	—	—	—	—	—	—
	1	right	295	—	—	295	—	—	301	280	320	—
		left	288	—	297	—	—	—	—	276	—	—
	2	right	291	—	—	291	—	—	299	278	318	—
		left	285	—	290	—	—	—	—	264	—	—
	4	right	—	—	—	58	—	—	51	55	55	55
		left	54	—	56	57	53	—	50	54	—	—
	5	right	19	17	19	19	—	18	21	19	21	21
		left	19	18	19	19	—	—	—	19	20	—
	6	right	15	14	15	16	—	13	17	14	16	16
		left	15	14	16	16	—	—	—	15	16	—
	7	right	53	50	52	54	—	52	61	55	60	58
		left	52	51	52	53	—	—	61	55	—	—
Radius	9	right	41	40	40	—	—	—	40	41	—	—
		left	40	40	41	—	—	—	—	40	—	—
Ulna	1	right	214	—	218	224	—	—	223	216	—	—
		left	211	—	213	—	—	—	219	213	—	222
Femur	1	right	—	—	—	246	—	—	—	238	—	253
		left	231	—	233	—	—	—	241	—	—	249
	1	right	—	—	—	—	—	—	399	396	442	—
		left	—	402	—	414	—	—	400	403	448	423
	2	right	—	—	—	—	—	—	380	394	440	—
		left	—	397	—	408	—	—	393	400	445	419
	6	right	—	—	—	—	25	—	28	25	26	26
		left	—	23	27	25	24	—	28	25	27	26
	7	right	—	—	—	—	23	—	23	24	27	26
		left	—	22	27	25	24	—	23	24	27	26
	8	right	—	—	—	—	78	—	84	78	84	83
		left	—	—	84	79	77	—	84	79	85	83
	9	right	31	—	—	—	31	—	29	30	34	32
		left	—	29	36	30	31	—	31	32	36	34
	10	right	25	—	—	—	24	—	25	24	25	25
		left	—	21	24	24	23	—	24	24	25	24
	19	right	41	—	42	—	39	—	39	39	—	43
		left	—	40	—	40	39	—	39	39	42	43
	21	right	—	—	—	—	—	—	70	—	—	—
		left	—	—	73	—	—	—	70	—	—	—
Tibia	1	right	310	—	—	—	—	—	323	326	—	—
		left	—	—	—	—	—	—	323	—	—	—
	1a	right	318	—	—	351	—	—	330	334	—	—
		left	—	—	—	—	—	—	329	—	—	—
	1b	right	308	—	—	344	—	—	321	328	—	—
		left	—	—	—	—	—	—	321	—	—	—
	8a	right	29	—	—	30	—	—	31	30	33	31
		left	—	29	33	—	—	—	32	31	34	31
	9a	right	23	—	—	23	—	—	25	21	23	23
		left	—	20	21	—	—	—	25	21	23	23
	10b	right	64	—	—	—	—	—	72	67	76	—
		left	—	—	—	—	—	—	73	67	73	70
Fibula	1	right	305	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
Height	Sjøvold		151.4	154.8	155.5	158.2	—	—	156.4	153.7	166.7	160.6
	Rösing		149.3	150.0	152.0	152.9	—	—	151.5	149.5	158.3	154.1
	Bernert		158.0	162.8	164.7	165.1	—	—	161.7	162.0	171.0	166.8

Tab. 88. (continued).

Grave Nr./ Martin Nr.			1819	1898	1900	1947	1972	1992	2015	2016	2032	2053
Clavicle	1	right	132	—	—	—	—	123	135	146	—	—
		left	—	—	—	—	—	—	137	147	—	—
	6	right	38	—	—	—	—	35	34	40	—	—
		left	—	—	—	—	—	—	33	37	—	—
Humerus	1	right	265	—	—	—	—	291	287	307	—	—
		left	257	—	—	—	—	282	281	297	—	—
	2	right	264	—	—	—	—	289	286	304	—	—
		left	252	—	—	—	—	279	278	293	—	—
	4	right	55	54	—	47	—	—	54	55	—	—
		left	—	—	—	47	—	54	54	57	—	60
	5	right	21	20	20	19	—	22	17	21	—	21
		left	21	—	19	—	—	21	17	21	—	21
	6	right	15	15	14	15	—	16	14	17	—	18
		left	14	—	14	—	—	16	14	17	—	19
	7	right	57	55	52	54	—	56	52	58	—	62
		left	56	—	52	—	—	56	53	60	—	65
	9	right	—	—	—	—	—	39	40	39	—	—
		left	40	—	—	—	—	38	40	40	—	—
Radius	1	right	208	—	—	—	—	—	211	—	—	—
		left	201	—	—	—	—	—	210	—	—	—
Ulna	1	right	—	—	—	—	—	—	228	237	—	—
		left	221	—	—	—	—	—	226	—	—	—
Femur	1	right	372	—	431	372	402	397	—	—	—	—
		left	—	—	—	375	405	—	403	420	—	—
	2	right	370	—	426	368	399	394	—	—	—	—
		left	—	—	—	371	400	—	399	417	—	—
	6	right	25	25	25	26	22	25	24	26	—	—
		left	—	25	25	25	22	24	24	27	—	—
	7	right	24	23	24	23	24	26	23	27	—	—
		left	—	24	24	23	24	24	23	27	—	—
	8	right	77	75	77	79	73	77	74	82	—	—
		left	—	77	77	78	74	76	—	84	—	—
	9	right	29	27	32	28	31	30	—	31	—	—
		left	—	—	31	29	32	31	—	34	—	—
	10	right	23	23	24	22	22	24	—	27	—	—
		left	—	—	23	22	22	24	—	27	—	—
	19	right	39	—	40	35	40	42	—	—	(42)	—
		left	39	40	—	—	40	40	38	41	(42)	—
	21	right	72	—	—	—	—	67	67	—	—	—
		left	—	—	—	—	72	—	67	73	—	—
Tibia	1	right	—	—	—	301	—	308	—	352	—	—
		left	—	—	—	304	—	—	—	—	—	—
	1a	right	—	—	—	297	—	318	—	358	—	—
		left	—	—	—	301	—	—	—	360	308	—
	1b	right	—	—	—	293	—	308	—	349	—	—
		left	—	—	—	298	—	—	—	352	—	—
	8a	right	—	—	30	32	—	30	28	34	—	33
		left	—	29	—	30	29	30	28	33	—	—
	9a	right	—	—	23	21	—	21	20	26	—	27
		left	—	20	—	22	23	21	20	26	—	—
	10b	right	—	66	67	69	—	67	—	74	—	77
		left	—	65	—	69	—	68	—	73	—	—
Fibula	1	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
Height	Sjøvold		146.7	—	162.7	147.0	155.2	151.2	152.8	159.4	—	—
	Rösing		144.8	—	155.7	144.6	150.3	148.0	149.6	154.4	—	—
	Bernert		157.0	—	168.3	156.6	163.0	159.8	162.9	167.0	—	—

Tab. 88. (continued).

Grave Nr./ Martin Nr.			2054	2065	2066	2073	2087	2088	2219	2235	2236	2287
Clavicle	1	right	—	—	—	—	134	—	—	—	—	—
		left	—	146	144	—	—	—	—	—	—	—
	6	right	—	35	40	—	31	—	—	—	—	—
		left	—	33	41	—	—	—	—	—	—	—
Humerus	1	right	—	304	300	284	305	—	276	267	260	—
		left	—	297	297	284	304	313	270	—	—	—
	2	right	—	302	297	282	303	—	274	264	258	—
		left	—	294	295	—	299	308	267	—	—	—
	4	right	57	56	63	57	49	—	58	50	54	—
		left	—	57	63	—	49	—	58	50	—	—
	5	right	20	19	21	19	19	19	20	16	19	—
		left	20	20	21	—	18	18	19	17	18	20
	6	right	17	17	17	16	13	14	14	14	14	—
		left	17	18	15	—	13	14	14	16	13	18
	7	right	58	58	59	54	50	53	56	48	51	—
		left	58	59	58	—	50	52	55	51	48	—
	9	right	—	41	43	40	37	—	41	36	—	41
		left	—	41	42	41	—	40	40	—	—	—
Radius	1	right	—	227	—	—	220	—	208	—	—	—
		left	—	223	230	—	218	224	208	—	—	—
Ulna	1	right	—	250	—	—	—	—	231	—	218	—
		left	—	244	250	234	232	239	232	—	201	—
Femur	1	right	—	438	437	389	422	—	402	—	—	—
		left	—	443	443	387	424	442	402	—	—	—
	2	right	—	432	434	386	419	—	397	—	—	—
		left	—	438	433	384	421	435	398	—	—	—
	6	right	—	28	27	24	26	29	27	23	—	—
		left	—	27	29	23	25	28	26	21	—	28
	7	right	—	24	25	25	25	24	22	21	—	—
		left	—	25	25	25	24	23	24	21	—	27
	8	right	—	80	81	78	73	83	78	69	—	—
		left	—	80	83	78	72	81	80	67	—	—
	9	right	—	26	31	29	28	31	29	27	—	—
		left	32	30	33	34	30	31	31	29	—	—
	10	right	—	24	26	23	21	25	23	23	—	—
		left	25	26	27	24	21	24	24	22	—	—
	19	right	(43)	41	44	41	37	—	40	36	—	—
		left	—	41	44	—	37	42	40	36	—	42
	21	right	—	68	—	—	65	—	70	—	—	—
		left	—	72	79	70	65	—	70	—	—	—
Tibia	1	right	—	—	348	—	345	—	—	—	—	—
		left	—	337	351	—	—	—	320	—	—	—
	1a	right	—	347	356	—	350	—	—	—	—	—
		left	—	346	357	—	—	—	328	—	—	—
	1b	right	—	340	349	—	342	—	—	—	—	—
		left	—	339	352	—	—	—	—	—	—	—
	8a	right	—	30	34	28	29	30	30	—	—	36
		left	32	30	34	29	28	31	(33)	—	—	35
	9a	right	—	22	25	19	20	23	20	—	—	22
		left	21	22	25	21	20	24	(23)	—	—	22
	10b	right	—	69	73	68	64	70	67	—	—	—
		left	—	69	72	66	63	70	67	—	—	77
Fibula	1	right	—	332	—	—	—	—	—	—	—	—
		left	—	331	344	—	—	—	—	—	—	—
Height	Sjøvold		—	159.5	161.3	152.0	158.5	161.4	151.9	142.4	141.3	—
	Rösing		—	154.6	155.8	147.8	154.0	156.3	148.4	143.7	141.8	—
	Bernert		—	167.6	168.9	160.1	166.6	170.4	161.6	155.0	152.8	—

Tab. 88. (continued).

Grave Nr./ Martin Nr.			2330	2351	2383	2416	2441	2454	2455	2462	2472	2497
Clavicle	1	right	—	127	135	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
	6	right	—	33	34	—	—	—	—	—	—	—
		left	—	—	34	—	—	—	—	—	—	—
Humerus	1	right	311	—	280	273	—	—	—	298	—	307
		left	—	—	—	—	—	297	—	293	—	307
	2	right	307	—	277	272	—	—	—	297	—	305
		left	—	—	270	—	—	292	—	290	—	304
	4	right	58	—	54	55	—	57	—	60	58	60
		left	—	—	54	—	—	58	—	59	—	—
	5	right	20	—	20	19	20	21	—	21	18	20
		left	19	—	20	20	19	20	17	21	—	20
	6	right	15	—	15	15	16	16	—	16	16	17
		left	14	—	15	16	16	16	14	17	—	16
	7	right	55	—	57	54	57	60	—	61	54	60
		left	54	—	56	54	57	59	49	62	—	57
	9	right	44	—	41	37	40	—	—	41	—	45
		left	42	—	39	—	40	43	—	40	—	45
Radius	1	right	233	—	213	202	217	226	—	—	221	—
		left	—	—	—	—	212	—	—	228	219	—
Ulna	1	right	—	—	—	230	236	—	—	—	—	—
		left	—	—	232	228	231	—	—	246	—	—
Femur	1	right	—	401	392	—	430	—	375	422	411	—
		left	—	—	394	372	—	426	376	—	407	—
	2	right	—	396	389	—	428	—	372	420	409	—
		left	—	—	390	369	429	426	374	—	404	—
	6	right	—	—	26	24	29	28	23	25	25	27
		left	26	25	26	26	28	27	24	26	25	28
	7	right	—	—	24	26	24	27	23	27	23	23
		left	25	23	24	25	25	26	23	27	25	23
	8	right	—	—	81	78	83	86	73	83	77	81
		left	82	77	81	81	84	86	75	84	80	81
	9	right	—	—	30	33	29	33	27	31	30	32
		left	32	—	32	33	32	32	30	33	34	32
	10	right	—	—	21	22	23	26	20	25	23	25
		left	25	—	21	22	—	27	21	25	24	24
	19	right	43	38	39	39	41	44	37	—	—	43
		left	43	39	—	(38)	41	43	38	—	40	—
	21	right	—	—	—	—	—	—	65	73	—	—
		left	—	—	68	—	—	—	—	74	—	—
Tibia	1	right	—	—	—	—	349	—	—	347	322	—
		left	—	—	—	—	350	357	302	352	324	—
	1a	right	—	—	—	—	355	—	—	354	328	—
		left	—	—	—	—	356	359	309	358	330	—
	1b	right	—	—	—	—	347	—	—	345	—	—
		left	—	—	—	—	351	356	301	350	322	—
	8a	right	31	29	31	30	31	36	28	33	30	35
		left	30	29	31	—	32	35	28	33	29	35
	9a	right	21	21	22	20	21	23	19	21	20	22
		left	21	21	21	—	21	24	18	22	20	23
10b	right	68	66	—	—	—	74	78	64	73	67	74
	left	68	—	—	—	—	72	79	65	76	68	74
Fibula	1	right	—	—	—	—	—	—	—	338	—	—
		left	—	—	—	—	—	—	—	—	—	—
Height	Sjøvold		162.7	154.5	152.4	148.8	158.7	160.6	157.8	159.5	156.0	160.8
	Rösing		156.8	149.8	148.9	145.7	154.3	154.9	156.7	155.3	152.2	144.8
	Bernert		169.2	162.6	161.0	157.0	167.8	168.2	174.2	166.9	162.6	167.9

Tab. 88. (continued).

Grave Nr./ Martin Nr.			2524	2549	2619	2625	2649	2706	2727	2775	2865	2877
Clavicle	1	right	132	—	—	134	—	—	130	—	120	—
		left	—	—	—	—	—	—	—	136	122	—
	6	right	32	—	—	36	—	—	30	—	31	—
		left	32	—	—	—	—	—	—	37	33	30
Humerus	1	right	271	—	—	266	—	—	—	—	272	282
		left	—	—	—	261	—	—	254	—	267	275
	2	right	269	—	—	264	—	—	—	—	269	279
		left	—	—	—	256	—	—	252	—	263	270
	4	right	—	—	—	53	—	60	48	—	51	53
		left	—	—	—	51	—	—	48	—	52	52
	5	right	19	19	20	20	—	—	—	20	17	19
		left	20	—	—	19	—	—	19	20	18	19
	6	right	16	15	17	15	—	—	—	17	14	14
		left	16	—	—	16	—	—	13	17	14	15
	7	right	54	54	57	56	—	—	46	58	50	54
		left	57	—	—	58	—	—	49	58	51	55
	9	right	39	—	—	38	—	—	—	41	38	38
		left	39	—	—	37	—	—	36	41	37	37
Radius	1	right	—	—	—	—	—	—	—	—	197	209
		left	205	—	—	198	—	—	(191)	—	193	206
Ulna	1	right	232	—	241	228	—	—	—	—	212	225
		left	—	230	—	218	—	—	202	—	211	—
Femur	1	right	—	—	—	385	—	—	356	414	—	—
		left	—	—	—	386	—	—	—	412	—	—
	2	right	—	—	—	383	—	—	353	410	—	—
		left	—	—	—	383	—	—	—	410	—	—
	6	right	—	24	—	25	—	—	21	28	—	—
		left	24	23	—	25	—	—	21	26	—	23
	7	right	—	24	—	24	—	—	20	24	—	—
		left	23	24	—	24	—	—	20	24	—	23
	8	right	—	78	—	79	—	—	66	82	—	—
		left	76	78	—	80	—	—	66	80	—	72
	9	right	—	—	31	30	—	—	26	30	—	—
		left	30	—	—	31	—	—	27	32	—	31
	10	right	—	—	23	24	—	—	21	26	—	—
		left	22	—	—	24	—	—	20	26	—	22
	19	right	39	—	—	37	—	—	—	41	—	40
		left	39	—	—	37	38	41	36	41	—	40
	21	right	—	—	—	65	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
Tibia	1	right	—	—	—	309	—	—	—	—	—	—
		left	—	—	—	311	—	—	—	—	—	—
	1a	right	—	—	—	316	—	—	—	—	—	316
		left	—	—	—	318	327	—	—	343	—	—
	1b	right	—	—	—	308	—	—	—	—	—	310
		left	—	—	—	311	—	—	—	—	—	—
	8a	right	30	29	—	31	—	—	—	31	—	29
		left	—	30	34	34	—	—	—	32	—	—
	9a	right	23	22	—	22	—	—	—	21	—	20
		left	—	22	22	22	—	—	—	22	—	—
	10b	right	67	—	—	71	—	—	—	—	—	65
		left	—	—	—	72	—	—	—	68	—	—
Fibula	1	right	—	—	—	306	—	—	—	—	—	—
		left	—	—	—	307	—	—	—	—	—	—
Height	Sjøvold		150.1	152.9	157.9	147.7	—	—	141.4	157.8	145.4	150.5
	Rösing		148.5	—	142.8	144.9	—	—	142.4	148.3	146.0	150.6
	Bernert		156.3	—	—	158.7	—	—	153.9	164.9	155.8	158.7

Tab. 88. (continued).

Grave Nr./ Martin Nr.			2897	2990	3020	3089	3103	3133	3154	3230	3294	3315
Clavicle	1	right	132	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
Humerus	6	right	32	39	—	—	—	—	—	—	—	—
		left	—	36	—	—	—	—	—	—	—	—
	1	right	299	—	—	—	279	—	—	—	—	—
		left	294	—	—	—	274	—	—	—	—	—
	2	right	296	—	—	—	274	—	—	—	—	—
		left	(289)	—	—	—	—	—	—	—	—	—
	4	right	51	—	—	—	56	57	—	—	58	51
		left	—	—	52	—	—	57	—	—	57	—
	5	right	20	—	—	—	19	—	18	—	—	—
		left	20	20	—	—	18	20	18	—	20	—
	6	right	15	—	—	—	14	—	16	—	—	—
		left	15	17	—	—	14	16	15	—	16	—
	7	right	56	—	—	—	53	57	54	—	56	—
		left	55	57	—	—	53	58	54	—	56	—
Radius	9	right	40	—	—	—	38	—	—	—	—	—
		left	40	—	—	—	37	—	40	—	—	—
Ulna	1	right	209	225	—	—	—	—	237	—	—	—
		left	211	—	216	—	207	—	233	—	—	—
Femur	1	right	229	—	—	—	—	—	—	—	—	—
		left	227	—	—	—	222	—	—	—	—	—
Femur	1	right	407	—	—	—	—	—	—	—	—	—
		left	407	—	—	—	401	420	—	—	—	—
	2	right	401	—	—	—	—	—	—	—	—	—
		left	404	—	—	—	399	414	—	—	—	—
	6	right	23	—	—	—	—	—	25	—	24	26
		left	24	—	—	—	22	28	25	—	—	26
	7	right	24	—	—	—	—	—	23	—	24	24
		left	24	—	—	—	22	26	23	—	—	26
	8	right	75	—	—	—	—	—	76	—	76	81
		left	75	—	—	—	70	87	77	—	—	81
	9	right	29	—	29	—	26	32	28	—	29	31
		left	32	—	—	29	27	32	29	—	31	34
	10	right	25	—	22	—	23	26	25	—	22	22
		left	24	—	—	23	22	24	26	—	24	23
	19	right	41	—	—	—	(41)	(41)	42	—	39	—
		left	41	42	39	—	40	40	42	40	—	41
	21	right	70	—	—	—	—	—	—	—	—	—
		left	68	—	—	—	—	74	—	—	—	—
Tibia	1	right	316	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	349	—	—	—	—
	1a	right	321	—	—	—	—	—	—	—	—	—
		left	320	—	—	—	—	355	—	—	—	—
	1b	right	313	—	—	—	—	—	—	—	—	—
		left	315	—	—	—	—	347	—	—	—	—
	8a	right	30	—	32	—	—	32	29	—	30	—
		left	30	—	—	—	—	33	31	—	—	34
	9a	right	20	—	21	—	—	24	19	—	22	—
		left	19	—	—	—	—	24	20	—	—	21
Fibula	10b	right	64	—	67	—	64	—	—	—	67	—
		left	64	—	—	—	—	77	—	—	—	—
Fibula	1	right	301	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
Height	Sjøvold		153.9	159.8	156.4	—	150.8	160.9	163.5	—	—	—
	Rösing		149.7	155.2	149.2	—	149.5	154.6	150.6	—	—	—
	Bernert		161.7	165.8	162.1	—	162.6	166.7	169.9	—	—	—

Tab. 88. (continued).

Grave Nr./ Martin Nr.			3327	3328	3339	3342	3370	3374	3375	3377	3380	3381
Clavicle	1	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	136	—	—	—
	6	right	—	—	—	—	—	—	—	—	—	33
		left	—	—	—	—	—	—	35	—	—	—
Humerus	1	right	—	306	—	—	302	—	285	—	—	288
		left	263	—	—	283	297	—	—	—	—	—
	2	right	—	304	—	—	299	—	283	—	—	286
		left	—	—	—	280	295	—	—	—	—	—
	4	right	—	56	—	53	54	—	57	—	—	53
		left	—	—	—	54	55	—	—	—	—	52
	5	right	18	22	20	19	20	19	19	18	—	21
		left	17	22	20	21	21	19	19	—	—	20
	6	right	14	18	15	15	15	16	14	15	—	15
		left	14	18	15	15	16	16	16	—	—	15
	7	right	50	60	56	55	56	55	56	54	—	56
		left	51	60	55	57	57	55	56	—	—	55
	9	right	—	38	—	—	41	—	41	—	—	41
		left	35	—	—	38	42	—	—	—	39	—
Radius	1	right	—	—	—	202	225	—	225	—	—	—
		left	—	—	—	200	228	—	226	—	—	210
Ulna	1	right	—	—	—	220	—	—	—	—	—	—
		left	—	—	—	—	250	—	255	—	—	—
Femur	1	right	—	—	—	—	415	—	402	—	—	—
		left	—	—	—	406	—	—	—	—	—	—
	2	right	—	—	—	—	410	—	399	—	—	—
		left	—	—	—	399	—	—	—	—	—	—
	6	right	—	—	25	26	24	27	27	—	—	—
		left	24	—	27	26	24	—	26	—	—	—
	7	right	—	—	25	22	24	26	24	—	—	—
		left	24	—	26	22	25	—	23	—	—	—
	8	right	—	—	80	77	77	83	82	—	—	—
		left	77	—	82	78	78	—	80	—	—	—
	9	right	—	—	29	28	30	31	29	—	—	—
		left	30	—	30	29	31	34	28	28	—	30
	10	right	—	—	24	23	24	22	21	—	—	—
		left	20	—	23	23	24	22	21	20	—	20
	19	right	—	41	—	—	41	—	39	—	—	40
		left	—	41	—	39	41	41	—	38	—	40
	21	right	—	—	—	—	71	—	—	—	—	—
		left	—	—	—	—	68	—	—	—	—	—
Tibia	1	right	—	—	—	313	—	—	—	—	—	—
		left	—	—	—	315	342	—	—	—	—	—
	1a	right	—	—	—	320	—	—	—	—	—	—
		left	—	—	—	322	350	—	—	—	—	—
	1b	right	—	—	—	314	—	—	—	—	—	—
		left	—	—	—	315	339	—	—	—	—	—
	8a	right	—	—	—	30	30	—	30	28	—	30
		left	30	—	—	30	30	—	31	28	—	30
	9a	right	—	—	—	21	22	—	20	18	—	22
		left	20	—	—	22	23	—	22	19	—	22
	10b	right	—	—	—	69	69	—	73	65	—	67
		left	—	—	—	—	70	—	75	65	—	67
Fibula	1	right	—	—	—	—	339	—	326	—	—	314
		left	—	—	—	305	342	—	—	—	—	—
Height	Sjøvold		140.5	160.4	—	150.2	159.4	—	156.6	—	—	151.7
	Rösing		154.5	148.1	—	149.5	153.7	—	151.3	—	—	149.8
	Bernert		153.7	167.6	—	161.4	165.4	—	162.8	—	—	161.8

Tab. 88. (continued).

Grave Nr./ Martin Nr.			3385	3386	3387	3442	3454	3461	3462	3464	3465	3688
Clavicle	1	right	—	—	—	120	131	—	—	—	—	—
		left	140	—	—	—	—	129	—	—	—	—
Humerus	6	right	—	—	—	36	34	—	—	—	—	—
		left	34	—	—	—	—	30	—	—	—	—
	1	right	312	279	—	—	—	274	287	—	—	—
		left	—	277	—	—	—	—	—	—	—	—
	2	right	309	277	—	—	—	272	285	—	—	—
		left	—	272	—	—	—	—	—	—	—	—
	4	right	51	56	—	—	55	53	—	54	—	52
		left	52	55	58	—	—	54	—	—	57	—
	5	right	21	19	—	—	24	20	19	—	—	—
		left	20	20	—	—	—	21	—	18	—	18
	6	right	14	15	—	—	16	16	15	—	—	—
		left	15	16	—	—	—	17	—	15	—	15
	7	right	55	54	—	—	60	55	53	—	—	—
		left	55	55	—	—	—	54	53	56	—	54
Radius	9	right	42	41	—	—	—	38	38	—	—	—
		left	42	41	—	—	—	—	—	—	—	37
Ulna	1	right	227	231	—	—	—	216	209	—	228	—
		left	226	230	—	206	—	—	206	—	—	—
Femur	1	right	—	257	—	223	—	240	228	—	251	—
		left	245	254	—	—	—	237	226	—	—	—
	1	right	—	—	—	—	—	—	378	—	—	—
		left	—	—	—	385	413	(382)	—	—	—	—
	2	right	—	—	—	—	—	—	374	—	—	—
		left	—	—	—	382	409	—	—	—	—	—
	6	right	—	23	—	—	—	—	24	—	—	—
		left	—	21	—	24	28	24	—	—	—	—
	7	right	—	23	—	—	—	—	25	—	—	—
		left	—	23	—	24	23	23	—	—	—	—
	8	right	—	72	—	—	—	—	78	—	—	—
		left	—	71	—	75	81	73	—	—	—	—
	9	right	—	30	—	30	—	28	28	—	—	—
		left	32	31	34	30	31	28	—	—	—	—
	10	right	—	22	—	24	—	22	24	—	—	—
		left	22	21	24	25	25	23	—	—	—	—
	19	right	—	41	—	—	—	40	39	38	—	—
		left	39	40	(42)	38	40	40	—	—	41	39
	21	right	—	—	—	69	—	—	—	—	—	—
		left	—	—	—	69	—	—	(68)	—	—	—
Tibia	1	right	—	336	—	312	—	—	—	—	—	—
		left	—	—	—	—	—	332	—	—	—	320
	1a	right	—	342	—	316	—	—	—	—	—	—
		left	—	—	—	—	—	337	—	—	—	322
	1b	right	—	335	—	310	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
	8a	right	—	31	—	28	36	—	29	—	—	—
		left	—	—	—	27	—	27	—	31	—	30
	9a	right	—	18	—	21	21	—	19	—	—	—
		left	—	—	—	20	—	17	—	19	—	20
Fibula	10b	right	—	67	—	—	74	—	64	—	—	—
		left	—	67	—	64	—	66	—	—	—	65
Height	1	right	—	325	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
Height	Sjøvold		161.1	157.0	—	150.4	157.8	152.9	151.1	—	161.7	—
	Röding		155.9	152.1	—	147.2	152.1	148.9	148.0	—	156.2	—
	Bernert		169.5	164.4	—	158.9	164.9	160.7	158.1	—	167.0	—

Tab. 88. (continued).

Grave Nr./ Martin Nr.			3692	3694	3695	3696	3704	3706	3707	3712	3713/A	3716
Clavicle	1	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
Humerus	6	right	—	—	—	—	—	—	—	—	39	—
		left	—	—	—	—	—	—	—	—	—	—
	1	right	298	—	—	—	—	—	—	—	—	—
		left	291	—	—	—	—	284	—	303	—	285
	2	right	296	—	—	—	—	—	—	—	—	—
		left	289	—	—	—	—	281	—	299	—	283
	4	right	61	—	—	—	53	—	—	57	—	57
		left	61	—	—	—	57	52	—	59	—	57
	5	right	19	20	18	19	21	21	—	21	20	22
		left	19	20	—	19	21	21	—	21	—	21
	6	right	16	15	15	15	17	16	—	16	16	16
		left	16	15	—	16	18	16	—	16	—	17
	7	right	56	56	55	53	—	55	—	57	55	59
		left	56	56	—	53	59	57	—	58	55	60
	9	right	40	—	—	—	—	—	—	—	—	—
		left	40	—	—	37	—	39	—	41	—	39
Radius	1	right	—	—	—	—	—	—	—	—	—	—
		left	231	—	—	212	—	212	—	—	—	—
Ulna	1	right	—	—	—	—	—	—	—	—	—	—
		left	248	—	—	—	—	—	—	—	—	235
Femur	1	right	—	—	—	—	—	—	—	—	431	—
		left	410	—	—	405	—	—	—	—	—	—
	2	right	—	—	—	—	—	—	—	—	428	—
		left	407	—	—	398	—	—	—	—	—	—
	6	right	—	—	—	—	—	—	25	—	28	—
		left	28	27	—	24	27	—	—	—	27	—
	7	right	—	—	—	—	—	—	25	—	26	—
		left	24	27	—	23	24	—	—	—	26	—
	8	right	—	—	—	—	—	—	78	—	86	—
		left	82	84	—	74	80	—	—	—	85	—
	9	right	—	—	—	—	—	—	30	—	32	—
		left	31	37	—	29	32	—	—	—	—	—
	10	right	—	—	—	—	—	—	24	—	23	—
		left	25	23	—	22	25	—	—	—	—	—
	19	right	—	38	—	—	—	—	40	40	43	—
		left	—	38	—	37	41	—	40	41	43	—
	21	right	—	—	—	—	—	—	—	—	—	—
		left	71	—	—	—	—	—	—	—	—	—
Tibia	1	right	340	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	320
	1a	right	347	—	297	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	327
	1b	right	337	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	318
	8a	right	33	—	29	28	32	—	27	—	32	—
		left	—	—	—	—	—	—	—	—	—	(31)
	9a	right	27	—	24	22	23	—	21	—	24	—
		left	—	—	—	—	—	—	—	—	—	(23)
	10b	right	70	—	67	—	—	—	—	—	77	—
		left	—	—	—	—	72	—	—	—	78	70
Fibula	1	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
Height	Sjøvold		158.9	—	—	155.2	—	152.5	—	159.0	162.7	152.9
	Rösing		153.4	—	—	150.7	—	149.6	—	153.6	155.7	148.7
	Bernert		164.6	—	—	163.3	—	160.5	—	166.6	168.3	160.8

Tab. 88. (continued).

Grave Nr./ Martin Nr.			3721	3734	3737	3742	3760	3761	3762	3763	3764	3770
Clavicle	1	right	–	128	–	–	–	–	124	–	–	–
		left	–	–	–	–	–	–	127	–	–	–
Humerus	6	right	–	37	–	–	–	–	36	–	–	–
		left	–	38	–	–	–	–	36	–	–	–
	1	right	–	291	277	–	–	–	296	–	–	299
		left	–	287	–	–	–	–	–	–	–	–
	2	right	–	289	275	–	–	–	294	–	–	297
		left	–	281	–	–	–	–	–	–	–	–
	4	right	–	57	52	–	–	–	–	–	–	53
		left	58	–	–	–	–	–	–	–	58	–
	5	right	–	18	20	–	–	18	21	–	18	18
		left	20	19	–	–	17	18	20	20	–	–
	6	right	–	14	16	–	–	15	16	–	15	14
		left	17	15	–	–	15	16	15	17	–	–
	7	right	–	52	54	–	–	52	58	–	–	50
		left	56	53	–	–	53	53	58	57	–	–
Radius	9	right	–	38	39	–	–	–	39	–	–	40
		left	–	37	39	–	–	–	39	–	–	–
Ulna	1	right	–	218	–	–	–	–	225	–	–	–
		left	–	214	–	–	–	–	221	–	–	–
Femur	1	right	–	241	–	–	–	–	–	–	–	–
		left	–	235	227	–	–	–	–	–	–	–
	1	right	–	421	–	–	–	–	–	–	–	–
		left	–	–	382	–	–	–	417	–	–	–
	2	right	–	416	–	–	–	–	–	–	–	–
		left	–	–	378	–	–	–	412	–	–	–
	6	right	–	26	23	–	–	–	23	–	–	–
		left	–	–	25	26	–	23	22	–	–	24
	7	right	–	25	22	–	–	–	25	–	–	–
		left	–	–	23	25	–	21	25	–	–	24
	8	right	–	78	73	–	–	–	77	–	–	–
		left	–	–	75	80	–	69	75	–	–	72
	9	right	–	31	–	30	–	28	30	–	–	–
		left	–	–	28	30	–	31	30	–	–	34
	10	right	–	24	–	23	–	24	25	–	–	–
		left	–	–	24	22	–	23	22	–	–	22
	19	right	–	40	–	–	–	–	38	–	39	–
		left	–	–	38	39	–	–	39	–	39	–
	21	right	–	69	–	–	–	–	–	–	–	–
		left	–	–	–	–	–	–	–	–	–	–
Tibia	1	right	–	–	315	–	–	–	341	–	–	–
		left	–	–	–	–	–	–	–	–	–	–
	1a	right	–	345	319	–	–	–	345	–	–	–
		left	–	–	–	–	–	–	–	–	–	–
	1b	right	–	341	314	–	–	–	341	–	–	–
		left	–	–	–	–	–	–	–	–	–	–
	8a	right	–	30	27	–	–	26	29	–	–	–
		left	–	30	–	29	–	28	–	–	–	28
	9a	right	–	19	21	–	–	21	22	–	–	–
		left	–	18	–	21	–	22	–	–	–	20
10b	right	–	63	64	–	–	–	66	64	–	–	–
	left	–	–	–	68	–	–	67	–	–	–	–
Fibula	1	right	–	–	314	–	–	–	333	–	–	–
		left	–	–	314	–	–	–	–	–	–	–
Height	Sjøvold	–	156.3	149.6	–	–	–	–	157.8	–	–	157.1
	Rösing	–	151.9	146.7	–	–	–	–	153.2	–	–	152.5
	Bernert	–	166.4	158.9	–	–	–	–	165.5	–	–	165.3

Tab. 88. (continued).

Grave Nr./ Martin Nr.			3775	3777	3784	3786	3832	3839	3844	3845	3846	3931
Clavicle	1	right	—	—	—	—	128	—	—	—	128	—
		left	138	—	—	—	—	—	—	—	131	—
	6	right	—	—	—	—	34	—	—	—	36	—
		left	29	—	—	—	—	—	—	—	34	—
Humerus	1	right	285	—	—	(305)	266	—	260	—	260	302
		left	285	258	—	300	259	—	—	310	264	297
	2	right	283	—	—	300	261	—	257	—	258	297
		left	281	—	—	294	254	—	—	306	262	294
	4	right	—	50	—	59	54	—	—	—	—	58
		left	55	—	—	58	53	—	55	57	52	56
	5	right	18	17	20	22	19	—	18	21	19	21
		left	18	17	20	21	20	19	19	21	19	21
	6	right	15	14	16	16	16	—	17	15	56	17
		left	15	14	16	16	15	15	16	15	56	18
	7	right	54	51	57	58	54	—	57	56	54	60
		left	53	51	57	58	55	—	57	56	54	60
	9	right	40	38	—	43	38	—	—	—	38	42
		left	40	37	—	42	37	—	—	43	37	42
Radius	1	right	223	203	—	229	197	212	—	—	202	228
		left	—	200	—	224	—	—	—	—	200	227
Ulna	1	right	245	—	—	249	—	—	—	—	—	248
		left	240	—	—	246	210	—	217	—	218	—
Femur	1	right	—	—	—	427	381	—	—	—	374	—
		left	—	371	—	—	—	—	—	—	—	412
	2	right	—	—	—	423	377	—	—	—	372	—
		left	—	368	—	—	—	—	—	—	—	409
	6	right	—	—	26	27	23	—	—	28	24	—
		left	23	22	—	—	—	—	—	—	—	29
	7	right	—	—	22	24	23	—	—	27	24	—
		left	25	22	—	—	—	—	—	—	—	26
	8	right	—	—	77	80	76	—	—	84	75	—
		left	77	71	—	—	—	—	—	—	—	86
	9	right	—	—	31	28	30	—	—	33	27	—
		left	30	28	32	—	—	—	—	—	—	31
	10	right	—	—	24	24	23	—	—	23	23	—
		left	21	21	23	—	—	—	—	—	—	27
	19	right	—	—	38	44	(40)	—	38	44	39	—
		left	40	37	—	—	—	—	—	—	—	42
	21	right	—	—	—	—	70	—	—	—	—	—
		left	—	—	—	—	68	—	—	—	—	72
Tibia	1	right	—	—	—	—	—	—	—	—	—	340
		left	—	—	—	—	—	—	—	—	—	—
	1a	right	—	—	—	—	—	—	—	—	—	347
		left	—	—	—	—	—	—	299	—	—	—
	1b	right	—	—	—	—	—	—	—	—	—	339
		left	—	—	—	—	—	—	—	—	—	—
	8a	right	32	—	—	33	33	—	—	—	—	35
		left	—	—	—	—	—	—	30	—	30	—
	9a	right	21	—	—	24	18	—	—	—	—	22
		left	—	—	—	—	19	—	19	—	21	—
	10b	right	60	—	—	74	—	—	—	—	—	76
		left	—	—	—	—	65	—	65	—	70	—
Fibula	1	right	—	—	—	—	—	—	—	—	—	334
		left	—	—	—	—	—	—	—	—	287	—
Height	Sjøvold		156.1	145.2	—	160.4	145.6	154.8	143.0	162.2	144.9	160.0
	Rösing		151.6	144.2	—	154.7	144.7	150.8	141.8	155.6	144.7	155.0
	Bernert		160.8	156.8	—	167.6	158.7	160.5	152.8	168.9	157.4	168.1

Tab. 88. (continued).

Grave Nr./ Martin Nr.			3944	3955	4005	4006	4007	4012	4081	4084	4086	4087
Clavicle	1	right	—	—	—	—	—	129	—	—	—	—
		left	—	—	—	—	121	132	—	—	—	—
	6	right	30	—	38	—	36	39	—	—	—	—
		left	30	—	—	—	34	38	—	—	—	—
Humerus	1	right	—	285	310	307	295	298	—	—	255	—
		left	—	—	318	303	289	294	—	264	247	—
	2	right	—	282	308	304	293	294	—	—	253	—
		left	—	—	313	300	283	289	—	—	243	—
	4	right	—	50	58	58	57	50	—	—	55	—
		left	—	(50)	60	59	57	51	—	—	—	—
	5	right	18	17	20	18	20	17	18	17	19	—
		left	—	17	19	18	19	17	—	17	19	—
	6	right	13	14	17	16	15	13	16	15	15	—
		left	—	15	16	16	16	13	—	15	15	—
	7	right	50	54	58	53	54	50	53	52	51	—
		left	51	55	57	54	(56)	50	—	51	51	—
	9	right	—	36	45	38	41	39	—	39	40	—
		left	38	—	45	39	41	39	—	38	38	—
Radius	1	right	—	—	244	231	224	214	—	—	199	—
		left	—	—	—	232	221	214	—	196	197	—
Ulna	1	right	—	—	—	252	241	232	—	218	218	—
		left	—	—	—	—	—	233	—	—	—	—
Femur	1	right	—	—	—	—	—	403	—	—	370	—
		left	—	402	465	—	407	—	—	—	—	—
	2	right	—	—	—	—	—	401	—	—	369	—
		left	—	397	460	—	405	—	—	—	—	—
	6	right	25	—	—	—	—	22	—	—	27	—
		left	—	22	30	—	25	—	—	23	—	—
	7	right	24	—	—	—	—	22	—	—	23	—
		left	—	21	26	—	24	—	—	24	—	—
	8	right	75	—	—	—	—	70	—	—	78	—
		left	—	66	87	—	76	—	—	75	—	—
	9	right	29	—	—	—	—	24	—	—	27	—
		left	—	28	31	—	30	—	—	31	—	—
	10	right	26	—	—	—	—	22	—	—	22	—
		left	—	23	25	—	23	—	—	23	—	—
	19	right	—	(39)	—	—	—	36	—	—	40	41
		left	42	(38)	45	39	42	—	—	(39)	39	40
	21	right	—	68	—	—	72	66	—	—	—	—
		left	—	(66)	77	—	73	—	—	—	65	—
Tibia	1	right	—	324	(365)	—	320	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
	1a	right	—	330	372	—	328	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
	1b	right	—	321	366	—	318	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
	8a	right	—	24	34	—	32	27	—	—	30	—
		left	—	—	—	—	—	—	—	—	—	—
	9a	right	—	20	23	—	23	22	—	—	18	—
		left	—	—	—	—	—	—	—	—	—	—
	10b	right	—	55	72	—	71	62	—	—	68	—
		left	—	54	—	—	—	—	—	—	67	—
Fibula	1	right	—	—	352	—	—	322	—	—	—	—
		left	—	—	357	—	—	—	—	—	—	—
Height	Sjøvold		—	153.1	166.8	161.0	155.9	154.5	—	145.7	144.5	—
	Rösing		—	149.5	160.0	154.8	151.2	151.1	—	144.2	143.1	—
	Bernert		—	162.0	173.3	165.6	162.1	162.9	—	154.0	156.6	—

Tab. 88. (continued).

Grave Nr./ Martin Nr.			4123	4131	4132	4153	4160	4164	4279	4306	4308	4309
Clavicle	1	right	121	—	—	136	—	—	136	—	—	—
		left	—	143	—	—	—	—	141	—	—	—
	6	right	33	—	—	38	—	—	34	—	—	—
		left	33	33	—	—	—	—	34	—	—	—
Humerus	1	right	—	317	—	296	—	—	—	—	—	—
		left	—	315	—	—	—	292	284	—	—	—
	2	right	—	314	—	293	—	—	—	—	—	—
		left	—	312	—	—	—	288	280	—	—	—
	4	right	—	55	—	50	—	58	57	—	—	—
		left	—	53	50	52	—	—	—	—	—	59
	5	right	18	—	20	21	22	20	19	21	—	20
		left	18	20	20	21	22	21	19	—	20	21
	6	right	13	—	15	15	18	18	17	17	—	17
		left	13	16	15	16	18	19	17	—	16	19
	7	right	49	56	56	59	63	—	55	60	—	56
		left	50	54	56	61	64	61	55	—	59	56
	9	right	—	41	—	39	—	—	—	—	—	—
		left	—	40	—	—	—	42	44	—	46	—
Radius	1	right	—	236	—	—	236	—	211	226	220	—
		left	203	—	—	—	—	—	—	—	—	—
Ulna	1	right	—	251	—	—	—	—	—	—	240	—
		left	—	—	—	—	—	—	—	—	—	—
Femur	1	right	—	—	—	(410)	—	437	—	—	—	—
		left	—	—	—	—	—	—	—	—	430	—
	2	right	—	—	—	(408)	—	431	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
	6	right	—	—	—	26	32	32	25	—	—	—
		left	—	27	—	—	—	—	—	—	26	—
	7	right	—	—	—	25	25	26	33	—	—	—
		left	—	23	—	—	—	—	—	—	27	—
	8	right	—	—	—	81	—	90	—	—	—	—
		left	—	80	—	—	—	—	—	—	74	—
	9	right	—	—	—	31	33	30	—	—	—	28
		left	—	32	—	—	—	—	—	—	34	—
	10	right	—	—	—	23	27	26	—	—	—	22
		left	—	21	—	—	—	—	—	—	23	—
	19	right	40	—	(40)	42	—	41	43	—	—	—
		left	40	38	—	40	44	—	—	40	45	—
	21	right	—	—	—	(58)	—	—	72	—	—	—
		left	70	—	—	—	—	—	—	—	—	—
Tibia	1	right	—	—	—	—	—	345	—	—	—	—
		left	—	—	—	(387)	—	—	—	—	—	—
	1a	right	308	—	—	—	—	354	—	—	—	—
		left	—	—	—	(393)	—	—	—	—	—	—
	1b	right	—	—	—	—	—	346	—	—	—	—
		left	—	—	—	(382)	—	—	—	—	—	—
	8a	right	28	—	—	—	—	32	—	—	—	—
		left	—	34	—	—	—	—	32	30	—	—
	9a	right	19	—	—	—	—	23	—	—	—	—
		left	—	22	—	—	—	—	21	23	—	—
	10b	right	63	69	—	—	—	73	—	—	—	—
		left	—	70	—	68	—	—	68	71	—	—
Fibula	1	right	300	—	—	—	—	—	—	—	—	—
		left	298	333	—	—	—	—	310	—	—	—
Height	Sjøvold		147.5	161.8	—	162.5	163.9	159.7	150.8	160.1	159.2	—
	Rösing		147.8	158.0	—	155.9	158.8	154.0	149.4	155.5	154.5	—
	Bernert		156.8	170.8	—	169.7	170.3	168.1	160.5	166.2	168.1	—

Tab. 88. (continued).

Grave Nr./ Martin Nr.			4318	4381	4391	4414	4502	4565	4602	4605	4663	4681
Clavicle	1	right	—	—	—	136	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
	6	right	—	—	—	37	—	38	—	—	—	37
		left	—	—	—	35	—	37	—	—	—	37
Humerus	1	right	—	—	—	285	—	—	301	296	—	284
		left	—	—	—	280	—	279	295	288	—	279
	2	right	—	—	305	283	—	—	299	295	—	282
		left	—	—	—	276	—	275	292	284	—	275
	4	right	—	—	—	56	53	53	54	62	—	52
		left	—	—	56	57	53	51	54	61	—	49
	5	right	—	17	20	22	20	19	20	19	—	18
		left	—	19	21	22	20	19	21	18	19	19
	6	right	—	15	17	16	16	15	17	16	—	14
		left	—	16	17	16	15	15	16	16	17	15
	7	right	—	—	57	58	58	56	58	55	—	51
		left	—	53	57	58	56	55	58	54	58	53
	9	right	—	—	42	36	—	—	44	42	—	38
		left	—	38	—	37	—	39	44	42	—	37
Radius	1	right	—	—	228	216	224	—	—	—	—	212
		left	—	—	221	211	222	—	221	220	—	210
Ulna	1	right	—	—	—	—	242	—	—	—	—	—
		left	—	—	—	237	—	—	243	—	—	—
Femur	1	right	—	—	—	—	430	396	—	404	—	410
		left	—	—	—	—	428	400	438	395	—	409
	2	right	—	—	—	—	426	394	—	402	—	406
		left	—	—	—	—	424	397	434	392	—	404
	6	right	25	24	—	—	26	25	26	28	—	23
		left	—	—	28	—	25	26	27	25	—	23
	7	right	23	23	—	—	24	23	24	22	—	23
		left	—	—	27	—	24	26	26	25	—	23
	8	right	76	75	—	—	80	78	81	82	—	74
		left	—	—	84	—	80	81	83	78	—	73
	9	right	—	31	—	—	—	31	31	28	—	27
		left	—	—	36	33	36	33	32	30	—	30
	10	right	—	23	—	—	—	23	25	23	—	22
		left	—	—	27	24	27	24	25	24	—	22
	19	right	38	40	—	—	41	38	—	41	—	38
		left	—	—	43	38	42	38	—	42	—	38
	21	right	—	—	—	70	—	66	74	71	—	68
		left	—	—	—	—	—	—	76	—	—	69
Tibia	1	right	—	—	—	—	—	—	344	—	—	322
		left	—	—	—	—	—	—	344	318	—	323
	1a	right	—	—	—	—	—	—	351	—	—	328
		left	—	—	—	—	340	—	351	321	—	329
	1b	right	—	—	—	—	—	—	346	—	—	320
		left	—	—	—	—	—	—	344	317	—	322
	8a	right	—	30	33	—	28	30	31	—	—	29
		left	—	—	—	—	29	—	30	36	—	30
	9a	right	—	19	21	—	21	19	22	—	—	22
		left	—	—	—	—	21	—	22	20	—	22
	10b	right	—	—	70	—	69	65	68	—	—	66
		left	—	—	—	69	71	65	68	74	—	67
Fibula	1	right	—	—	—	315	—	—	—	—	—	310
		left	—	—	—	318	—	—	—	—	—	—
Height	Sjøvold		—	—	159.6	152.7	159.8	150.8	159.8	154.5	—	152.3
	Rösing		—	—	155.0	149.7	154.9	148.1	154.4	150.5	—	149.8
	Bernert		—	—	165.6	160.0	167.9	162.0	168.1	161.1	—	162.7

Tab. 88. (continued).

Grave Nr./ Martin Nr.			4822	4825	4894	4913	4918	4977	4985	5001	5002	5015
Clavicle	1	right	—	—	—	—	140	—	128	128	143	—
		left	—	—	—	—	—	—	134	—	—	—
Humerus	6	right	40	—	—	—	36	—	31	32	39	—
		left	39	—	—	—	—	—	30	—	—	—
	1	right	324	—	—	—	294	312	302	—	—	—
		left	—	279	—	—	294	—	292	—	—	—
	2	right	321	—	—	—	292	309	297	—	—	—
		left	—	275	—	—	292	—	287	—	—	—
	4	right	58	58	—	—	55	—	51	50	—	—
		left	—	57	—	—	55	—	51	—	—	—
	5	right	22	22	—	—	20	20	20	18	—	19
		left	22	23	—	—	20	19	20	18	—	20
	6	right	16	16	—	—	15	17	14	13	—	16
		left	16	16	—	—	15	17	15	13	—	16
	7	right	61	60	—	—	56	57	51	50	60	55
		left	59	59	—	—	56	57	50	50	60	55
Radius	9	right	42	—	—	—	—	41	39	—	—	—
		left	—	40	—	39	—	—	38	—	—	—
Ulna	1	right	244	—	—	—	—	226	224	—	—	—
		left	243	—	—	—	—	—	—	—	—	—
Femur	1	right	264	—	—	—	—	241	242	—	241	—
		left	—	—	—	—	—	—	—	—	—	—
	1	right	441	—	—	—	—	400	402	373	—	—
		left	439	—	—	—	—	—	405	—	—	—
	2	right	437	—	—	—	—	397	399	367	—	—
		left	435	—	—	—	—	—	400	—	—	—
	6	right	27	—	—	22	—	27	26	23	28	25
		left	27	—	—	22	28	26	26	24	28	25
	7	right	27	—	—	24	—	25	24	23	25	25
		left	—	—	—	25	27	25	25	23	25	24
	8	right	85	—	—	72	—	83	79	74	84	79
		left	—	—	—	73	86	82	80	75	84	78
	9	right	37	31	—	32	35	—	31	31	31	33
		left	35	32	32	31	36	33	30	31	31	33
	10	right	25	25	—	24	24	—	21	21	24	25
		left	26	25	23	24	23	23	21	21	24	23
	19	right	43	42	—	—	42	40	40	(35)	—	—
		left	42	42	42	—	—	—	40	(35)	40	—
	21	right	—	—	—	—	—	71	67	—	—	—
		left	—	—	—	—	—	—	66	—	—	—
Tibia	1	right	363	—	—	—	—	—	329	—	—	—
		left	362	—	313	—	—	—	330	—	—	—
	1a	right	367	—	—	—	352	—	335	—	—	—
		left	365	—	320	—	—	—	335	—	—	—
	1b	right	361	—	—	—	—	—	328	—	—	—
		left	361	—	312	—	—	—	329	—	—	—
	8a	right	31	—	—	30	34	32	31	—	35	31
		left	31	—	31	30	—	30	31	29	32	30
	9a	right	23	—	—	20	25	23	19	—	23	21
		left	24	—	22	20	—	22	19	21	22	20
	10b	right	72	—	—	65	76	71	65	65	72	68
		left	72	74	74	64	—	72	66	65	72	—
Fibula	1	right	—	—	—	—	—	—	325	—	—	—
		left	—	—	—	—	—	—	327	—	—	—
Height	Sjøvold		166.3	147.9	150.3	—	154.8	158.9	156.4	146.9	157.9	—
	Rösing		159.2	147.0	147.2	—	151.2	153.7	152.0	144.3	—	—
	Bernert		170.3	158.9	158.7	—	163.7	162.4	162.8	157.2	—	—

Tab. 88. (continued).

Grave Nr./ Martin Nr.			4822	4825	4894	4913	4918	4977	4985	5001	5002	5015
Clavicle	1	right	—	—	—	143	129	—	—	—	—	—
		left	—	—	—	146	123	—	—	—	—	—
	6	right	—	—	—	35	31	—	—	—	—	—
		left	—	—	—	33	29	—	—	—	—	32
Humerus	1	right	271	—	—	310	—	—	—	—	—	—
		left	267	—	—	303	—	—	—	—	—	—
	2	right	268	—	—	308	—	—	—	—	—	—
		left	262	—	—	299	—	—	—	—	—	—
	4	right	54	57	—	—	—	—	—	—	—	53
		left	54	58	—	56	—	—	—	—	—	—
	5	right	19	21	—	20	—	17	19	19	—	20
		left	21	19	—	20	19	16	—	19	—	22
	6	right	14	15	—	15	—	14	17	16	—	17
		left	15	17	—	16	16	14	—	15	—	20
	7	right	54	56	—	57	—	50	—	53	—	57
		left	56	56	—	57	57	50	—	54	—	59
	9	right	38	—	—	41	—	—	—	39	—	—
		left	37	—	—	39	40	—	—	39	—	—
Radius	1	right	208	216	—	232	209	—	—	—	—	215
		left	202	—	208	232	208	—	—	217	—	—
Ulna	1	right	239	—	—	254	—	—	—	—	—	—
		left	—	233	—	254	—	—	—	—	—	—
Femur	1	right	374	395	—	421	335	—	—	—	—	—
		left	379	389	—	429	338	—	—	—	427	409
	2	right	372	390	—	419	332	—	—	—	—	—
		left	377	386	—	425	335	—	—	—	424	407
	6	right	27	27	—	29	22	24	28	—	—	—
		left	25	27	26	29	22	25	—	27	24	25
	7	right	23	22	—	26	22	21	24	—	—	—
		left	25	23	25	26	24	22	—	25	22	27
	8	right	81	80	—	87	72	74	82	—	—	—
		left	79	82	80	86	74	75	—	83	73	82
	9	right	32	29	—	31	30	26	29	—	—	—
		left	30	28	33	32	32	26	28	33	28	32
	10	right	24	23	—	25	24	22	23	—	—	—
		left	24	23	27	23	23	22	25	24	21	22
	19	right	41	40	41	40	40	38	40	—	—	—
		left	41	40	41	40	—	39	—	—	40	42
	21	right	72	—	—	71	71	—	—	—	—	72
		left	70	70	—	71	—	—	—	—	—	72
Tibia	1	right	—	311	—	346	312	—	—	—	—	—
		left	—	310	—	—	312	—	—	—	—	—
	1a	right	—	320	—	350	318	—	—	—	—	—
		left	—	316	315	—	318	—	—	—	—	—
	1b	right	—	312	—	345	310	—	—	—	—	—
		left	—	311	—	—	309	—	—	—	—	—
	8a	right	33	30	33	34	32	27	31	33	—	31
		left	33	30	34	33	30	27	—	—	—	—
	9a	right	21	23	23	21	20	20	21	21	—	22
		left	21	23	24	21	20	21	—	—	—	—
	10b	right	74	69	—	73	62	66	—	—	—	—
		left	72	68	70	72	63	64	—	—	—	—
Fibula	1	right	—	—	—	339	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
Height	Sjøvold		150.1	153.0	153.3	161.2	146.9	—	—	156.7	161.6	156.3
	Rösing		145.9	148.9	149.5	155.4	144.6	—	—	152.5	154.9	151.6
	Bernert		157.9	159.5	158.8	166.9	153.7	—	—	162.5	167.6	164.1

Tab. 88. (continued).

Grave Nr./ Martin Nr.			6101	6123	6130	6131	6155	6156	6244	6336	6338	6347
Clavicle	1	right	–	140	–	–	132	–	–	–	–	–
		left	–	–	137	–	136	–	–	–	–	–
	6	right	–	35	–	–	31	–	–	–	38	–
		left	–	–	–	–	31	–	31	–	–	–
Humerus	1	right	–	306	292	307	320	283	284	–	–	–
		left	–	305	–	–	318	278	279	–	–	–
	2	right	–	302	289	303	316	281	282	–	–	–
		left	–	300	–	–	314	274	278	–	–	–
	4	right	–	57	57	57	53	54	–	–	54	–
		left	56	55	–	–	54	55	55	57	–	–
	5	right	19	21	18	21	20	19	19	20	20	19
		left	–	21	–	–	20	–	19	21	20	19
	6	right	17	16	15	17	15	14	14	14	15	16
		left	–	15	–	–	16	–	14	14	16	15
	7	right	57	59	53	59	55	53	54	50	–	–
		left	–	59	–	–	56	–	54	50	–	55
	9	right	39	40	–	43	42	38	41	–	42	–
		left	38	39	–	–	41	–	40	–	42	–
Radius	1	right	–	223	217	–	207	–	–	–	–	–
		left	–	221	–	–	206	–	213	–	–	–
Ulna	1	right	–	–	–	246	–	–	235	–	–	–
		left	–	242	–	242	–	–	230	–	–	–
Femur	1	right	–	417	–	414	407	–	–	–	–	–
		left	–	–	407	–	–	–	–	–	–	–
	2	right	–	414	–	412	399	–	–	–	–	–
		left	–	–	405	–	–	–	–	–	–	–
	6	right	28	27	–	26	25	–	25	–	27	27
		left	–	27	27	–	–	25	–	–	–	–
	7	right	25	26	–	25	23	–	24	–	23	24
		left	–	27	25	–	–	21	–	–	–	–
	8	right	83	84	–	81	78	–	77	–	81	80
		left	–	85	83	–	–	73	–	–	–	–
	9	right	34	29	–	32	28	28	30	–	28	–
		left	–	–	32	–	–	28	–	–	–	–
	10	right	26	24	–	25	23	23	25	–	24	–
		left	–	–	24	–	–	23	–	–	–	–
	19	right	–	43	–	43	41	39	41	–	40	–
		left	–	–	40	–	–	38	40	–	41	–
	21	right	–	71	–	–	70	–	–	–	–	–
		left	–	71	–	–	69	–	–	–	–	–
Tibia	1	right	–	336	–	–	315	–	–	–	–	–
		left	–	–	–	–	–	–	–	–	–	–
	1a	right	–	345	–	–	320	328	–	–	–	–
		left	–	–	–	–	–	–	–	–	–	–
	1b	right	–	336	–	–	313	313	–	–	–	–
		left	–	–	–	–	–	–	–	–	–	–
	8a	right	–	33	–	34	30	28	–	–	–	30
		left	–	–	–	–	–	–	28	–	30	–
	9a	right	–	21	–	23	20	19	–	–	–	19
		left	–	–	–	–	–	–	17	–	22	–
	10b	right	–	70	–	–	68	60	–	–	–	–
		left	–	–	–	–	–	60	62	–	72	–
Fibula	1	right	–	329	–	320	315	313	–	–	–	–
		left	–	330	–	320	–	–	–	–	–	–
Height	Sjøvold		–	158.1	156.5	156.7	155.1	150.4	152.1	–	–	–
	Rösing		–	153.5	151.4	153.5	151.4	147.4	149.4	–	–	–
	Bernert		–	164.9	163.7	165.1	161.6	159.4	159.7	–	–	–

Tab. 88. (continued).

Grave Nr./ Martin Nr.			6349	6376	6377	6378	6379	6383	6536	6537	6538	6680
Clavicle	1	right	—	—	—	—	—	—	129	—	—	135
		left	—	—	—	127	—	—	—	—	—	141
	6	right	—	—	—	—	—	—	36	—	—	33
		left	—	—	—	33	—	—	—	—	—	32
Humerus	1	right	—	—	—	—	—	—	—	308	306	295
		left	—	—	—	268	—	—	275	306	304	—
	2	right	—	—	—	—	—	—	—	305	302	293
		left	—	—	—	263	—	—	274	302	299	—
	4	right	—	—	—	49	—	—	52	58	57	51
		left	—	—	—	50	—	—	51	57	56	—
	5	right	18	21	18	—	16	—	19	19	19	20
		left	—	20	18	19	20	18	18	19	19	20
	6	right	17	16	15	—	16	—	15	15	17	14
		left	—	17	16	16	16	15	14	16	16	14
	7	right	53	57	55	—	56	—	54	52	57	53
		left	53	58	55	54	56	54	53	53	54	52
	9	right	—	—	—	—	—	—	—	40	42	39
		left	—	—	—	36	—	—	40	39	41	39
Radius	1	right	—	—	—	—	—	—	210	237	237	—
		left	—	—	—	—	—	—	206	236	235	—
Ulna	1	right	—	—	—	—	—	—	227	260	—	—
		left	—	—	—	—	—	—	—	257	—	—
Femur	1	right	—	—	—	381	—	—	—	—	425	—
		left	—	—	—	—	—	—	403	417	—	430
	2	right	—	—	—	379	—	—	—	—	422	—
		left	—	—	—	—	—	—	398	(416)	—	427
	6	right	—	28	29	24	—	—	—	—	27	—
		left	25	—	—	—	—	—	24	26	—	28
	7	right	—	27	24	24	—	—	—	—	24	—
		left	27	—	—	—	—	—	23	25	—	24
	8	right	—	85	84	78	—	—	—	—	82	—
		left	71	—	—	—	—	—	74	80	—	81
	9	right	—	32	28	27	—	—	—	—	27	—
		left	33	—	—	—	—	—	29	32	—	29
	10	right	—	27	26	23	—	—	—	—	23	—
		left	24	—	—	—	—	—	22	24	—	22
	19	right	—	43	—	37	41	—	41	—	41	—
		left	—	—	—	36	41	—	38	39	—	(37)
	21	right	—	—	—	67	—	—	—	80	—	—
		left	—	—	—	—	—	—	69	—	75	—
Tibia	1	right	—	—	—	307	—	—	315	344	346	—
		left	—	—	—	—	—	—	—	—	—	—
	1a	right	—	—	—	315	—	—	319	343	352	342
		left	—	—	—	—	—	—	—	—	—	—
	1b	right	—	—	—	306	—	—	313	350	342	—
		left	—	—	—	—	—	—	—	—	—	—
	8a	right	—	—	—	29	—	—	28	33	33	31
		left	28	—	—	—	—	—	—	—	—	—
	9a	right	—	—	—	22	—	—	20	21	21	22
		left	20	—	—	—	—	—	—	—	—	—
	10b	right	—	—	—	69	—	—	62	68	72	67
		left	66	—	—	—	—	—	—	—	—	—
Fibula	1	right	—	—	—	306	—	—	—	—	—	—
		left	—	—	—	—	310	—	—	335	—	—
Height	Sjøvold		—	—	—	146.6	149.5	—	154.7	161.1	161.5	158.8
	Röding		—	—	—	145.2	—	—	148.3	155.3	155.6	153.4
	Bernert		—	—	—	157.9	—	—	161.2	165.8	166.9	168.1

Tab. 88. (continued).

Grave Nr./ Martin Nr.			6688	6689	7244	7261	7280	7523	7579	7580	7585	7586
Clavicle	1	right	—	—	—	134	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
	6	right	36	34	—	35	—	—	—	—	—	—
		left	—	30	—	—	—	—	—	—	—	—
Humerus	1	right	—	—	—	295	—	—	—	—	—	—
		left	(359)	268	—	—	303	—	—	—	285	—
	2	right	—	—	—	292	—	—	—	—	—	—
		left	355	264	—	—	300	—	—	—	281	—
	4	right	—	53	—	—	57	54	—	—	—	—
		left	—	52	—	—	58	53	—	—	55	—
	5	right	21	18	20	21	—	19	—	—	20	—
		left	20	18	20	—	19	18	—	21	20	—
	6	right	15	14	18	17	—	14	—	—	17	—
		left	15	14	16	—	16	15	—	16	17	—
	7	right	57	50	55	58	53	53	—	56	59	—
		left	56	51	54	59	53	53	—	55	59	—
	9	right	45	—	—	44	—	—	—	—	40	—
		left	44	37	—	43	38	—	—	—	39	—
Radius	1	right	—	196	—	—	242	—	—	—	—	—
		left	237	190	—	213	—	—	—	—	—	—
Ulna	1	right	—	219	—	—	260	230	—	—	—	—
		left	—	—	—	—	257	—	—	—	242	—
Femur	1	right	—	—	—	397	—	—	—	—	402	—
		left	—	—	—	402	—	—	—	—	405	—
	2	right	—	—	—	394	—	—	—	—	399	—
		left	425	—	—	397	—	—	—	—	402	—
	6	right	—	—	22	29	28	—	—	26	26	—
		left	28	—	22	28	28	23	—	26	25	—
	7	right	—	—	23	24	26	—	—	25	24	—
		left	25	—	24	24	28	23	—	24	25	—
	8	right	—	—	72	83	85	—	—	81	80	—
		left	84	—	74	81	88	74	—	80	78	—
	9	right	—	—	29	30	—	—	—	31	34	—
		left	31	—	29	32	34	31	—	32	34	—
	10	right	—	—	22	23	—	—	—	24	25	—
		left	25	—	21	23	25	22	—	23	23	—
	19	right	44	—	37	42	—	—	—	—	40	—
		left	43	—	—	43	—	41	38	(40)	—	41
	21	right	—	—	—	74	—	—	—	—	—	—
		left	—	—	—	75	—	—	—	—	—	—
Tibia	1	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
	1a	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
	1b	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
	8a	right	—	—	—	30	31	—	—	31	29	—
		left	35	—	29	—	31	—	—	—	29	—
	9a	right	—	—	—	21	22	—	—	22	23	—
		left	19	—	21	—	21	—	—	—	22	—
	10b	right	—	—	—	70	66	—	—	—	—	—
		left	73	—	64	—	66	—	—	—	—	—
Fibula	1	right	—	—	—	—	354	—	—	—	—	—
		left	—	—	—	—	352	—	—	—	—	—
Height	Sjøvold		165.6	145.2	—	158.7	159.3	158.4	—	—	152.9	—
	Rösing		164.1	144.2	—	150.7	157.2	—	—	—	149.5	—
	Bernert		184.7	155.3	—	162.3	166.6	—	—	—	163.0	—

Tab. 88. (continued).

Grave Nr./ Martin Nr.			7587	7588	7645	7657	7667	7668	7672	7683	7685	7690
Clavicle	1	right	—	—	—	—	138	—	—	—	—	—
		left	—	—	—	—	138	—	—	—	—	—
	6	right	36	—	—	—	34	—	—	—	—	—
		left	—	—	—	—	34	—	—	—	—	—
Humerus	1	right	—	—	—	295	—	300	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
	2	right	—	—	—	292	—	296	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
	4	right	—	—	64	56	59	58	—	—	—	51
		left	—	—	—	—	—	58	—	—	—	52
	5	right	—	—	18	19	20	—	—	—	—	—
		left	—	17	18	19	20	18	—	—	—	19
	6	right	—	—	15	16	17	—	—	—	—	—
		left	—	15	15	15	16	15	—	—	—	15
	7	right	—	—	53	54	60	—	—	—	—	54
		left	—	—	52	53	59	55	—	—	—	57
	9	right	—	—	—	41	—	—	—	—	—	—
		left	40	40	—	40	42	—	—	—	—	—
Radius	1	right	—	—	—	208	227	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
Ulna	1	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
Femur	1	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	406	—	—	—	—	—
	2	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	400	—	—	—	—	—
	6	right	24	23	29	26	28	28	24	—	—	—
		left	24	—	—	—	28	25	24	—	—	24
	7	right	23	25	22	24	25	23	22	—	—	—
		left	24	—	—	—	26	24	23	—	—	23
	8	right	74	77	81	78	84	80	74	—	—	—
		left	76	—	—	—	85	77	74	—	—	77
	9	right	30	27	29	28	—	28	—	—	—	—
		left	32	—	—	—	36	32	31	—	—	—
	10	right	25	22	24	23	—	24	—	—	—	—
		left	26	—	—	—	28	24	23	—	—	—
	19	right	41	(41)	(47)	41	—	44	—	41	35	—
		left	41	—	(47)	—	42	43	39	42	36	—
	21	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
Tibia	1	right	—	—	—	—	337	334	—	—	—	—
		left	—	—	—	—	341	337	312	—	—	—
	1a	right	—	—	—	—	345	343	—	—	—	—
		left	—	—	—	—	347	345	320	—	—	—
	1b	right	—	—	—	—	335	333	—	—	—	—
		left	—	—	—	—	339	336	310	—	—	—
	8a	right	—	—	31	—	34	32	29	—	—	—
		left	—	—	31	32	35	32	—	—	—	—
	9a	right	—	—	19	—	24	18	20	—	—	—
		left	—	—	20	21	23	18	—	—	—	—
	10b	right	—	—	—	70	76	68	64	—	—	—
		left	—	—	72	70	76	67	64	—	—	—
Fibula	1	right	—	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—	—
Height	Sjøvold		—	—	—	154.3	158.4	157.7	—	—	—	—
	Rösing		—	—	—	150.5	153.3	152.6	—	—	—	—
	Bernert		—	—	—	164.1	164.1	164.3	—	—	—	—

Tab. 88. (continued).

Grave Nr./ Martin Nr.			7691	7753	7754	7755	7765	7772	7773	7776	7777
Clavicle	1	right	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—
	6	right	—	—	—	—	—	—	—	—	—
		left	—	34	—	—	—	—	—	—	—
Humerus	1	right	—	—	—	—	—	—	—	—	—
		left	—	—	—	281	—	282	—	—	—
	2	right	—	—	—	—	—	—	—	—	—
		left	—	—	—	276	—	277	—	—	—
	4	right	—	—	—	54	—	—	53	—	—
		left	—	—	—	55	—	—	—	58	—
	5	right	17	—	19	—	—	18	21	—	—
		left	17	—	19	20	—	19	—	(20)	—
	6	right	14	—	16	—	—	15	16	—	—
		left	14	—	17	16	—	15	—	(17)	—
	7	right	51	—	53	56	—	—	52	—	—
		left	51	—	55	56	—	54	—	55	—
	9	right	—	—	—	41	—	—	—	—	—
		left	—	—	—	39	—	40	—	—	—
Radius	1	right	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—
Ulna	1	right	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—
Femur	1	right	—	401	—	—	—	—	396	(403)	—
		left	—	—	—	—	—	—	—	—	—
	2	right	—	399	—	—	—	—	387	(398)	—
		left	—	—	—	—	—	—	—	—	—
	6	right	—	28	—	27	26	—	24	23	—
		left	—	26	25	26	—	—	—	24	27
	7	right	—	24	—	24	22	—	25	22	—
		left	—	24	28	25	—	—	—	21	23
	8	right	—	81	—	84	75	—	80	70	—
		left	—	78	84	82	—	—	—	71	80
	9	right	—	30	—	32	31	—	34	29	—
		left	—	30	33	33	32	—	32	30	29
	10	right	—	23	—	24	24	—	23	24	—
		left	—	23	27	23	23	—	25	20	23
	19	right	—	42	—	(43)	44	—	38	43	—
		left	—	42	—	43	43	—	39	—	42
	21	right	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—
Tibia	1	right	—	324	—	—	—	—	—	—	—
		left	—	325	—	—	—	—	—	—	—
	1a	right	—	328	—	—	—	—	—	—	—
		left	—	331	—	—	—	—	—	—	—
	1b	right	—	321	—	—	—	—	—	—	—
		left	—	323	—	—	—	—	—	—	—
	8a	right	—	30	—	31	30	—	27	31	—
		left	—	29	—	—	32	—	28	30	—
	9a	right	—	22	—	21	22	—	19	21	—
		left	—	21	—	—	22	—	21	20	—
	10b	right	—	66	—	—	69	—	70	67	—
		left	—	67	—	—	67	—	71	64	—
Fibula	1	right	—	—	—	—	—	—	—	—	—
		left	—	—	—	—	—	—	—	—	—
Height	Sjøvold		—	154.3	—	148.8	—	149.3	177.6	179.9	—
	Rösing		—	149.8	—	147.6	—	147.9	166.7	168.3	—
	Bernert		—	162.0	—	159.5	—	159.9	179.3	181.0	—

Tab. 88. (continued).

Martin Nr.	Side	N	Vmax	Vmin	M	SD	SD / M
Clavicle							
1	right	46	167	125	147.72	8.99	6.08
	left	50	169	135	149.26	7.34	4.92
6	right	68	47	31	39.41	3.66	9.28
	left	77	49	29	39.12	3.78	9.65
Clavicle							
6:1	right	46	33	22	26.45	2.27	8.58
	left	49	34	20	26.10	2.58	9.88
Humerus							
1	right	96	338	277	310.36	13.22	4.26
	left	84	340	279	309.27	14.63	4.73
2	right	92	335	266	306.00	13.53	4.42
	left	80	337	276	306.03	14.58	4.76
4	right	142	71	51	60.89	3.44	5.65
	left	133	68	41	60.46	4.01	6.63
5	right	186	26	19	21.57	1.33	6.17
	left	182	25	17	20.99	1.35	6.42
6	right	186	21	15	17.51	1.15	6.59
	left	182	23	14	17.24	1.26	7.33
7	right	185	75	51	61.51	3.41	5.55
	left	187	74	48	60.24	3.39	5.62
9	right	117	55	39	45.18	2.59	5.72
	left	101	57	39	44.50	2.72	6.10
Humerus							
7:1	right	93	23.05	16.67	19.82	1.07	5.41
	left	82	21.92	15.84	19.44	1.15	5.94
6:5	right	186	90.91	65.22	81.30	4.78	5.87
	left	182	95.00	62.50	82.23	5.29	6.43
Radius							
1	right	95	268	218	239.21	10.79	4.51
	left	80	260	25	235.45	26.14	11.10
Brachial index							
r1:h2	right	52	82.01	71.43	77.19	2.42	3.14
	left	44	83.87	7.79	76.16	10.83	14.22
Ulna							
1	right	60	298	238	260.65	11.49	4.41
	left	61	282	230	258.31	11.31	4.38
Femur							
1	right	77	473	378	435.31	19.41	4.46
	left	99	497	380	437.47	22.62	5.17
2	right	76	468	374	431.79	19.84	4.60
	left	97	474	375	433.91	21.71	5.00
6	right	155	36	18	29.14	2.47	8.47
	left	161	34	23	28.48	2.08	7.30
7	right	155	32	21	25.94	1.87	7.22
	left	160	33	22	26.26	1.92	7.33

Tab. 89. Average values and distribution parameters of the metric traits of postcranial bones.
Alsónyék. Men.

Martin Nr.	Side	N	Vmax	Vmin	M	SD	SD / M
Femur							
8	right	152	102	70	87.37	5.42	6.21
	left	157	100	73	86.77	5.04	5.81
9	right	148	38	26	31.92	2.28	7.14
	left	157	42	25	33.54	2.59	7.71
10	right	148	33	21	25.78	1.88	7.27
	left	155	34	21	25.69	1.96	7.64
21	right	54	85	73	78.69	3.39	4.30
	left	54	84	70	78.31	3.59	4.58
Femur							
8:2	right	73	22.52	17.21	20.07	1.16	5.78
	left	94	22.10	17.25	20.05	1.02	5.07
6:7	right	155	137.50	72.00	112.68	10.49	9.31
	left	160	132.00	81.82	108.83	9.23	8.48
10:9	right	148	117.86	67.65	81.01	6.26	7.73
	left	155	121.43	65.63	76.90	6.89	8.95
Tibia							
1	right	50	379	322	354.66	13.59	3.83
	left	59	389	312	351.59	16.73	4.76
1a	right	61	392	333	362.75	13.58	3.74
	left	73	396	305	359.48	17.04	4.74
1b	right	49	383	324	354.94	12.58	3.54
	left	67	388	300	350.42	16.81	4.80
8a	right	143	43	24	35.90	2.82	7.86
	left	135	44	21	35.56	3.07	8.64
9a	right	143	31	18	23.44	2.06	8.81
	left	135	29	19	23.44	2.00	8.53
10b	right	126	95	63	77.83	5.44	6.99
	left	125	91	65	76.66	4.86	6.34
Tibia							
10b:1	right	49	24.45	18.73	21.78	1.33	6.11
	left	57	24.22	18.47	21.84	1.22	5.61
9a:8a	right	143	100.00	50.00	65.59	6.79	10.35
	left	135	114.29	48.78	66.32	7.52	11.35

Tab. 89. (continued).

Martin Nr.	Side	N	Vmax	Vmin	M	SD	SD / M
Clavicle							
1	right	52	147	120	132.60	7.26	5.48
	left	37	147	121	135.62	7.51	5.54
6	right	70	40	29	34.80	2.75	7.91
	left	65	41	29	33.51	2.83	8.46
Clavicle							
6:1	right	50	31	21	26.00	2.07	7.96
	left	35	29	21	24.79	2.12	8.55
Humerus							
1	right	110	331	255	292.15	15.51	5.31
	left	93	359	247	278.45	17.25	6.00
2	right	108	329	253	289.63	15.45	5.34
	left	89	355	243	284.53	16.86	5.93
4	right	142	66	47	54.94	3.32	6.04
	left	125	63	47	54.82	3.12	5.70
5	right	209	24	16	19.49	1.35	6.92
	left	206	23	16	19.36	1.33	6.86
6	right	209	19	13	15.51	1.23	7.93
	left	206	20	12	15.57	1.27	8.15
7	right	211	63	43	54.90	3.23	5.89
	left	214	65	44	54.91	3.22	5.86
9	right	125	45	36	40.09	2.02	5.03
	left	126	46	35	39.66	2.09	5.27
Humerus							
7:1	right	105	21.92	13.69	18.82	1.24	6.59
	left	90	22.22	14.38	19.18	1.36	7.11
6:5	right	209	100	66.67	79.71	5.91	7.41
	left	206	94.74	66.67	80.54	5.65	7.01
Radius							
1	right	92	244	193	218.97	11.86	5.42
	left	91	249	189	215.79	12.18	5.64
Brachial index							
r1:h2	right	60	83.39	65.51	75.38	2.65	3.52
	left	54	84.56	65.61	75.95	3.23	4.15
Ulna							
1	right	68	264	212	238.32	12.42	5.21
	left	71	274	201	235.51	14.03	5.96
Femur							
1	right	82	464	335	404.94	23.08	5.70
	left	84	465	338	408.79	21.58	5.28
2	right	85	457	332	399.72	23.23	5.81
	left	84	460	335	405.17	21.64	5.34
6	right	160	33	21	25.78	2.07	8.02
	left	175	32	21	25.43	1.91	7.51
7	right	160	33	19	24.19	1.74	7.19
	left	174	28	20	24.39	1.60	6.56

Tab. 90. Average values and distribution parameters of the metric traits of postcranial bones.
Alsónyék. Women.

Martin Nr.	Side	N	Vmax	Vmin	M	SD	SD / M
Femur							
8	right	159	95	62	78.96	4.70	5.95
	left	171	94	58	78.63	4.90	6.23
9	right	161	37	24	29.86	2.13	7.14
	left	171	37	26	31.15	2.12	6.81
10	right	161	39	20	23.89	1.92	8.04
	left	171	28	20	23.60	1.75	7.43
21	right	47	80	58	70.06	3.71	5.29
	left	52	79	61	70.48	3.19	4.53
Femur							
8:2	right	80	22.78	16.59	19.69	1.22	6.22
	left	77	22.09	16.20	19.56	1.19	6.07
6:7	right	160	131.82	75.76	106.87	8.95	8.38
	left	174	125.00	88.00	104.44	7.56	7.24
10:9	right	161	111.43	66.67	80.22	6.21	7.74
	left	170	89.66	62.16	75.94	5.89	7.75
Tibia							
1	right	53	365	278	330.13	17.58	5.32
	left	43	387	302	329.88	18.15	5.50
1a	right	69	372	285	336.68	17.56	5.22
	left	56	393	299	333.82	18.99	5.69
1b	right	59	366	279	329.41	17.56	5.33
	left	44	382	298	329.41	18.70	5.68
8a	right	163	37	24	30.80	2.20	7.15
	left	137	36	26	30.72	2.05	6.67
9a	right	162	27	18	21.51	1.74	8.08
	left	138	26	17	21.25	1.69	7.96
10b	right	131	78	55	68.44	4.05	5.91
	left	119	79	54	68.41	4.18	6.11
Tibia							
10b:1	right	51	22.98	16.98	20.79	1.18	5.66
	left	40	23.64	17.48	20.92	1.31	6.27
9a:8a	right	162	92.86	54.55	70.01	5.97	8.53
	left	137	88.89	54.29	69.37	5.35	7.71

Tab. 90. (continued).

Height categories (after Martin)	Male		Female	
	N	%	N	%
very short	2	1.06	–	–
short	38	20.21	31	15.35
short-medium	47	25.0	43	21.29
medium	41	21.81	26	12.87
medium-tall	35	18.62	42	20.79
tall	24	12.77	57	28.22
very tall	1	0.53	3	1.48
	188		202	

Tab. 91. Distribution of height estimations based on SJØVOLD 1990 after Martin. Alsónyék. Men and women.

Height categories (after BERNERT 2005b)	Male		Female	
	N	%	N	%
dwarf	3	1.5	1	0.48
very short	11	5.85	17	8.13
short	47	25.0	43	20.57
short-medium	53	28.19	49	23.44
medium	42	22.34	35	16.75
medium-tall	24	12.77	42	20.1
tall	7	3.72	16	7.66
very tall	1	0.53	6	2.87
	188		209	

Tab. 93. Distribution of height estimations based on BERNERT 2008 after BERNERT 2005b. Alsónyék. Men and women.

Height categories (after Martin)	Male		Female	
	N	%	N	%
short	6	27.3	2	10
short-medium	9	40.9	11	55
medium	4	18.2	6	30
medium-tall	2	9.1	1	5
tall	1	4.5	0	0
	22		20	

Tab. 95. Distribution of height estimations based on RÖSING 1988 after Martin. Alsónyék. Burials with timber structure. Men and women.

Height categories (after Martin)	Male		Female	
	N	%	N	%
very short	–	–	1	0.51
short	65	35.71	58	29.6
short-medium	74	40.66	65	33.16
medium	32	17.58	52	26.53
medium-tall	9	4.95	14	7.14
tall	2	1.1	6	3.06
	182		196	

Tab. 92. Distribution of height estimations based on RÖSING 1988 after Martin. Alsónyék. Men and women.

Height categories (after Martin)	Male		Female	
	N	%	N	%
short	3	13.0	1	4.8
short-medium	6	26.1	5	23.8
medium	5	21.8	4	19.0
medium-tall	3	13.0	4	19.0
tall	6	26.1	7	33.3
	23		21	

Tab. 94. Distribution of height estimations based on SJØVOLD 1990 after Martin. Alsónyék. Burials with timber structure. Men and women.

Height categories (after BERNERT 2005b)	Male		Female	
	N	%	N	%
short	2	9.1	0	0
short-medium	2	9.1	0	0
medium	7	31.8	0	0
medium-tall	5	22.7	3	15
tall	6	27.3	12	60
very tall	0	0	5	25
	22		20	

Tab. 96. Distribution of height estimations based on BERNERT 2008 after BERNERT 2005b. Alsónyék. Burials with timber structure. Men and women.

Site	Male	Female	?	Reference
Balatonederics	1 a	–	–	BERNERT et al. 2002
Lengyel	¹ V.: n, ² M.: crA+n	–	–	VIRCHOW 1890; MALÁN 1929
Pári-Altacker	1 am+n, 1 pn	2 am, 1 n+crA	1 m	KISZELY 1973
Pécsvárad	–	–	? am+x	NEMESKÉRI 1955
Szekszárd	–	–	? am+x	NEMESKÉRI 1955
Villánykövesd	8am, 1 br	4 am	–	ZOFFMANN 1968
Zengővárkony	26 m+cr(+br)	32 m+cr(+br)	–	ZOFFMANN 1974
Bisamberg	–	1 m	–	JUNGWIRTH 1956
Eggenburg	1 a	–	–	EHGARTNER 1956
Langenlois	–	2 'Reche I' típus	–	ZIMMERMANN 1935
Poigen	1 n+m	2 n+m	–	EHGARTNER / JUNGWIRTH 1956
Poysdorf	2 n	–	–	JUNGWIRTH 1967
Stillfried	1 a	–	–	SCHÜRER v. WALDHEIM 1919
Wetzleinsdorf	–	1 n	–	JUNGWIRTH 1973
Lužianky	1 n+x	1 cr+x	–	VLČEK 1961

¹ V.: VIRCHOW 1890.

² M.: MALÁN 1929.

Tab. 97. Taxonomical composition of the anthropologically processed finds of the Lengyel culture.

Distance	Significance level	Distance value
Chebichev, Euclidean distance	0.1 (99.9) %	0.850
	0.5 (99.5) %	1.340
	1.0 (99) %	1.650
	5.0 (95) %	2.730
Penrose distance	0.1 (99.9) %	0.114
	0.5 (99.5) %	0.166
	1.0 (99) %	0.197
	5.0 (95) %	0.303
Pearson correlation matrix	0.1 (99.9) %	0.9992
	0.5 (99.5) %	0.9960
	1.0 (99) %	0.9926
	5.0 (95) %	0.9624

Tab. 98. Significance levels used with distance calculation methods and their respective distance values.

Period, series		Reference
<i>Carpathian Basin</i>		
Lengyel c., Aszód-Papi földek	♂, ♀	ZOFFMANN 2012a
Lengyel c., Mórággy B.1	♂, ♀	ZOFFMANN 2004a
Lengyel c., south Transdanubian combined series	♂*, ♀*	ZOFFMANN 1984; 2004a; 2004c
Lengyel c., Lower Austrian combined series	♀*	ZOFFMANN 2004a; 2004c
Starčevo c., combined series	♂*, ♀*	ZOFFMANN, 2012c
Körös c., combined series	♀*	ZOFFMANN 2012c
Early Alföld LBK and Bükk c., combined series	♂*	ZOFFMANN 2004c
Central European LBK, western Carpathian Basin	♂, ♀*	ZOFFMANN unpublished
Vinča c., Hrtkovci-Gomolava	♂*	ZOFFMANN 1988
Tisza c., combined series	♂*, ♀*	ZOFFMANN 2004c
Tiszapolgár c., combined series	♂*	ZOFFMANN 1992
Bodrogkeresztúr c., combined series	♂	ZOFFMANN 2011c
Baden c., Budakalász	♂, ♀	KÖHLER 2009
Baden c., vicinity of Budapest	♂, ♀	ZOFFMANN 2004c
Baden c., vicinity of Lake Balaton	♂, ♀*	ZOFFMANN 2004c
<i>Central Europe</i>		
Central European LBK, combined, Germany + Elsass	♂*	RIQUET 1970
Central European LBK, combined, Bohemia	♂*, ♀*	JELINEK 1973
Central European LBK, Bruchstedt, Germany	♀*	BACH 1978
Central European LBK, Sondershausen, Germany	♂, ♀	BACH 1978
Corded Ware, combined series, Bohemia	♂*	CHOCHOL 1964
Corded Ware, combined series, Poland	♂*, ♀*	WIERCINSKI 1973
Corded Ware, combined series, Germany	♂, ♀*	BACH 1966
Złota c., combined series, Poland	♂*, ♀*	WIERCINSKI 1973
Jordanov c., Brzesc Kujawski, Poland	♂	WIERCINSKI 1973
Walternienburg-Bernburg c., Schönstedt, Germany	♂*, ♀*	BACH / BACH 1972
<i>Northern and eastern Europe</i>		
Fatyanovo c., combined series, Russia	♂, ♀	DEBETS 1973
Tripolye c., combined series, Ukraine	♂, ♀	DEBETS 1973
Tripolye c., Bilcze Złote, Ukraine	♂	WIERCINSKI 1973
Dniepr-Donets c., Vovnihi, Ukraine	♂	ZINEVIČ 1967
Dniepr-Donets c., Volnoe, Russia	♂, ♀	SURNINA 1961
Dniepr-Donets c., Dereivka, Ukraine	♂	ZINEVIČ 1967
Dniepr-Donets c., Nikolskoe, Russia	♂	DEBETS 1973
Dniepr-Donets c., combined series, Ukraine + Russia	♂, ♀	DEBETS 1973
<i>South-eastern Europe and the Near East</i>		
Lepenski Vir c., combined series, Serbia	♂, ♀	ZOFFMANN 2004c
Boian c., Cernica, Romania	♂, ♀	NECRASOV 1986
Gumelnița c., Ruse, Bulgaria	♂, ♀	BOEV 1972
Nea Nikomedeia, Neolithic, Greece	♀*	ANGEL 1973
Al'Ubaid, Neolithic, Iraq	♂*	KEITH 1927
Troy I–V, Anatolia, Neolithic	♂	ANGEL 1951
Greek Neolithic and Early Helladic	♂	ANGEL 1944
Central and eastern Anatolia, Chalcolithic	♂	ANGEL 1951
Tepe Hissar II, Chalcolithic, Iran	♂, ♀*	KURTH 1973

Editors' note: Series with * include a small number of cases below the quantitative representational limits defined by SCHWIDETZKY 1967.

Tab. 99. Series included in the craniometric comparative analysis.

Series	Penrose		Euclidean		Chebishev		Pearson	
	Male	Female	Male	Female	Male	Female	Male	Female
Lengyel c., Aszód-Papi földek	0.361	0.149	1.881	1.485	1.500	0.947	0.9947	0.9980
Lengyel c., Mórág B.1	0.566	0.136	2.802	1.191	1.980	0.667	0.9924	0.9979
Lengyel c., South Transdanubia	0.388	0.169	2.040	1.391	1.275	0.646	0.9943	0.9982
Lengyel c., Lower Austria	–	0.388	–	1.970	–	1.118	–	0.9962
Starčevo c.	0.675	0.309	2.766	1.890	2.367	0.979	0.9890	0.9956
Körös c.	–	1.023	–	3.650	–	1.789	–	0.9884
Early Alföld LBK and Bükk c.	1.097	–	1.744	–	2.137	–	0.9865	–
C European LBK, W Carpathian Basin	0.257	0.253	3.822	1.594	1.167	0.958	0.9964	0.9965
Vinča c., Gomolava-Hrtkovci	0.317	–	1.833	–	0.944	–	0.9959	–
Tisza c.	0.501	0.227	2.248	1.529	1.556	1.176	0.9944	0.9971
Tiszapolgár c.	0.426	–	2.118	–	1.163	–	0.9958	–
Bodrogkeresztúr c.	0.240	–	1.581	–	1.061	–	0.9976	–
Baden c., Budakalász	0.457	–	2.164	–	1.260	–	0.9933	–
Baden c., vicinity of Budapest	0.507	0.251	2.285	2.221	1.360	1.259	0.9921	0.9976
Baden c., vicinity of Lake Balaton	0.484	0.703	2.223	2.657	1.167	2.000	0.9927	0.9908
C European LBK, Germany + Elsass	0.257	–	2.244	–	1.526	–	0.9973	–
C European LBK, Bohemia	0.432	0.155	2.283	1.271	1.176	0.765	0.9943	0.9977
C European LBK, Bruchstedt	–	0.060	–	0.891	–	0.535	–	0.9994
C European LBK, Sondershausen	0.333	0.238	2.501	1.594	1.722	0.941	0.9967	0.9964
Cord Ware, Bohemia	0.332	–	1.926	–	1.000	–	0.9954	–
Cord Ware, Poland	0.958	0.289	3.436	1.708	2.278	1.118	0.9869	0.9955
Cord Ware, Germany	0.320	0.471	1.912	2.217	1.500	1.706	0.9959	0.9933
Złota c., Poland	1.010	0.718	3.183	2.710	2.000	1.447	0.9859	0.9890
Jordanov c., Brzesc Kujawski	0.662	–	2.577	–	1.395	–	0.9898	–
Waltern.-Bernb. c., Schönstedt	0.243	0.470	1.599	2.495	0.944	1.647	0.9967	0.9938
Fatyanovo c., Russia	1.009	0.907	3.372	3.151	2.389	2.353	0.9853	0.9864
Tripolye c., Ukraine	0.658	0.817	2.557	2.859	1.667	2.235	0.9920	0.9877
Tripolye c., Bilcze Złote	0.46	–	2.124	–	1.222	–	0.9952	–
Dniepr-Donets c., Vovnigi	1.738	–	5.691	–	–	–	0.9821	–
Dniepr-Donets c., Volnoje	2.114	1.549	6.715	6.003	4.056	3.521	0.9815	0.9866
Dniepr-Donets c., Dereivka	1.428	–	5.415	–	3.294	–	0.9865	–
Dniepr-Donets c., Nikolskoje	2.001	–	6.042	–	–	–	0.9788	–
Dniepr-Donets c., Ukraine + Russia	1.756	1.296	5.781	4.835	3.627	3.229	0.9824	0.9856
Lepenski Vir c., Serbia	0.968	1.213	4.222	4.845	2.765	3.104	0.9894	0.9885
Boian c., Cernica	0.336	0.401	1.820	2.361	1.000	1.294	0.9973	0.9957
Gumelnița c., Ruse	0.563	0.489	2.372	2.268	1.944	1.138	0.9919	0.9925
Nea Nikomedeia, Neolithic	–	0.347	–	2.050	–	1.588	–	0.9960
Al'Ubaid, Neolithic	0.812	–	3.226	–	1.833	–	0.9908	–
Troy I–V, Neolithic	2.401	–	5.372	–	4.517	–	0.9680	–
Greek Neolithic and Early Helladic	0.485	–	2.254	–	1.469	–	0.9940	–
Central and eastern Anatolia, Chalcol.	0.475	–	2.302	–	1.510	–	0.9934	–
Tepe Hissar II, Chalcolithic	0.662	0.36	2.576	2.046	1.653	1.383	0.9934	0.9963

Note: Bold and underlined numbers indicate values within a 0.1 % significance level, while other numbers indicate values within a 0.5 % significance level.

Tab. 100. Results of the craniometric comparative analysis.

	Cranial		Caudal		Fully open	
	Male	Female	Male	Female	Male	Female
Analysable cases (N)	53	62	54	39	39	42
Present	1	1	20	18	1	1
Total	1.89 %	1.61 %	37.03 %	46.15 %	2.56 %	2.38 %

Tab. 101. Incidence of sacrum bifidum. Alsónyék.

	Sacralisation		Lumbarisation	
	Male	Female	Male	Female
Analysable cases (N)	80	56	61	62
Present	6	8	1	1
Total	13.33 %	14.28 %	1.64 %	1.61 %

Tab. 102. Incidence of sacralisation and lumbarisation. Alsónyék.

Age group	Male	Female	Total
Juvenis	0/11	0/21	0/32 (0.00 %)
Juv.-Ad.	0/10	1/16	1/26 (3.85 %)
Adultus	3/75	2/102	5/177 (2.82 %)
Ad.-Mat.	2/28	3/35	5/63 (7.94 %)
Maturus	15/97	13/98	28/195 (14.36 %)
Mat.-Sen.	0/0	1/2	1/2 (50.00 %)
Total	20/221 (9.04 %)	20/274 (7.29 %)	40/495 (8.08 %)

Tab. 103. Incidence of trauma according to age groups and sex among adults. Alsónyék.

Lesion	Location		Male		Female		Total	
			N	%	N	%	N	%
Trauma	skull	absent	133	98.52	169	98.83	302	98.70
		present	2	1.48	2	1.17	4	1.30
		Total	135		171		306	
	left clavicle	absent	80	100.00	82	100.00	162	100.0
		present	0	0.00	0	0.00	0	0.00
		Total	80		82		162	
	right clavicle	absent	73	97.33	89	98.89	162	98.18
		present	2	2.63	1	1.11	3	1.82
		Total	75		90		165	
	sternum	absent	49	100.00	50	98.04	99	99.00
		present	0	0.00	1	1.96	1	1.00
		Total	49		51		100	
	ribs	absent	204	98.55	248	98.80	452	98.69
		present	3	1.45	3	1.20	6	1.31
		Total	207		251		458	
	left humerus	absent	195	99.49	220	99.55	415	99.52
		present	1	0.51	1	0.45	2	0.48
		Total	196		221		417	
	right humerus	absent	196	100.00	219	100.00	415	100.00
		present	0	0.00	0	0.00	0	0.00
		Total	196		219		415	
	left ulna	absent	138	97.18	162	98.78	300	98.04
		present	4	2.82	2	1.22	6	1.96
		Total	142		164		306	
	right ulna	absent	146	99.32	167	97.66	313	98.43
		present	1	0.68	4	2.34	5	1.57
		Total	147		171		318	
	left radius	absent	166	100.00	183	97.86	349	98.87
		present	0	0.00	4	2.14	4	1.13
		Total	166		187		353	
	right radius	absent	178	99.44	190	97.94	368	98.66
		present	1	0.56	4	2.06	5	1.34
		Total	179		194		373	
	left femur	absent	160	98.77	179	98.90	339	98.83
		present	2	1.23	2	1.10	4	1.17
		Total	162		181		343	
	right femur	absent	148	98.67	179	100.00	327	99.40
		present	2	1.33	0	0.00	2	0.60
		Total	150		179		329	
	left tibia	absent	141	99.30	149	100.00	290	99.66
		present	1	0.70	0	0.00	1	0.34
		Total	142		149		291	
	right tibia	absent	140	98.59	167	99.4	307	98.71
		present	2	1.41	2	0.60	4	1.29
		Total	142		168		311	
	left fibula	absent	160	99.38	173	99.43	333	99.41
		present	1	0.62	1	0.57	2	0.59
		Total	161		174		335	
	right fibula	absent	161	100.00	174	99.43	335	99.70
		present	0	0.00	1	0.57	1	0.30
		Total	161		175		336	

Tab. 104. Incidence of trauma on various parts of the skeleton among adults. Alsónyék.

Lesion	Location		Male		Female		Total	
			N	%	N	%	N	%
Periostitis	left tibia	absent	133	84.71	154	89.02	287	86.97
		present	24	15.29	19	10.98	43	13.03
		Total	157		173		330	
	right tibia	absent	141	85.45	175	89.29	316	87.53
		present	24	14.55	21	10.71	45	12.47
		Total	165		196		361	
	left fibula	absent	173	94.02	199	93.87	372	93.94
		present	11	5.98	13	6.13	24	6.06
		Total	184		212		396	
	right fibula	absent	174	94.57	199	94.76	373	94.67
		present	10	5.43	11	5.24	21	5.33
		Total	184		210		394	

Tab. 105. Incidence of periostitis among adults. Alsónyék.

Age group	Male	Female	Total
Juvenis	0/10	3/19	3/29 (10.34 %)
Juv.-Ad.	1/10	2/17	3/27 (11.11 %)
Adultus	9/70	8/93	17/163 (10.43 %)
Ad.-Mat.	3/27	6/34	9/61 (14.75 %)
Maturus	22/86	10/81	32/167 (19.16 %)
Mat.-Sen.	0/1	1/2	1/3 (33.33 %)
Total	35/204 (17.15 %)	30/246 (12.19 %)	65/450 (14.44 %)

Tab. 106. Incidence of periostitis according to age groups and sex. Alsónyék.

Location		Left		Right	
		N	%	N	%
Tibia	absent	63	96.92	68	95.77
	present	2	3.08	3	4.23
	Total	65		71	
Fibula	absent	42	97.67	42	100.00
	present	1	2.33	0	0.00
Total		43		42	

Tab. 107. Incidence of periostitis among children. Alsónyék.

Lesion	Location		Male		Female		Total	
			N	%	N	%	N	%
PH on orbital bones	left	0	121	87.68	128	84.22	249	85.86
		1	10	7.25	13	8.55	23	7.93
		2	7	5.07	11	7.23	18	6.21
		3	0	0.00	0	0.00	0	0.00
		Total	138		152		290	
	right	0	90	88.24	106	84.12	196	85.96
		1	8	7.84	10	7.94	18	7.89
		2	4	3.92	10	7.94	14	6.15
		3	0	0.00	0	0.00	0	0.00
		Total	102		126		228	
PH on parietal bone	left	0	161	96.98	200	93.89	361	95.25
		1	5	3.02	12	5.63	17	4.49
		2	0	0.00	1	0.48	1	0.26
		3	0	0.00	0	0.00	0	0.00
		Total	166		213		379	
	right	0	154	96.86	191	94.08	345	95.30
		1	5	3.14	11	5.42	16	4.42
		2	0	0.00	1	0.50	1	0.28
		3	0	0.00	0	0.00	0	0.00
		Total	159		203		362	
PH on femur	left	0	118	90.07	146	87.43	264	88.59
		1	10	7.63	9	5.39	19	6.37
		2	1	0.76	12	7.18	13	4.36
		3	2	1.53	0	0.00	2	0.67
		Total	131		167		298	
	right	0	123	89.78	132	80.00	255	84.44
		1	8	5.85	23	13.94	31	10.26
		2	6	4.37	9	5.45	15	4.97
		3	0	0.00	1	0.61	1	0.33
		Total	137		165		302	
PH on humerus	left	0	97	97.00	115	97.46	212	97.25
		1	1	1.00	2	2.54	3	1.38
		2	2	2.00	1	0.85	3	1.38
		3	0	0.00	0	0.00	0	0.00
		Total	100		118		218	
	right	0	103	95.37	115	95.83	218	95.61
		1	4	3.70	4	3.33	8	3.50
		2	1	0.93	1	0.83	2	0.88
		3	0	0.00	0	0.00	0	0.00
		Total	108		120		228	

Tab. 108. Incidence of porotic hyperostosis among adults. Alsónyék.

Lesion		Left side		Right side	
		N	%	N	%
PH on orbital bones	0	22	47.83	15	41.67
	1	12	26.09	11	30.56
	2	10	21.74	10	27.78
	3	2	4.35	0	0.00
	Total	46		36	
PH on parietal bone	0	79	96.41	78	97.50
	1	3	3.59	2	2.50
	2	0	0.00	0	0.00
	3	0	0.00	0	0.00
	Total	82		80	
PH on femur	absent	12	22.22	16	27.12
	present	42	77.78	43	72.88
	Total	54		59	
PH on humerus	absent	26	68.42	29	74.36
	present	12	31.58	10	25.64
	Total	38		39	

Tab 109. Incidence of porotic hyperostosis among children. Alsónyék.

Age group	PH on orbital bones			PH on parietal bone		
	Male	Female	Total	Male	Female	Total
Juvenis	3/6	5/7	8/13 (61.53 %)	0/10	5/15	5/25 (20.00 %)
Juv.-Ad.	5/7	2/11	7/18 (38.88 %)	0/9	1/14	1/23 (4.34 %)
Adultus	9/46	16/67	25/113 (22.12 %)	3/49	2/75	5/124 (4.03 %)
Ad.-Mat.	1/20	3/21	4/41 (9.75 %)	1/21	2/26	3/47 (6.38 %)
Maturus	3/74	5/71	8/145 (5.51 %)	2/77	5/86	7/163 (4.29 %)
Total	21/153 (13.72 %)	31/177 (17.51 %)	52/330 (15.75 %)	6/166 (3.61 %)	15/216 (6.94 %)	21/382 (5.49 %)

Tab. 110. Incidence of porotic hyperostosis on the orbital and parietal bones according to age groups and sex. Alsónyék.

Age group	PH on femur			PH on humerus		
	Male	Female	Total	Male	Female	Total
Juvenis	4/10	9/15	13/25 (52 %)	1/8	2/7	3/15 (20.00 %)
Juv.-Ad.	5/9	10/17	15/26 (57.69 %)	2/7	2/16	4/23 (17.39 %)
Adultus	9/59	18/89	27/148 (18.24 %)	2/53	2/76	4/129 (3.10 %)
Ad.-Mat.	1/20	2/26	3/46 (6.52 %)	0/14	0/18	0/32 (0.00 %)
Maturus	1/76	3/72	4/148 (2.70 %)	0/46	1/41	1/87 (1.14 %)
Total	20/174 (11.49 %)	42/98 (42.85 %)	62/393 (15.77 %)	5/128 (3.91 %)	7/158 (4.43 %)	12/210 (5.71 %)

Tab. 111. Incidence of porotic hyperostosis on the femur and humerus according to age groups and sex. Alsónyék.

Lesion	Location		Male		Female		Total	
			N	%	N	%	N	%
Spondylosis <i>deformans</i>	cervical section	0	137	75.27	199	84.68	336	80.58
		1	26	14.29	21	8.94	47	11.27
		2	17	9.34	15	6.38	32	7.67
		3	2	1.10	0	0.00	2	0.48
		Total	182		235		417	
	thoracic section	0	147	71.36	231	86.52	378	79.91
		1	44	21.36	27	10.11	71	15.01
		2	14	6.80	9	3.37	23	4.86
		3	1	0.49	0	0.00	1	0.21
		Total	206		267		473	
	lumbar section	0	124	62.31	168	66.67	292	64.75
		1	36	18.09	56	22.22	92	20.40
		2	32	16.08	23	9.13	55	12.19
		3	7	3.52	5	1.98	12	2.66
		Total	199		252		451	
Spondylarthrosis	cervical section	absent	130	77.38	171	90.00	301	84.08
		present	38	22.62	19	10.00	57	15.92
		Total	168		190		358	
	thoracic section	absent	180	91.37	233	95.10	413	93.44
		present	17	8.63	12	4.90	29	6.56
		Total	197		245		442	
	lumbar section	absent	161	83.85	210	94.17	371	89.40
		present	31	16.15	13	5.83	44	10.60
		Total	192		223		415	

Tab. 112. Incidence of degenerative joint lesions on the spine among adults. Alsónyék.

Age group	Spondylosis <i>deformans</i>			Spondylarthrosis		
	Male	Female	Total	Male	Female	Total
Juvenis	0/10	0/17	0/27 (0.0 %)	0/10	0/17	0/27 (0.0 %)
Juv.-Ad.	0/11	0/18	0/29 (0.0 %)	0/11	0/18	0/29 (0.0 %)
Adultus	4/72	10/108	14/180 (7.0 %)	2/72	5/102	7/174 (4.02 %)
Ad.-Mat.	9/24	14/35	23/59 (38.9 %)	5/24	4/31	9/55 (16.36 %)
Maturus	79/99	68/107	147/206 (71.3 %)	49/94	21/92	70/186 (37.63 %)
Mat.-Sen.	1/1	2/2	3/3 (100.0 %)	0/0	0/2	0/2 (0.0 %)
Total	93/217 (42.86 %)	94/287 (32.75 %)	187/504 (37.10 %)	56/211 (26.54 %)	30/262 (11.45 %)	86/473 (18.18 %)

Tab. 113. Incidence of spondylosis deformans and spondylarthrosis according to age groups and sex. Alsónyék.

Series	Cervical section	Thoracic section	Lumbar section	Reference
NE Hungary combined Neolithic series ¹	18.0 %	70.0 %	76.0 %	UBELAKER et al. 2006
Gomolava-Hrtkovci, Vinča culture	33.3 %	50.0 %	83.3 %	ZOFFMANN 1988
Alsónyék, Lengyel culture	19.4 %	20.1 %	35.3 %	Present work
Mórágy B.1, Lengyel culture	8.3 %	8.1 %	31.6 %	ZOFFMANN 2004a
NE Hungary combined Copper Age series ²	23.5 %	52.5 %	68.0 %	UBELAKER / PAP 2008
Tiszavalk-Tetes, Copper Age	11.1 %	16.7 %	44.4 %	ZOFFMANN 1986b
Abony-Turjányos dűlő, end of Middle Copper Age	33.3 %	23.8 %	38.1 %	KÖHLER et al. 2011
Tiszafüred-Majorosh., Füzesabony + Tumulus Gr. c.	28.9 %	55.0 %	29.2 %	UBELAKER / PAP 1996
Szigetszentmiklós, Bell Beaker culture	0.0 %	0.0 %	9.1 %	KÖHLER 2011
Jánoshida-Berek, Tumulus Grave culture	9.6 %	14.8 %	18.5 %	HAJDU 2008
NE Hungary combined Iron Age series ³	25.0 %	53.0 %	55.0 %	UBELAKER / PAP 1998

¹ The combined Neolithic series contains the skeletal remains from the following sites: Tiszavasvári-Deákalmi dűlő, Kisköre-Gát, Kisköre-Gátórház, Tiszavasvári-Paptelek, Tiszavasvári-Keresztfal, Aggtelek, and Berettyóújfalu-Herpály.

² The combined Copper Age series contains the skeletal remains from the following sites: Mezőcsát-Hörcsögös, Bodrogkeresztúr, Tiszapolgár-Basatanya.

³ The combined Iron Age series contains the skeletal remains from the following sites: Tápiószele, Mezőcsát-Hörcsögös.

Tab. 114. Incidence of *spondylosis deformans* in other prehistoric series.

Lesion	Location		Male		Female		Total	
			N	%	N	%	N	%
Schmorl's nodes	cervical section	absent	174	99.43	222	97.80	396	98.51
		present	1	0.57	5	2.20	6	1.49
		Total	175		227		402	
	thoracic section	absent	163	81.50	217	85.10	380	83.52
		present	37	18.50	38	14.90	75	16.48
		Total	200		255		455	
	lumbar section	absent	156	81.68	212	87.60	368	84.99
		present	35	18.32	30	12.40	65	15.01
		Total	191		242		433	

Tab. 115. Incidence of Schmorl's nodes on the spinal column among adults. Alsónyék.

Age group	Male	Female	Total
Juvenis	0/9	0/17	0/26 (0.00 %)
Juv.-Ad.	0/11	4/18	4/29 (13.79 %)
Adultus	16/73	18/107	34/180 (18.88 %)
Ad.-Mat.	6/24	7/34	13/58 (22.41 %)
Maturus	32/93	22/102	54/195 (27.69 %)
Mat.-Sen.	0/1	0/2	0/3 (0.00 %)
Total	54/211 (25.59 %)	51/280 (18.21 %)	105/491 (21.38 %)

Tab. 116. Incidence of Schmorl's nodes according to age groups and sex. Alsónyék.

Lesion	Location		Male		Female		Total	
			N	%	N	%	N	%
Osteoarthritis	left shoulder	absent	107	97.27	132	98.51	239	97.95
		present	3	2.73	2	1.49	5	2.05
		Total	110		134		244	
	right shoulder	absent	109	95.61	134	98.53	243	97.20
		present	5	4.39	2	1.47	7	2.80
		Total	114		136		250	
	left elbow	absent	174	94.57	210	97.67	384	96.24
		present	10	5.43	5	2.33	15	3.76
		Total	184		215		399	
	right elbow	absent	175	92.11	208	97.20	383	94.80
		present	15	7.89	6	2.80	21	5.20
		Total	190		214		404	
	left wrist	absent	134	97.10	149	98.03	283	97.59
		present	4	2.90	3	1.97	7	2.41
		Total	138		152		290	
	right wrist	absent	138	97.18	157	99.37	295	98.33
		present	4	2.82	1	0.63	5	1.67
		Total	142		158		300	
	left hip	absent	144	96.00	169	97.13	313	96.60
		present	6	4.00	5	2.87	11	3.40
		Total	150		174		324	
	right hip	absent	139	96.53	169	98.83	308	97.78
		present	5	3.47	2	1.17	7	2.22
		Total	144		171		315	
	left knee	absent	121	93.08	129	99.23	250	96.15
		present	9	6.92	1	0.77	10	3.85
		Total	130		130		260	
	right knee	absent	124	94.66	129	97.73	253	96.20
		present	7	5.34	3	2.27	10	3.80
		Total	131		132		263	
	left ankle	absent	103	91.96	96	91.43	199	91.71
		present	9	8.04	9	8.57	18	8.29
		Total	112		105		217	
	right ankle	absent	102	91.89	103	92.79	205	92.34
		present	9	8.11	8	7.21	17	7.66
		Total	111		111		222	

Tab. 117. Incidence of degenerative joint lesions on the postcranial skeleton among adults. Alsónyék.

Age group	Male	Female	Total
Juvenis	0/10	0/18	0/28 (0.00 %)
Juv.-Ad.	0/10	1/16	1/26 (0.00 %)
Adultus	0/72	2/101	2/173 (1.16 %)
Ad.-Mat.	5/26	4/32	9/58 (15.52 %)
Maturus	28/100	20/90	48/190 (25.26 %)
Mat.-Sen.	0/0	0/2	0/2 (0.00 %)
Total	33/218 (15.13 %)	27/259 (10.42 %)	60/477 (12.57 %)

Tab. 118. Incidence of degenerative joint lesions on the postcranial skeleton according to age groups and sex. Alsónyék.

Lesion	Location		Male		Female		Total	
			N	%	N	%	N	%
Spondylodiscitis	cervical section	absent	157	86.26	213	96.82	370	92.04
		present	25	13.74	7	3.18	32	7.96
		Total	182		220		402	
	thoracic section	absent	188	94.95	256	98.08	444	96.73
		present	10	5.05	5	1.92	15	3.27
		Total	198		261		459	
	lumbar section	absent	180	92.31	238	96.75	418	94.78
		present	15	7.69	8	3.25	23	5.22
		Total	195		246		441	

Tab. 119. Incidence of spondylodiscitis on the spinal column among adults. Alsónyék.

Age group	Male	Female	Total
Juvenis	0/9	0/17	0/26 (0.00 %)
Juv.-Ad.	0/11	0/18	0/29 (0.00 %)
Adultus	0/71	0/107	0/178 (0.00 %)
Ad.-Mat.	2/24	1/33	3/57 (5.26 %)
Maturus	25/93	12/99	37/192 (19.27 %)
Mat.-Sen.	1/1	0/2	1/3 (33.33 %)
Total	28/209 (13.39 %)	13/276 (4.71 %)	41/485 (8.45 %)

Tab. 120. Incidence of spondylodiscitis according to age groups and sex. Alsónyék.

Lesion	Location		Male		Female		Total	
			N	%	N	%	N	%
Enthesopathia	left patella	0	79	57.66	131	73.60	210	66.67
		1	31	22.63	29	16.29	60	19.05
		2	16	11.68	15	8.43	31	9.84
		3	11	8.03	3	1.69	14	4.44
		Total	137		178		315	
	right patella	0	71	53.79	124	72.09	195	64.14
		1	34	25.76	31	18.02	65	21.38
		2	17	12.88	14	8.14	31	10.20
		3	10	7.53	3	1.74	13	4.28
		Total	132		172		304	35.86
	left calcaneus	0	39	25.32	68	39.08	107	32.62
		1	50	32.47	79	45.40	129	39.33
		2	53	34.42	27	15.52	80	24.39
		3	12	7.79	0	0.00	12	3.66
		Total	154		174		328	
	right calcaneus	0	43	28.29	62	36.69	105	32.71
		1	49	32.24	75	44.38	124	38.63
		2	51	33.55	31	18.34	82	25.54
		3	9	5.92	1	0.59	10	3.12
		Total	152		169		321	

Tab. 121. Incidence of enthesopathy among adults. Alsónyék.

Age group	Male	Female	Total
Juvenis	1/9	0/15	1/24 (4.16 %)
Juv.-Ad.	0/9	1/17	1/26 (3.84 %)
Adultus	38/73	48/100	86/173 (49.71 %)
Ad.-Mat.	24/24	28/35	52/59 (88.13 %)
Maturus	89/94	77/101	166/195 (85.12 %)
Mat.-Sen.	1/1	1/2	2/3 (66.66 %)
Total	153/214 (71.49 %)	155/270 (57.40 %)	308/484 (63.63 %)

Tab. 122. Incidence of enthesopathy according to age groups and sex. Alsónyék.

Grave Nr.	Type	Grave depth	Sex	Age (years)
380	skull in secondary position (behind skeleton)	-2 cm	Female ?	30-39
799	skull in secondary position (higher)	-28 cm	Female	35-44
1118	no skull	-26 cm	Female ?	40-49
1473	skull in secondary position (higher)	-55 cm	Female	40-59
2066	skull in secondary position ('standing')	-44 cm	Female	30-34
2234	skull in secondary position ('standing')	-	Female	19-21
3382	no skull	-30 cm	Male	35-44
3944	skull in secondary position (higher)	-20 cm	Female	40-49
3955	skull in secondary position (slightly displaced)	-50 cm	Female	21-24
4309	skull in secondary position ('standing')	-16 cm	Female	40-59

Tab. 123. Basic data of assumed postmortem manipulations of the skull. Alsónyék.

Lesion	Location	Graves with timber structure		Whole population	
		Male	Female	Male	Female
Periostitis	left tibia	3/16 (18.75 %)	2/17 (11.76 %)	24/157 (15.29 %)	19/173 (10.98 %)
	right tibia	3/19 (15.79 %)	1/18 (5.56 %)	24/165 (14.55 %)	21/196 (10.76 %)
	left fibula	0/22 (0.00 %)	2/23 (8.70 %)	11/184 (5.98 %)	13/212 (6.13 %)
	right fibula	1/22 (4.55 %)	1/21 (4.76 %)	10/184 (5.43 %)	11/210 (5.24 %)
PH	left orbit	3/20 (15.00 %)	2/18 (11.11 %)	17/138 (12.32 %)	24/152 (15.78 %)
	right orbit	2/15 (13.33 %)	1/16 (6.25 %)	12/102 (11.76 %)	20/126 (15.88 %)
Spondylosis <i>deformans</i>	cervical section	9/24 (37.50 %)	4/27 (14.81 %)	45/182 (24.70 %)	36/235 (15.30 %)
	thoracic section	11/23 (47.83 %)	4/25 (16.00 %)	59/206 (28.60 %)	36/267 (13.50 %)
	lumbar section	12/22 (54.55 %)	10/26 (38.46 %)	75/199 (37.70 %)	84/252 (33.30 %)
Spondylarthrosis	cervical section	7/23 (30.43 %)	2/22 (9.09 %)	38/168 (22.62 %)	19/190 (10.00 %)
	thoracic section	3/22 (13.64 %)	3/22 (13.64 %)	17/197 (8.63 %)	12/245 (4.90 %)
	lumbar section	6/22 (27.27 %)	3/22 (13.64 %)	31/192 (16.15 %)	13/223 (5.83 %)
Schmorl's nodes	cervical section	0/23 (0.00 %)	0/27 (0.00 %)	1/175 (0.57 %)	5/227 (2.20 %)
	thoracic section	4/23 (17.39 %)	4/25 (16.00 %)	37/200 (18.50 %)	38/255 (14.90 %)
	lumbar section	3/22 (13.64 %)	1/26 (3.85 %)	35/191 (18.32 %)	30/242 (12.40 %)
Enthesopathia	left patella	11/18 (61.11 %)	8/20 (40.00 %)	58/137 (42.34 %)	47/178 (26.40 %)
	right patella	14/17 (82.35 %)	6/17 (35.29 %)	61/132 (46.21 %)	48/172 (27.91 %)
	left calcaneus	16/21 (76.19 %)	13/18 (72.22 %)	115/154 (74.68 %)	106/174 (60.92 %)
	right calcaneus	13/20 (65.00 %)	15/21 (71.43 %)	109/152 (71.71 %)	107/169 (63.31 %)

Tab. 124. Incidences of individual diseases among those buried in graves with timber structure and the whole population (men and women). Alsónyék.

Age group	Preserved teeth		Caries		Cyst		Premortem	
	teeth	individual	teeth	individual	teeth	individual	teeth	individual
Juvenis	233	11	0 (0.0 %)	0	0	0	0	0
Juv.-Ad.	187	8	0 (0.0 %)	0	0	0	0	0
Adultus	1890	76	6 (0.3 %)	5	0	0	4	2
Ad.-Mat.	586	28	21 (3.6 %)	10	4	2	23	5
Maturus	1683	105	89 (5.3 %)	42	17	14	348	59
Mat.-Sen.	11	1	1 (9.1 %)	1	0	0	0	0
Total	4590	229	117 (2.5 %)	58	21	16	375	66

Tab. 125. Frequency of dental and periodontal diseases according to age group and sex. Men.

Age group	Preserved teeth		Caries		Cyst		Premortem	
	teeth	individual	teeth	individual	teeth	individual	teeth	individual
Juvenis	315	14	0 (0.0 %)	0	0	0	0	0
Juv.-Ad.	356	15	3 (0.8 %)	2	0	0	0	0
Adultus	2695	113	48 (1.8 %)	25	3	3	26	13
Ad.-Mat.	668	39	20 (3.0 %)	14	0	0	30	9
Maturus	1697	127	146 (8.6 %)	60	11	9	496	74
Mat.-Sen.	5	3	1 (20.0 %)	1	0	0	43	3
Total	5736	311	218 (3.8 %)	102	14	12	595	99

Tab. 126. Frequency of dental and periodontal diseases according to age group and sex. Women.

Age group	Preserved teeth		Caries		Cyst		Premortem	
	teeth	individual	teeth	individual	teeth	individual	teeth	individual
Juvenis	32	1	0	0	0	0	0	0
Juv.-Ad.	0	0	0	0	0	0	0	0
Adultus	229	8	0	0	0	0	0	0
Ad.-Mat.	0	0	0	0	0	0	0	0
Maturus	304	16	15	7	4	4	56	9
Mat.-Sen.	0	0	0	0	0	0	0	0
Total	565	25	15 (2.9 %)	7	4	4	56	9

Tab. 127. Frequency of dental and periodontal diseases according to age group and sex. Men. Graves with timber structure.

Age group	Preserved teeth		Caries		Cyst		Premortem	
	teeth	individual	teeth	individual	teeth	individual	teeth	individual
Juvenis	0	0	0	0	0	0	0	0
Juv.-Ad.	30	1	0	0	0	0	0	0
Adultus	216	9	2	2	0	0	0	0
Ad.-Mat.	32	3	1	1	0	0	1	1
Maturus	329	18	37	13	4	3	56	9
Mat.-Sen.	0	0	0	0	0	0	0	0
Total	607	31	40 (6.6 %)	16	4	3	57	10

Tab. 128. Frequency of dental and periodontal diseases according to age group and sex. Women. Graves with timber structure.

Age group	Preserved deciduous teeth		Caries		Cyst		Premortem	
	teeth	individual	teeth	individual	teeth	individual	teeth	individual
Infans I	523	64	1	1	0	0	1	1
Infans I-II	53	9	0	0	0	0	0	0
Infans II	250	65	1	1	1	1	0	0
Total	826	138	2 (0.2 %)	2	1	1	1	1

Tab. 129. Frequency of dental and periodontal diseases among children. Deciduous teeth.

Age group	Preserved permanent teeth		Caries		Cyst		Premortem	
	teeth	individual	teeth	individual	teeth	individual	teeth	individual
Infans I	167	64	0	0	0	0	0	0
Infans I-II	85	9	0	0	0	0	0	0
Infans II	814	65	0	0	0	0	0	0
Total	1066	138	0 (0.0 %)	0	0	0	0	0

Tab. 130. Frequency of dental and periodontal diseases among children. Permanent teeth.

Site	Incidence of caries
Lepenski Vir c., Lepenski Vir (ZOFFMANN unpublished)	0.2 %
Lepenski Vir c., Vlasac (ZOFFMANN unpublished)	0.4 %
Lengyel c., Mórág B.1 (ZOFFMANN 2004a)	2.3 %
Lengyel c., Csabdi-Télizöldes (KÖHLER 2004)	2.3 %
NE Hungary combined Copper Age series ¹ (UBELAKER / PAP 2008)	2.3 %
Alsónyék (present work)	3.2 %
Füzesabony and Tumulus Grave c., Tiszafüred-Majorosh. (UBELAKER / PAP 1996)	3.2 %
Corded Ware, Germany (BACH 1978)	3.7 %
Vinča c., Gomolava-Hrtkovci (ZOFFMANN 1988)	3.8 %
Tiszapolgár c., Tiszapolgár-Basatanya (MOLNAR / MOLNAR 1985)	4.0 %
Walternienburg-Bernburg c., Schönstedt (BACH et al. 1975)	4.3 %
Lengyel c., Zengővárkony (ZOFFMANN 1974)	4.6 %
NE Hungary combined Neolithic series ² (UBELAKER et al. 2006)	6.3 %
Central European LBK, Germany (BACH 1978)	7.1 %
Bodrogkeresztúr c., Tiszavalk-Tétes (ZOFFMANN 1986b)	8.1 %
Baden c., Budalász (KÖHLER 2009)	3.9 %
Odagsen, Neolithic (GRUPE 1989)	10.7 %
Baden c., Budalász (MOLNAR / MOLNAR 1985)	11.0 %
Tisza c., Vésztő-Mágor (MOLNAR / MOLNAR 1985)	13.8 %

¹ The combined Copper Age series contains the skeletal remains from the following sites: Mezőcsát-Hörcsögös, Bodrogkeresztúr, Tiszapolgár-Basatanya.

² The combined Neolithic series contains the skeletal remains from the following sites: Tiszavasvári-Deákalmi dűlő, Kisköre-Gát, Kisköre-Gátórház, Tiszavasvári-Paptelek, Tiszavasvári-Keresztfal, Aggtelek, and Berettyóújfalú-Herpály.

Tab. 131. Incidence of caries at Alsónyék and in other prehistoric series.

Site	Caries intensity
Corded Ware, Germany (BACH 1978)	6.0
Aunjetitz c., Germany (BACH 1985)	8.6
Baden c., Budakalász (KÖHLER 2009)	9.1
Central European LBK, Germany (BACH 1978)	9.6
Walternienburg-Bernburg c., Schönstedt (BACH et al. 1975)	10.8
Central European LBK, Sondershausen (BACH 1978)	11.8
Odagsen, Neolithic (GRUPE 1989)	16.4
Vinča c., Gomolava-Hrtkovci (ZOFFMANN 1988)	20.9
Bodrogkeresztúr c., Tiszavalk-Tétes (ZOFFMANN 1986b)	26.7
Lengyel c., Mórág B.1 (ZOFFMANN 2004a)	28.9
Alsónyék (present work)	29.7

Tab. 132. Caries intensity at Alsónyék and in other prehistoric series.